

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042125\
 Data File : PD088189.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Apr 2025 22:07
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 21 22:49:34 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 19 06:32:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.552	2.883	44108112	315.6E6	22.083	21.585
28)	SA Decachlor...	9.075	8.077	74185673	387.8E6	22.425	20.987
Target Compounds							
2)	A alpha-BHC	0.000	3.386	0	763700	N.D.	0.033 #
3)	MA gamma-BHC...	4.341	0.000	270418	0	0.065	N.D. #
4)	MA Heptachlor	4.918	0.000	630171	0	0.156	N.D. #
5)	MB Aldrin	0.000	4.369	0	975892	N.D.	0.047 #
6)	B beta-BHC	0.000	4.042	0	3065448	N.D.	0.331 #
7)	B delta-BHC	4.779	4.263	4316218	440883	1.046	0.021 #
8)	B Heptachlo...	0.000	4.898f	0	637295	N.D.	0.034 #
9)	A Endosulfan I	6.073	5.235f	392799	4050066	0.116	0.225 #
10)	B gamma-Chl...	5.924f	5.129	2545639	3355554	0.703	0.165 #
11)	B alpha-Chl...	6.036	5.201	503000	7713244	0.139	0.393 #
12)	B 4,4'-DDE	0.000	5.393	0	9341365	N.D.	0.474 #
13)	MA Dieldrin	0.000	5.517	0	234574	N.D.	0.012 #
14)	MA Endrin	0.000	5.798	0	9825223	N.D.	0.540 #
15)	B Endosulfa...	6.773	6.094	754051	1785614	0.241	0.102 #
16)	A 4,4'-DDD	6.707	0.000	307653	0	0.122	N.D. #
17)	MA 4,4'-DDT	0.000	6.183	0	2101465	N.D.	0.123 #
18)	B Endrin al...	6.922	6.262	156980	1979176	0.068	0.149 #
19)	B Endosulfa...	7.142	6.481	549050	6241836	0.191	0.364 #
20)	A Methoxychlor	0.000	6.752	0	232235	N.D.	0.025 #
22)	Mirex	0.000	7.174f	0	386078	N.D.	0.026 #
23)	Chlordane-1	0.000	3.898	0	1769736	N.D.	2.207 #
24)	Chlordane-2	0.000	4.494	0	4754465	N.D.	5.761 #
25)	Chlordane-3	5.924f	5.129	2545639	3355554	3.774	1.327 #
26)	Chlordane-4	6.036	5.201	503000	7713244	0.617	3.607 #
27)	Chlordane-5	0.000	6.094	0	1785614	N.D.	1.849 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042125\
Data File : PD088189.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Apr 2025 22:07
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 21 22:49:34 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
Quant Title : GC Extractables
QLast Update : Sat Apr 19 06:32:27 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.552 min
Delta R.T.: 0.000 min
Response: 44108112
Conc: 22.08 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.883 min
Delta R.T.: 0.000 min
Response: 315605751
Conc: 21.58 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 4.001 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.386 min
Delta R.T.: -0.010 min
Response: 763700
Conc: 0.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.341 min
Delta R.T.: 0.009 min
Response: 270418
Conc: 0.06 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 0.000 min
Exp R.T. : 3.733 min
Response: 0
Conc: N.D.




#4 Heptachlor

R.T.: 4.918 min
Delta R.T.: -0.013 min
Response: 630171
Conc: 0.16 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 4.086 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 5.273 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.369 min
Delta R.T.: -0.003 min
Response: 975892
Conc: 0.05 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T.: 4.516 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.042 min
Delta R.T.: 0.014 min
Response: 3065448
Conc: 0.33 ng/ml



#7 delta-BHC


R.T.: 4.779 min
Delta R.T.: 0.014 min
Response: 4316218
Conc: 1.05 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.263 min
Delta R.T.: -0.002 min
Response: 440883
Conc: 0.02 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 5.692 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 4.898 min
Delta R.T.: 0.021 min
Response: 637295
Conc: 0.03 ng/ml



#9 Endosulfan I


R.T.: 6.073 min
Delta R.T.: -0.003 min
Response: 392799
Conc: 0.12 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.235 min
Delta R.T.: -0.016 min
Response: 4050066
Conc: 0.22 ng/ml




#10 gamma-Chlordane

R.T.: 5.924 min
Delta R.T.: -0.023 min
Response: 2545639
Conc: 0.70 ng/ml



#10 gamma-Chlordane


R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 3355554
Conc: 0.17 ng/ml



#11 alpha-Chlordane


R.T.: 6.036 min
Delta R.T.: 0.007 min
Response: 503000
Conc: 0.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.201 min
Delta R.T.: 0.006 min
Response: 7713244
Conc: 0.39 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T. : 6.197 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.393 min
Delta R.T.: 0.014 min
Response: 9341365
Conc: 0.47 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.349 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.517 min
Delta R.T.: 0.000 min
Response: 234574
Conc: 0.01 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.576 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.798 min
Delta R.T.: 0.006 min
Response: 9825223
Conc: 0.54 ng/ml



#15 Endosulfan II


R.T.: 6.773 min
Delta R.T.: -0.014 min
Response: 754051
Conc: 0.24 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.094 min
Delta R.T.: 0.010 min
Response: 1785614
Conc: 0.10 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: 0.001 min
Response: 307653
Conc: 0.12 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T. : 5.934 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.022 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.183 min
Delta R.T.: -0.005 min
Response: 2101465
Conc: 0.12 ng/ml




#18 Endrin aldehyde

R.T.: 6.922 min
Delta R.T.: 0.006 min
Response: 156980
Conc: 0.07 ng/ml



#18 Endrin aldehyde


R.T.: 6.262 min
Delta R.T.: -0.001 min
Response: 1979176
Conc: 0.15 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.142 min
Delta R.T.: -0.009 min
Response: 549050
Conc: 0.19 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.481 min
Delta R.T.: -0.005 min
Response: 6241836
Conc: 0.36 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T. : 7.495 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.752 min
Delta R.T.: -0.007 min
Response: 232235
Conc: 0.03 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.115 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#22 Mirex

R.T.: 7.174 min
Delta R.T.: -0.016 min
Response: 386078
Conc: 0.03 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.717 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.898 min
Delta R.T.: -0.010 min
Response: 1769736
Conc: 2.21 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 5.243 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#24 Chlordane-2

R.T.: 4.494 min
Delta R.T.: 0.003 min
Response: 4754465
Conc: 5.76 ng/ml




#25 Chlordane-3

R.T.: 5.924 min
Delta R.T.: -0.025 min
Response: 2545639
Conc: 3.77 ng/ml



#25 Chlordane-3


R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 3355554
Conc: 1.33 ng/ml



#26 Chlordane-4


R.T.: 6.036 min
Delta R.T.: 0.002 min
Response: 503000
Conc: 0.62 ng/ml

Instrument :
ECD_D
ClientSampleId :




#26 Chlordane-4

R.T.: 5.201 min
Delta R.T.: 0.007 min
Response: 7713244
Conc: 3.61 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.873 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.094 min
Delta R.T.: 0.000 min
Response: 1785614
Conc: 1.85 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.075 min
Delta R.T.: 0.000 min
Response: 74185673
Conc: 22.43 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.077 min
Delta R.T.: 0.000 min
Response: 387825819
Conc: 20.99 ng/ml