

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062290.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 14:24
 Operator : AR\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 23:24:42 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
28)	SA Decachlor...	0.000	9.049	0	3867013	N.D.	0.456 #
Target Compounds							
2)	A alpha-BHC	0.000	4.364	0	6488134	N.D.	0.384 #
5)	MB Aldrin	0.000	5.473	0	621217	N.D.	0.041 #
8)	B Heptachlo...	0.000	5.860	0	39418831	N.D.	2.870 #
9)	A Endosulfan I	0.000	6.195f	0	2254572	N.D.	0.172 #
10)	B gamma-Chl...	0.000	6.062f	0	3706119	N.D.	0.263 #
11)	B alpha-Chl...	0.000	6.168	0	7102238	N.D.	0.517 #
12)	B 4,4'-DDE	0.000	6.334f	0	496538	N.D.	0.035 #
15)	B Endosulfa...	0.000	6.905	0	873951	N.D.	0.076 #
17)	MA 4,4'-DDT	0.000	7.127f	0	1085946	N.D.	0.109 #
19)	B Endosulfa...	0.000	7.239	0	1003611	N.D.	0.093 #
20)	A Methoxychlor	0.000	7.580f	0	1024802	N.D.	0.210 #
25)	Chlordane-3	0.000	6.062f	0	3706119	N.D.	1.886 #
26)	Chlordane-4	0.000	6.168	0	7102238	N.D.	3.119 #
27)	Chlordane-5	0.000	6.969	0	993849	N.D.	2.416 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062290.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 14:24
Operator : AR\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 23:24:42 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T.: 3.485 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T.: 3.981 min
Response: 0
Conc: N.D.




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T.: 3.924 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 4.364 min
Delta R.T.: -0.007 min
Response: 6488134
Conc: 0.38 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 4.762 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#5 Aldrin

R.T.: 5.473 min
Delta R.T.: 0.005 min
Response: 621217
Conc: 0.04 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.860 min
Delta R.T.: 0.006 min
Response: 39418831
Conc: 2.87 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.547 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#9 Endosulfan I

R.T.: 6.195 min
Delta R.T.: -0.016 min
Response: 2254572
Conc: 0.17 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 6.062 min
Delta R.T.: -0.026 min
Response: 3706119
Conc: 0.26 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.492 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#11 alpha-Chlordane

R.T.: 6.168 min
Delta R.T.: 0.007 min
Response: 7102238
Conc: 0.52 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 5.655 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 6.334 min
Delta R.T.: 0.017 min
Response: 496538
Conc: 0.04 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#15 Endosulfan II

R.T.: 6.905 min
Delta R.T.: 0.012 min
Response: 873951
Conc: 0.08 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.415 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.127 min
Delta R.T.: 0.022 min
Response: 1085946
Conc: 0.11 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 6.705 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#19 Endosulfan Sulfate

R.T.: 7.239 min
Delta R.T.: -0.002 min
Response: 1003611
Conc: 0.09 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T. : 6.962 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 7.580 min
Delta R.T.: 0.017 min
Response: 1024802
Conc: 0.21 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#25 Chlordane-3

R.T.: 6.062 min
Delta R.T.: -0.025 min
Response: 3706119
Conc: 1.89 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.168 min
Delta R.T.: 0.006 min
Response: 7102238
Conc: 3.12 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.333 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#27 Chlordane-5

R.T.: 6.969 min
Delta R.T.: 0.003 min
Response: 993849
Conc: 2.42 ng/ml



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T.: 8.258 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 9.049 min
Delta R.T.: 0.008 min
Response: 3867013
Conc: 0.46 ng/ml