

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062291.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 14:38
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 23:24:56 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.982	17087902	222.2E6	20.980	21.099
28)	SA Decachlor...	8.258	9.042	21852288	151.8E6	18.015	17.886
Target Compounds							
3)	MA gamma-BHC...	0.000	4.654	0	989360	N.D.	0.063 #
8)	B Heptachlo...	0.000	5.859	0	22249276	N.D.	1.620 #
9)	A Endosulfan I	0.000	6.198	0	2025077	N.D.	0.155 #
10)	B gamma-Chl...	0.000	6.100	0	2259495	N.D.	0.160 #
13)	MA Dieldrin	0.000	6.472	0	207262	N.D.	0.015 #
15)	B Endosulfa...	0.000	6.901	0	4042016	N.D.	0.351 #
17)	MA 4,4'-DDT	0.000	7.120f	0	2149298	N.D.	0.216 #
18)	B Endrin al...	0.000	7.021	0	1045759	N.D.	0.111 #
19)	B Endosulfa...	0.000	7.234	0	1911371	N.D.	0.176 #
21)	B Endrin ke...	0.000	7.728f	0	7163738	N.D.	0.714 #
25)	Chlordane-3	0.000	6.100	0	2259495	N.D.	1.150 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062291.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 14:38
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 23:24:56 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 17087902
Conc: 20.98 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 222199191
Conc: 21.10 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 0.000 min
Exp R.T. : 4.209 min
Response: 0
Conc: N.D.



#3 gamma-BHC (Lindane)


R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 989360
Conc: 0.06 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#8 Heptachlor epoxide

R.T.: 5.859 min
Delta R.T.: 0.005 min
Response: 22249276
Conc: 1.62 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 5.547 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.198 min
Delta R.T.: -0.012 min
Response: 2025077
Conc: 0.15 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#10 gamma-Chlordane

R.T.: 6.100 min
Delta R.T.: 0.012 min
Response: 2259495
Conc: 0.16 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.791 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.472 min
Delta R.T.: 0.005 min
Response: 207262
Conc: 0.01 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#15 Endosulfan II

R.T.: 6.901 min
Delta R.T.: 0.008 min
Response: 4042016
Conc: 0.35 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.415 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.120 min
Delta R.T.: 0.015 min
Response: 2149298
Conc: 0.22 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.492 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#18 Endrin aldehyde

R.T.: 7.021 min
Delta R.T.: 0.004 min
Response: 1045759
Conc: 0.11 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 6.705 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 7.234 min
Delta R.T.: -0.007 min
Response: 1911371
Conc: 0.18 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 7.199 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#21 Endrin ketone

R.T.: 7.728 min
Delta R.T.: 0.017 min
Response: 7163738
Conc: 0.71 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 6.100 min
Delta R.T.: 0.013 min
Response: 2259495
Conc: 1.15 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.258 min
Delta R.T.: 0.000 min
Response: 21852288
Conc: 18.01 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK



#28 Decachlorobiphenyl

R.T.: 9.042 min
Delta R.T.: 0.000 min
Response: 151760375
Conc: 17.89 ng/ml