

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062300.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 18:14
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 18:55:43 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 18:35:52 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.981	41201014	535.3E6	50.000	50.000
28)	SA Decachlor...	8.258	9.043	59176161	425.5E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.924	4.370	66220851	866.3E6	50.000	50.000
3)	MA gamma-BHC...	4.210	4.655	62643575	795.6E6	50.000	50.000
4)	MA Heptachlor	4.513	5.163	67302268	793.8E6	50.000	50.000
5)	MB Aldrin	4.762	5.468	64894994	763.6E6	50.000	50.000
6)	B beta-BHC	4.460	4.824	29319103	339.8E6	50.000	50.000
7)	B delta-BHC	4.666	5.041	65633853	730.4E6	50.000	50.000
8)	B Heptachlo...	5.206	5.853	62873420	669.2E6	50.000	50.000
9)	A Endosulfan I	5.547	6.210	60311634	663.2E6	50.000	50.000
10)	B gamma-Chl...	5.434	6.088	65153659	718.3E6	50.000	50.000
11)	B alpha-Chl...	5.493	6.160	64327094	695.0E6	50.000	50.000
12)	B 4,4'-DDE	5.656	6.317	62706417	714.3E6	50.000	50.000
13)	MA Dieldrin	5.792	6.467	65978983	715.9E6	50.000	50.000
14)	MA Endrin	6.050	6.685	59286741	614.8E6	50.000	50.000
15)	B Endosulfa...	6.323	6.894	57115765	569.3E6	50.000	50.000
16)	A 4,4'-DDD	6.174	6.807	52168307	563.7E6	50.000	50.000
17)	MA 4,4'-DDT	6.416	7.106	54455821	519.3E6	50.000	50.000
18)	B Endrin al...	6.491	7.018	50231539	475.2E6	50.000	50.000
19)	B Endosulfa...	6.706	7.241	59412658	543.1E6	50.000	50.000
20)	A Methoxychlor	6.962	7.564	31392399	248.5E6	50.000	50.000
21)	B Endrin ke...	7.199	7.712	62382603	517.7E6	50.000	50.000
22)	Mirex	7.391	8.167	49756628	319.1E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062300.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 18:14
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 18:55:43 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 18:35:52 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 41201014
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 535293845
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.924 min
Delta R.T.: 0.000 min
Response: 66220851
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 866339445
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.210 min
Delta R.T.: 0.000 min
Response: 62643575
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.655 min
Delta R.T.: 0.000 min
Response: 795619226
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.513 min
Delta R.T.: 0.000 min
Response: 67302268
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 793821100
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 64894994
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 763643424
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.460 min
Delta R.T.: 0.000 min
Response: 29319103
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 339819025
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.666 min
Delta R.T.: 0.000 min
Response: 65633853
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 730408568
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.206 min
Delta R.T.: 0.000 min
Response: 62873420
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 669164123
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.547 min
Delta R.T.: 0.000 min
Response: 60311634
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 663209595
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 65153659
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 718335408
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.493 min
Delta R.T.: 0.000 min
Response: 64327094
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 694964378
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.656 min
Delta R.T.: 0.000 min
Response: 62706417
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 714337340
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 65978983
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 715882797
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 59286741
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 614783480
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 57115765
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 569323399
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.174 min
Delta R.T.: 0.000 min
Response: 52168307
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 563678147
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.416 min
Delta R.T.: 0.000 min
Response: 54455821
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.106 min
Delta R.T.: 0.000 min
Response: 519286524
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.491 min
Delta R.T.: 0.000 min
Response: 50231539
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 475180529
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 59412658
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.241 min
Delta R.T.: 0.000 min
Response: 543062605
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 31392399
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.564 min
Delta R.T.: 0.000 min
Response: 248514694
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 62382603
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.712 min
Delta R.T.: 0.000 min
Response: 517719615
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.391 min
Delta R.T.: 0.000 min
Response: 49756628
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.167 min
Delta R.T.: 0.000 min
Response: 319089166
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.258 min
Delta R.T.: 0.000 min
Response: 59176161
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.043 min
Delta R.T.: 0.000 min
Response: 425473613
Conc: 50.00 ng/ml