

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062301.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 18:28
 Operator : AR\AJ
 Sample : PSTDICC025
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC025

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 18:55:51 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 18:35:52 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.982	20704815	270.7E6	25.127	25.289
28)	SA Decachlor...	8.257	9.042	30935466	219.6E6	26.138	25.801
Target Compounds							
2)	A alpha-BHC	3.924	4.371	31237442	433.6E6	23.586	25.027
3)	MA gamma-BHC...	4.209	4.655	30195871	401.9E6	24.101	25.258
4)	MA Heptachlor	4.512	5.163	32743322	403.9E6	24.326	25.442
5)	MB Aldrin	4.762	5.468	31191593	386.4E6	24.032	25.300
6)	B beta-BHC	4.459	4.825	15264601	171.5E6	26.032	25.235
7)	B delta-BHC	4.666	5.042	31010197	384.1E6	23.624	26.291
8)	B Heptachlo...	5.206	5.854	30968882	346.0E6	24.628	25.851
9)	A Endosulfan I	5.547	6.211	29756398	338.5E6	24.669	25.522
10)	B gamma-Chl...	5.434	6.088	31914122	365.3E6	24.491	25.425
11)	B alpha-Chl...	5.492	6.161	31736294	351.7E6	24.668	25.307
12)	B 4,4'-DDE	5.656	6.317	30207206	361.3E6	24.086	25.288
13)	MA Dieldrin	5.791	6.467	31839085	360.7E6	24.128	25.194
14)	MA Endrin	6.049	6.685	29102107	312.8E6	24.544	25.443
15)	B Endosulfa...	6.323	6.894	28646389	295.8E6	25.077	25.975
16)	A 4,4'-DDD	6.173	6.807	25151673	286.9E6	24.106	25.446
17)	MA 4,4'-DDT	6.415	7.106	25618664	260.6E6	23.522	25.090
18)	B Endrin al...	6.491	7.018	25431764	250.0E6	25.315	26.308
19)	B Endosulfa...	6.706	7.241	30044236	279.2E6	25.284	25.707
20)	A Methoxychlor	6.962	7.564	15626461	123.6E6	24.889	24.858
21)	B Endrin ke...	7.199	7.712	30820005	264.3E6	24.702	25.523
22)	Mirex	7.390	8.166	26066436	163.9E6	26.194	25.676



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062301.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 18:28
Operator : AR\AJ
Sample : PSTDICC025
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC025

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 18:55:51 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 18:35:52 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 20704815
Conc: 25.13 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 270737870
Conc: 25.29 ng/ml




#2 alpha-BHC

R.T.: 3.924 min
Delta R.T.: 0.000 min
Response: 31237442
Conc: 23.59 ng/ml



#2 alpha-BHC


R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 433635324
Conc: 25.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.209 min
Delta R.T.: 0.000 min
Response: 30195871
Conc: 24.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#3 gamma-BHC (Lindane)

R.T.: 4.655 min
Delta R.T.: 0.000 min
Response: 401920598
Conc: 25.26 ng/ml




#4 Heptachlor

R.T.: 4.512 min
Delta R.T.: 0.000 min
Response: 32743322
Conc: 24.33 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 403931367
Conc: 25.44 ng/ml



#5 Aldrin


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 31191593
Conc: 24.03 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#5 Aldrin

R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 386402124
Conc: 25.30 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 15264601
Conc: 26.03 ng/ml



#6 beta-BHC


R.T.: 4.825 min
Delta R.T.: 0.000 min
Response: 171503859
Conc: 25.23 ng/ml



#7 delta-BHC


R.T.: 4.666 min
Delta R.T.: 0.000 min
Response: 31010197
Conc: 23.62 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#7 delta-BHC

R.T.: 5.042 min
Delta R.T.: 0.000 min
Response: 384058227
Conc: 26.29 ng/ml




#8 Heptachlor epoxide

R.T.: 5.206 min
Delta R.T.: 0.000 min
Response: 30968882
Conc: 24.63 ng/ml



#8 Heptachlor epoxide


R.T.: 5.854 min
Delta R.T.: 0.000 min
Response: 345974463
Conc: 25.85 ng/ml



#9 Endosulfan I


R.T.: 5.547 min
Delta R.T.: 0.000 min
Response: 29756398
Conc: 24.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#9 Endosulfan I

R.T.: 6.211 min
Delta R.T.: 0.000 min
Response: 338531679
Conc: 25.52 ng/ml




#10 gamma-Chlordane

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 31914122
Conc: 24.49 ng/ml



#10 gamma-Chlordane


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 365267103
Conc: 25.42 ng/ml



#11 alpha-Chlordane


R.T.: 5.492 min
Delta R.T.: 0.000 min
Response: 31736294
Conc: 24.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#11 alpha-Chlordane

R.T.: 6.161 min
Delta R.T.: 0.000 min
Response: 351748021
Conc: 25.31 ng/ml




#12 4,4'-DDE

R.T.: 5.656 min
Delta R.T.: 0.000 min
Response: 30207206
Conc: 24.09 ng/ml



#12 4,4'-DDE


R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 361281203
Conc: 25.29 ng/ml



#13 Dieldrin


R.T.: 5.791 min
Delta R.T.: 0.000 min
Response: 31839085
Conc: 24.13 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC025




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 360716611
Conc: 25.19 ng/ml




#14 Endrin

R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 29102107
Conc: 24.54 ng/ml



#14 Endrin


R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 312835955
Conc: 25.44 ng/ml



#15 Endosulfan II


R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 28646389
Conc: 25.08 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 295760872
Conc: 25.97 ng/ml




#16 4,4'-DDD

R.T.: 6.173 min
Delta R.T.: 0.000 min
Response: 25151673
Conc: 24.11 ng/ml



#16 4,4'-DDD


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 286863658
Conc: 25.45 ng/ml



#17 4,4'-DDT


R.T.: 6.415 min
Delta R.T.: 0.000 min
Response: 25618664
Conc: 23.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#17 4,4'-DDT

R.T.: 7.106 min
Delta R.T.: 0.000 min
Response: 260576569
Conc: 25.09 ng/ml




#18 Endrin aldehyde

R.T.: 6.491 min
Delta R.T.: 0.000 min
Response: 25431764
Conc: 25.31 ng/ml



#18 Endrin aldehyde


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 250024261
Conc: 26.31 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.706 min
Delta R.T.: 0.000 min
Response: 30044236
Conc: 25.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#19 Endosulfan Sulfate

R.T.: 7.241 min
Delta R.T.: 0.000 min
Response: 279206586
Conc: 25.71 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 15626461
Conc: 24.89 ng/ml



#20 Methoxychlor


R.T.: 7.564 min
Delta R.T.: 0.000 min
Response: 123550458
Conc: 24.86 ng/ml



#21 Endrin ketone


R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 30820005
Conc: 24.70 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025




#21 Endrin ketone

R.T.: 7.712 min
Delta R.T.: 0.000 min
Response: 264276309
Conc: 25.52 ng/ml




#22 Mirex

R.T.: 7.390 min
Delta R.T.: 0.000 min
Response: 26066436
Conc: 26.19 ng/ml



#22 Mirex


R.T.: 8.166 min
Delta R.T.: 0.000 min
Response: 163857263
Conc: 25.68 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.257 min
Delta R.T.: 0.000 min
Response: 30935466
Conc: 26.14 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC025



#28 Decachlorobiphenyl

R.T.: 9.042 min
Delta R.T.: 0.000 min
Response: 219555871
Conc: 25.80 ng/ml