

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062306.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 19:37
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 23:26:55 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.484	3.981	16774447	218.7E6	20.595	20.766
28)	SA Decachlor...	8.257	9.041	24539715	173.7E6	20.230	20.468
Target Compounds							
2)	A alpha-BHC	0.000	4.368	0	13480	N.D.	0.001 #
3)	MA gamma-BHC...	0.000	4.654	0	488881	N.D.	0.031 #
5)	MB Aldrin	0.000	5.472	0	1103247	N.D.	0.073 #
8)	B Heptachlo...	0.000	5.861	0	23388540	N.D.	1.703 #
9)	A Endosulfan I	0.000	6.203	0	3361197	N.D.	0.257 #
10)	B gamma-Chl...	0.000	6.098	0	1213689	N.D.	0.086 #
11)	B alpha-Chl...	0.000	6.141f	0	1096502	N.D.	0.080 #
13)	MA Dieldrin	0.000	6.468	0	336954	N.D.	0.024 #
15)	B Endosulfa...	0.000	6.901	0	10245982	N.D.	0.890 #
16)	A 4,4'-DDD	0.000	6.821	0	6767426	N.D.	0.607 #
17)	MA 4,4'-DDT	0.000	7.110	0	7817460	N.D.	0.784 #
18)	B Endrin al...	0.000	7.011	0	6767408	N.D.	0.717 #
19)	B Endosulfa...	0.000	7.247	0	2978073	N.D.	0.275 #
20)	A Methoxychlor	0.000	7.563	0	1311656	N.D.	0.268 #
21)	B Endrin ke...	0.000	7.738f	0	1257329	N.D.	0.125 #
22)	Mirex	7.388	8.174	2138635	10665320	2.139	1.706
24)	Chlordane-2	0.000	5.472f	0	1103247	N.D.	2.318 #
25)	Chlordane-3	0.000	6.098	0	1213689	N.D.	0.618 #
26)	Chlordane-4	0.000	6.141f	0	1096502	N.D.	0.482 #
27)	Chlordane-5	0.000	6.941f	0	438017	N.D.	1.065 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062306.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 19:37
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampled :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 23:26:55 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.484 min
Delta R.T.: 0.000 min
Response: 16774447
Conc: 20.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 218693797
Conc: 20.77 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.924 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 4.368 min
Delta R.T.: -0.002 min
Response: 13480
Conc: 0.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.209 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 488881
Conc: 0.03 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 4.762 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 5.472 min
Delta R.T.: 0.003 min
Response: 1103247
Conc: 0.07 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#8 Heptachlor epoxide

R.T.: 5.861 min
Delta R.T.: 0.007 min
Response: 23388540
Conc: 1.70 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 5.547 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.203 min
Delta R.T.: -0.008 min
Response: 3361197
Conc: 0.26 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#10 gamma-Chlordane

R.T.: 6.098 min
Delta R.T.: 0.011 min
Response: 1213689
Conc: 0.09 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.492 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.141 min
Delta R.T.: -0.020 min
Response: 1096502
Conc: 0.08 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 5.791 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#13 Dieldrin

R.T.: 6.468 min
Delta R.T.: 0.000 min
Response: 336954
Conc: 0.02 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.901 min
Delta R.T.: 0.007 min
Response: 10245982
Conc: 0.89 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.173 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#16 4,4'-DDD

R.T.: 6.821 min
Delta R.T.: 0.014 min
Response: 6767426
Conc: 0.61 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.415 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.110 min
Delta R.T.: 0.005 min
Response: 7817460
Conc: 0.78 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.492 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#18 Endrin aldehyde

R.T.: 7.011 min
Delta R.T.: -0.006 min
Response: 6767408
Conc: 0.72 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 6.705 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 7.247 min
Delta R.T.: 0.006 min
Response: 2978073
Conc: 0.27 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 6.962 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#20 Methoxychlor

R.T.: 7.563 min
Delta R.T.: 0.000 min
Response: 1311656
Conc: 0.27 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.199 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.738 min
Delta R.T.: 0.026 min
Response: 1257329
Conc: 0.13 ng/ml



#22 Mirex


R.T.: 7.388 min
Delta R.T.: -0.002 min
Response: 2138635
Conc: 2.14 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#22 Mirex

R.T.: 8.174 min
Delta R.T.: 0.007 min
Response: 10665320
Conc: 1.71 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.862 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.472 min
Delta R.T.: 0.030 min
Response: 1103247
Conc: 2.32 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#25 Chlordane-3

R.T.: 6.098 min
Delta R.T.: 0.011 min
Response: 1213689
Conc: 0.62 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.141 min
Delta R.T.: -0.021 min
Response: 1096502
Conc: 0.48 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.333 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#27 Chlordane-5

R.T.: 6.941 min
Delta R.T.: -0.025 min
Response: 438017
Conc: 1.06 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.257 min
Delta R.T.: 0.000 min
Response: 24539715
Conc: 20.23 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.041 min
Delta R.T.: 0.000 min
Response: 173671370
Conc: 20.47 ng/ml