

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062307.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 19:51
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 23:27:11 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.484	3.981	16791773	215.5E6	20.616	20.460
2)	SA Decachlor...	8.257	9.042	25600822	176.3E6	21.105	20.774
Target Compounds							
2)	A alpha-BHC	3.924	4.370	11869580	157.6E6	9.267	9.326
3)	MA gamma-BHC...	4.209	4.654	11718734	155.2E6	9.522	9.882
6)	B beta-BHC	4.459	4.824	6217807	64814335	10.328	9.688
8)	B Heptachlo...	0.000	5.860	0	16701346	N.D.	1.216 #
11)	B alpha-Chl...	0.000	6.178f	0	2649976	N.D.	0.193 #
12)	B 4,4'-DDE	0.000	6.317	0	2325332	N.D.	0.165 #
13)	MA Dieldrin	0.000	6.470	0	7386761	N.D.	0.525 #
14)	MA Endrin	6.050	6.685	56287271	580.7E6	48.568	47.602
15)	B Endosulfa...	0.000	6.900	0	7630612	N.D.	0.663 #
16)	A 4,4'-DDD	0.000	6.807	0	5506550	N.D.	0.494 #
17)	MA 4,4'-DDT	6.415	7.106	104.8E6	1018.7E6	102.646	102.159
18)	B Endrin al...	0.000	7.018	0	961647	N.D.	0.102 #
20)	A Methoxychlor	6.961	7.563	146.8E6	1115.0E6	247.068	228.211
21)	B Endrin ke...	0.000	7.712	0	7438681	N.D.	0.741 #
22)	Mirex	0.000	8.187f	0	4915920	N.D.	0.786 #
26)	Chlordane-4	0.000	6.178f	0	2649976	N.D.	1.164 #
27)	Chlordane-5	0.000	6.966	0	2110501	N.D.	5.130 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062307.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 19:51
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 23:27:11 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.484 min
Delta R.T.: 0.000 min
Response: 16791773
Conc: 20.62 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 215475769
Conc: 20.46 ng/ml




#2 alpha-BHC

R.T.: 3.924 min
Delta R.T.: 0.000 min
Response: 11869580
Conc: 9.27 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 157611773
Conc: 9.33 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.209 min
Delta R.T.: 0.000 min
Response: 11718734
Conc: 9.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 155212463
Conc: 9.88 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 6217807
Conc: 10.33 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 64814335
Conc: 9.69 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PEM




#8 Heptachlor epoxide

R.T.: 5.860 min
Delta R.T.: 0.007 min
Response: 16701346
Conc: 1.22 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.492 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.178 min
Delta R.T.: 0.017 min
Response: 2649976
Conc: 0.19 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 5.655 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PEM




#12 4,4'-DDE

R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 2325332
Conc: 0.16 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.791 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.470 min
Delta R.T.: 0.003 min
Response: 7386761
Conc: 0.53 ng/ml



#14 Endrin


R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 56287271
Conc: 48.57 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 580712649
Conc: 47.60 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.323 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.900 min
Delta R.T.: 0.006 min
Response: 7630612
Conc: 0.66 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.173 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PEM




#16 4,4'-DDD

R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 5506550
Conc: 0.49 ng/ml




#17 4,4'-DDT

R.T.: 6.415 min
Delta R.T.: 0.000 min
Response: 104819974
Conc: 102.65 ng/ml



#17 4,4'-DDT


R.T.: 7.106 min
Delta R.T.: 0.000 min
Response: 1018749125
Conc: 102.16 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.492 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PEM




#18 Endrin aldehyde

R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 961647
Conc: 0.10 ng/ml




#20 Methoxychlor

R.T.: 6.961 min
Delta R.T.: 0.000 min
Response: 146814870
Conc: 247.07 ng/ml



#20 Methoxychlor


R.T.: 7.563 min
Delta R.T.: 0.000 min
Response: 1114963383
Conc: 228.21 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 7.199 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 7.712 min
Delta R.T.: 0.000 min
Response: 7438681
Conc: 0.74 ng/ml




#22 Mirex

R.T.: 0.000 min
Exp R.T.: 7.390 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.187 min
Delta R.T.: 0.021 min
Response: 4915920
Conc: 0.79 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PEM




#26 Chlordane-4

R.T.: 6.178 min
Delta R.T.: 0.016 min
Response: 2649976
Conc: 1.16 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.333 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.966 min
Delta R.T.: 0.000 min
Response: 2110501
Conc: 5.13 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.257 min
Delta R.T.: 0.000 min
Response: 25600822
Conc: 21.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 9.042 min
Delta R.T.: 0.000 min
Response: 176263070
Conc: 20.77 ng/ml