

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062308.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 20:05
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 23:27:26 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.484	3.981	41742613	540.0E6	51.250	51.274
28)	SA Decachlor...	8.257	9.042	58303759	412.4E6	48.065	48.602
Target Compounds							
2)	A alpha-BHC	3.924	4.370	67260994	871.7E6	52.511	51.580
3)	MA gamma-BHC...	4.209	4.654	63667925	798.8E6	51.733	50.861
4)	MA Heptachlor	4.512	5.162	67913749	792.1E6	51.815	50.547
5)	MB Aldrin	4.762	5.467	65415036	765.9E6	52.266	50.950
6)	B beta-BHC	4.458	4.824	29787237	339.0E6	49.476	50.667
7)	B delta-BHC	4.665	5.041	66378652	749.7E6	52.413	53.704
8)	B Heptachlo...	5.205	5.853	63184198	684.0E6	51.464	49.794
9)	A Endosulfan I	5.546	6.210	60641697	666.3E6	51.409	50.876
10)	B gamma-Chl...	5.434	6.087	65747169	725.6E6	51.598	51.405
11)	B alpha-Chl...	5.492	6.160	64717482	696.2E6	51.585	50.710
12)	B 4,4'-DDE	5.655	6.316	62779700	714.3E6	51.718	50.592
13)	MA Dieldrin	5.791	6.467	66007321	719.6E6	51.725	51.164
14)	MA Endrin	6.049	6.684	59410003	614.1E6	51.262	50.337
15)	B Endosulfa...	6.322	6.894	56872268	585.8E6	50.330	50.906
16)	A 4,4'-DDD	6.173	6.806	52272352	572.0E6	52.233	51.327
17)	MA 4,4'-DDT	6.415	7.105	53890050	547.4E6	52.773	54.897
18)	B Endrin al...	6.491	7.018	49931164	498.8E6	50.541	52.842
19)	B Endosulfa...	6.705	7.240	59381463	571.2E6	50.292	52.654
20)	A Methoxychlor	6.962	7.563	31751919	249.6E6	53.434	51.085
21)	B Endrin ke...	7.199	7.712	65343620	513.2E6	53.642	51.150
22)	Mirex	7.390	8.166	51319677	326.5E6	51.325	52.230
24)	Chlordane-2	0.000	5.467f	0	765.9E6	N.D.	1608.917 #
25)	Chlordane-3	5.434	6.087	65747169	725.6E6	527.221	369.347 #
26)	Chlordane-4	5.492	6.160	64717482	696.2E6	617.600	305.730 #
27)	Chlordane-5	6.322	6.950f	56872268	1413308	1254.948	3.435 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062308.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 20:05
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 23:27:26 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.484 min
Delta R.T.: 0.000 min
Response: 41742613
Conc: 51.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 539985817
Conc: 51.27 ng/ml




#2 alpha-BHC

R.T.: 3.924 min
Delta R.T.: 0.000 min
Response: 67260994
Conc: 52.51 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 871726997
Conc: 51.58 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.209 min
Delta R.T.: 0.000 min
Response: 63667925
Conc: 51.73 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 798832476
Conc: 50.86 ng/ml




#4 Heptachlor

R.T.: 4.512 min
Delta R.T.: 0.000 min
Response: 67913749
Conc: 51.82 ng/ml



#4 Heptachlor


R.T.: 5.162 min
Delta R.T.: 0.000 min
Response: 792099363
Conc: 50.55 ng/ml



#5 Aldrin


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 65415036
Conc: 52.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: -0.001 min
Response: 765885918
Conc: 50.95 ng/ml




#6 beta-BHC

R.T.: 4.458 min
Delta R.T.: 0.000 min
Response: 29787237
Conc: 49.48 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 338969324
Conc: 50.67 ng/ml



#7 delta-BHC


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 66378652
Conc: 52.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 749718334
Conc: 53.70 ng/ml




#8 Heptachlor epoxide

R.T.: 5.205 min
Delta R.T.: 0.000 min
Response: 63184198
Conc: 51.46 ng/ml



#8 Heptachlor epoxide


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 684015396
Conc: 49.79 ng/ml



#9 Endosulfan I


R.T.: 5.546 min
Delta R.T.: 0.000 min
Response: 60641697
Conc: 51.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 666291208
Conc: 50.88 ng/ml




#10 gamma-Chlordane

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 65747169
Conc: 51.60 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: -0.001 min
Response: 725642547
Conc: 51.41 ng/ml



#11 alpha-Chlordane


R.T.: 5.492 min
Delta R.T.: 0.000 min
Response: 64717482
Conc: 51.59 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 696152047
Conc: 50.71 ng/ml




#12 4,4'-DDE

R.T.: 5.655 min
Delta R.T.: 0.000 min
Response: 62779700
Conc: 51.72 ng/ml



#12 4,4'-DDE


R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 714343979
Conc: 50.59 ng/ml



#13 Dieldrin


R.T.: 5.791 min
Delta R.T.: 0.000 min
Response: 66007321
Conc: 51.73 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 719630365
Conc: 51.16 ng/ml




#14 Endrin

R.T.: 6.049 min
Delta R.T.: 0.000 min
Response: 59410003
Conc: 51.26 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 614079224
Conc: 50.34 ng/ml



#15 Endosulfan II


R.T.: 6.322 min
Delta R.T.: -0.001 min
Response: 56872268
Conc: 50.33 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.894 min
Delta R.T.: 0.000 min
Response: 585798335
Conc: 50.91 ng/ml




#16 4,4'-DDD

R.T.: 6.173 min
Delta R.T.: 0.000 min
Response: 52272352
Conc: 52.23 ng/ml



#16 4,4'-DDD


R.T.: 6.806 min
Delta R.T.: 0.000 min
Response: 571981106
Conc: 51.33 ng/ml



#17 4,4'-DDT


R.T.: 6.415 min
Delta R.T.: 0.000 min
Response: 53890050
Conc: 52.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.105 min
Delta R.T.: 0.000 min
Response: 547447781
Conc: 54.90 ng/ml




#18 Endrin aldehyde

R.T.: 6.491 min
Delta R.T.: -0.001 min
Response: 49931164
Conc: 50.54 ng/ml



#18 Endrin aldehyde


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 498779426
Conc: 52.84 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.705 min
Delta R.T.: 0.000 min
Response: 59381463
Conc: 50.29 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 571218736
Conc: 52.65 ng/ml




#20 Methoxychlor

R.T.: 6.962 min
Delta R.T.: 0.000 min
Response: 31751919
Conc: 53.43 ng/ml



#20 Methoxychlor


R.T.: 7.563 min
Delta R.T.: 0.000 min
Response: 249585668
Conc: 51.09 ng/ml



#21 Endrin ketone


R.T.: 7.199 min
Delta R.T.: 0.000 min
Response: 65343620
Conc: 53.64 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.712 min
Delta R.T.: 0.000 min
Response: 513158990
Conc: 51.15 ng/ml




#22 Mirex

R.T.: 7.390 min
Delta R.T.: 0.000 min
Response: 51319677
Conc: 51.33 ng/ml



#22 Mirex


R.T.: 8.166 min
Delta R.T.: 0.000 min
Response: 326470322
Conc: 52.23 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 5.467 min
Delta R.T.: 0.025 min
Response: 765885918
Conc: 1608.92 ng/ml




#25 Chlordane-3

R.T.: 5.434 min
Delta R.T.: 0.000 min
Response: 65747169
Conc: 527.22 ng/ml



#25 Chlordane-3


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 725642547
Conc: 369.35 ng/ml



#26 Chlordane-4


R.T.: 5.492 min
Delta R.T.: 0.000 min
Response: 64717482
Conc: 617.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 6.160 min
Delta R.T.: -0.002 min
Response: 696152047
Conc: 305.73 ng/ml




#27 Chlordane-5

R.T.: 6.322 min
Delta R.T.: -0.011 min
Response: 56872268
Conc: 1254.95 ng/ml



#27 Chlordane-5


R.T.: 6.950 min
Delta R.T.: -0.016 min
Response: 1413308
Conc: 3.44 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.257 min
Delta R.T.: 0.000 min
Response: 58303759
Conc: 48.06 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.042 min
Delta R.T.: 0.000 min
Response: 412387318
Conc: 48.60 ng/ml