

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
 Data File : PD062310.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 Apr 2021 20:33
 Operator : AR\AJ
 Sample : M2106-03
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 SB-22-14.5-15.0

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 23 23:27:58 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.982	11440596	152.3E6	14.046	14.462
28)	SA Decachlor...	8.258	9.042	37942490	273.0E6	31.279	32.176
Target Compounds							
4)	MA Heptachlor	0.000	5.165	0	3922343	N.D.	0.250 #
5)	MB Aldrin	0.000	5.468	0	60156759	N.D.	4.002 #
8)	B Heptachlo...	0.000	5.862	0	71088482	N.D.	5.175 #
9)	A Endosulfan I	0.000	6.206	0	19486975	N.D.	1.488 #
10)	B gamma-Chl...	0.000	6.100	0	42295376	N.D.	2.996 #
11)	B alpha-Chl...	0.000	6.140f	0	12707160	N.D.	0.926 #
12)	B 4,4'-DDE	5.655	6.317	5257085	39666781	4.331	2.809 #
13)	MA Dieldrin	0.000	6.458	0	4414057	N.D.	0.314 #
14)	MA Endrin	0.000	6.675	0	34001582	N.D.	2.787 #
16)	A 4,4'-DDD	0.000	6.811	0	15580296	N.D.	1.398 #
17)	MA 4,4'-DDT	6.412	7.109	1220152	4464565	1.195	0.448 #
18)	B Endrin al...	0.000	7.018	0	1867606	N.D.	0.198 #
19)	B Endosulfa...	6.701	0.000	900152	0	0.762	N.D. #
21)	B Endrin ke...	7.224f	0.000	1268897	0	1.042	N.D. #
22)	Mirex	0.000	8.192f	0	25218923	N.D.	4.035 #
24)	Chlordane-2	0.000	5.468f	0	60156759	N.D.	126.373 #
25)	Chlordane-3	0.000	6.100	0	42295376	N.D.	21.528 #
26)	Chlordane-4	0.000	6.140f	0	12707160	N.D.	5.581 #
27)	Chlordane-5	0.000	6.991f	0	879804	N.D.	2.138 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042321\
Data File : PD062310.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 Apr 2021 20:33
Operator : AR\AJ
Sample : M2106-03
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleID :
SB-22-14.5-15.0

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 23 23:27:58 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 11440596
Conc: 14.05 ng/ml

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 152301084
Conc: 14.46 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.512 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.165 min
Delta R.T.: 0.002 min
Response: 3922343
Conc: 0.25 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 4.762 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#5 Aldrin

R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 60156759
Conc: 4.00 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.862 min
Delta R.T.: 0.009 min
Response: 71088482
Conc: 5.17 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.547 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#9 Endosulfan I

R.T.: 6.206 min
Delta R.T.: -0.004 min
Response: 19486975
Conc: 1.49 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 6.100 min
Delta R.T.: 0.012 min
Response: 42295376
Conc: 3.00 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.492 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#11 alpha-Chlordane

R.T.: 6.140 min
Delta R.T.: -0.021 min
Response: 12707160
Conc: 0.93 ng/ml




#12 4,4'-DDE

R.T.: 5.655 min
Delta R.T.: 0.000 min
Response: 5257085
Conc: 4.33 ng/ml



#12 4,4'-DDE


R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 39666781
Conc: 2.81 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 5.791 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#13 Dieldrin

R.T.: 6.458 min
Delta R.T.: -0.009 min
Response: 4414057
Conc: 0.31 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.050 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 6.675 min
Delta R.T.: -0.010 min
Response: 34001582
Conc: 2.79 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.173 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#16 4,4'-DDD

R.T.: 6.811 min
Delta R.T.: 0.005 min
Response: 15580296
Conc: 1.40 ng/ml




#17 4,4'-DDT

R.T.: 6.412 min
Delta R.T.: -0.003 min
Response: 1220152
Conc: 1.19 ng/ml



#17 4,4'-DDT


R.T.: 7.109 min
Delta R.T.: 0.004 min
Response: 4464565
Conc: 0.45 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.492 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#18 Endrin aldehyde

R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 1867606
Conc: 0.20 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.701 min
Delta R.T.: -0.004 min
Response: 900152
Conc: 0.76 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 7.241 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.224 min
Delta R.T.: 0.025 min
Response: 1268897
Conc: 1.04 ng/ml

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 7.711 min
Response: 0
Conc: N.D.




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 7.390 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.192 min
Delta R.T.: 0.026 min
Response: 25218923
Conc: 4.03 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#24 Chlordane-2

R.T.: 5.468 min
Delta R.T.: 0.026 min
Response: 60156759
Conc: 126.37 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 6.100 min
Delta R.T.: 0.013 min
Response: 42295376
Conc: 21.53 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0




#26 Chlordane-4

R.T.: 6.140 min
Delta R.T.: -0.022 min
Response: 12707160
Conc: 5.58 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.333 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.991 min
Delta R.T.: 0.025 min
Response: 879804
Conc: 2.14 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.258 min
Delta R.T.: 0.000 min
Response: 37942490
Conc: 31.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
SB-22-14.5-15.0



#28 Decachlorobiphenyl

R.T.: 9.042 min
Delta R.T.: 0.000 min
Response: 273015696
Conc: 32.18 ng/ml