

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042621\
 Data File : PD062400.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2021 10:22
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 13:22:40 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.484	3.981	15860245	220.2E6	19.473	20.905
28)	SA Decachlor...	8.255	9.040	23651557	180.5E6	19.498	21.267
Target Compounds							
2)	A alpha-BHC	0.000	4.371	0	589559	N.D.	0.035 #
3)	MA gamma-BHC...	0.000	4.653	0	2039200	N.D.	0.130 #
5)	MB Aldrin	0.000	5.468	0	1082080	N.D.	0.072 #
6)	B beta-BHC	0.000	4.824	0	1409541	N.D.	0.211 #
8)	B Heptachlo...	0.000	5.859	0	28036389	N.D.	2.041 #
10)	B gamma-Chl...	0.000	6.093	0	700571	N.D.	0.050 #
11)	B alpha-Chl...	0.000	6.159	0	1541683	N.D.	0.112 #
12)	B 4,4'-DDE	0.000	6.313	0	1408650	N.D.	0.100 #
13)	MA Dieldrin	0.000	6.469	0	118330	N.D.	0.008 #
15)	B Endosulfa...	0.000	6.897	0	7499396	N.D.	0.652 #
16)	A 4,4'-DDD	0.000	6.807	0	4225154	N.D.	0.379 #
17)	MA 4,4'-DDT	0.000	7.098	0	1628757	N.D.	0.163 #
18)	B Endrin al...	0.000	7.016	0	6124276	N.D.	0.649 #
19)	B Endosulfa...	0.000	7.240	0	6639626	N.D.	0.612 #
20)	A Methoxychlor	0.000	7.566	0	6494520	N.D.	1.329 #
21)	B Endrin ke...	0.000	7.707	0	3113779	N.D.	0.310 #
24)	Chlordane-2	0.000	5.468f	0	1082080	N.D.	2.273 #
25)	Chlordane-3	0.000	6.093	0	700571	N.D.	0.357 #
26)	Chlordane-4	0.000	6.159	0	1541683	N.D.	0.677 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042621\
 Data File : PD062400.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2021 10:22
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 13:22:40 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.484 min
Delta R.T.: 0.000 min
Response: 15860245
Conc: 19.47 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 220154350
Conc: 20.90 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.924 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 589559
Conc: 0.03 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.209 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#3 gamma-BHC (Lindane)

R.T.: 4.653 min
Delta R.T.: -0.002 min
Response: 2039200
Conc: 0.13 ng/ml




#5 Aldrin

R.T.: 0.000 min
Exp R.T.: 4.762 min
Response: 0
Conc: N.D.



#5 Aldrin


R.T.: 5.468 min
Delta R.T.: 0.000 min
Response: 1082080
Conc: 0.07 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.459 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#6 beta-BHC

R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 1409541
Conc: 0.21 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.206 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.859 min
Delta R.T.: 0.005 min
Response: 28036389
Conc: 2.04 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#10 gamma-Chlordane

R.T.: 6.093 min
Delta R.T.: 0.005 min
Response: 700571
Conc: 0.05 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.492 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.159 min
Delta R.T.: -0.002 min
Response: 1541683
Conc: 0.11 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 5.655 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#12 4,4'-DDE

R.T.: 6.313 min
Delta R.T.: -0.004 min
Response: 1408650
Conc: 0.10 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.791 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.469 min
Delta R.T.: 0.002 min
Response: 118330
Conc: 0.01 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.323 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#15 Endosulfan II

R.T.: 6.897 min
Delta R.T.: 0.003 min
Response: 7499396
Conc: 0.65 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T.: 6.173 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 4225154
Conc: 0.38 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 6.415 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#17 4,4'-DDT

R.T.: 7.098 min
Delta R.T.: -0.007 min
Response: 1628757
Conc: 0.16 ng/ml




#18 Endrin aldehyde

R.T.: 0.000 min
Exp R.T.: 6.492 min
Response: 0
Conc: N.D.



#18 Endrin aldehyde


R.T.: 7.016 min
Delta R.T.: -0.001 min
Response: 6124276
Conc: 0.65 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T. : 6.705 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 6639626
Conc: 0.61 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T. : 6.962 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 7.566 min
Delta R.T.: 0.003 min
Response: 6494520
Conc: 1.33 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 7.199 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#21 Endrin ketone

R.T.: 7.707 min
Delta R.T.: -0.004 min
Response: 3113779
Conc: 0.31 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.468 min
Delta R.T.: 0.026 min
Response: 1082080
Conc: 2.27 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.434 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#25 Chlordane-3

R.T.: 6.093 min
Delta R.T.: 0.006 min
Response: 700571
Conc: 0.36 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.159 min
Delta R.T.: -0.003 min
Response: 1541683
Conc: 0.68 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.255 min
Delta R.T.: -0.002 min
Response: 23651557
Conc: 19.50 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK



#28 Decachlorobiphenyl

R.T.: 9.040 min
Delta R.T.: -0.002 min
Response: 180452464
Conc: 21.27 ng/ml