

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042621\
 Data File : PD062402.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2021 10:50
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 13:23:19 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 23 23:19:57 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.485	3.981	40692000	546.1E6	49.960	51.858
28)	SA Decachlor...	8.255	9.041	57778315	422.5E6	47.631	49.792
Target Compounds							
2)	A alpha-BHC	3.924	4.370	64080652	876.2E6	50.028	51.842
3)	MA gamma-BHC...	4.209	4.654	60671156	801.3E6	49.298	51.016
4)	MA Heptachlor	4.512	5.163	64886155	791.8E6	49.506	50.529
5)	MB Aldrin	4.762	5.467	62156167	764.0E6	49.662	50.828
6)	B beta-BHC	4.459	4.824	28879237	338.5E6	47.968	50.598
7)	B delta-BHC	4.665	5.041	63556708	731.4E6	50.184	52.261
8)	B Heptachlo...	5.206	5.853	60082097	650.5E6	48.937	47.355
9)	A Endosulfan I	5.546	6.210	57488620	647.6E6	48.736	49.447
10)	B gamma-Chl...	5.433	6.087	62144485	708.2E6	48.771	50.171
11)	B alpha-Chl...	5.492	6.160	61415904	681.9E6	48.953	49.670
12)	B 4,4'-DDE	5.654	6.316	59524823	693.3E6	49.037	49.099
13)	MA Dieldrin	5.790	6.466	61737630	690.4E6	48.379	49.087
14)	MA Endrin	6.049	6.684	56376372	598.7E6	48.645	49.077
15)	B Endosulfa...	6.322	6.893	51890412	550.6E6	45.922	47.843
16)	A 4,4'-DDD	6.172	6.806	49625387	544.3E6	49.588	48.847
17)	MA 4,4'-DDT	6.414	7.105	52640645	575.3E6	51.549	57.694
18)	B Endrin al...	6.490	7.016	44771936	465.6E6	45.318	49.323
19)	B Endosulfa...	6.704	7.240	54479848	570.5E6	46.141	52.590
20)	A Methoxychlor	6.960	7.562	31066955	274.4E6	52.281	56.164
21)	B Endrin ke...	7.198	7.711	62159295	526.6E6	51.028	52.489
22)	Mirex	7.388	8.165	49306995	322.7E6	49.312	51.623
24)	Chlordane-2	0.000	5.467f	0	764.0E6	N.D.	1605.058 #
25)	Chlordane-3	5.433	6.087	62144485	708.2E6	498.331	360.479 #
26)	Chlordane-4	5.492	6.160	61415904	681.9E6	586.093	299.456 #
27)	Chlordane-5	6.322	6.965	51890412	1003047	1145.018	2.438 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD042621\
Data File : PD062402.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Apr 2021 10:50
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 26 13:23:19 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042321.M
Quant Title : GC Extractables
QLast Update : Fri Apr 23 23:19:57 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.485 min
Delta R.T.: 0.000 min
Response: 40692000
Conc: 49.96 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.981 min
Delta R.T.: 0.000 min
Response: 546138463
Conc: 51.86 ng/ml




#2 alpha-BHC

R.T.: 3.924 min
Delta R.T.: 0.000 min
Response: 64080652
Conc: 50.03 ng/ml



#2 alpha-BHC


R.T.: 4.370 min
Delta R.T.: 0.000 min
Response: 876154239
Conc: 51.84 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.209 min
Delta R.T.: 0.000 min
Response: 60671156
Conc: 49.30 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 801266892
Conc: 51.02 ng/ml




#4 Heptachlor

R.T.: 4.512 min
Delta R.T.: 0.000 min
Response: 64886155
Conc: 49.51 ng/ml



#4 Heptachlor


R.T.: 5.163 min
Delta R.T.: 0.000 min
Response: 791810907
Conc: 50.53 ng/ml



#5 Aldrin


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 62156167
Conc: 49.66 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.467 min
Delta R.T.: -0.001 min
Response: 764049070
Conc: 50.83 ng/ml




#6 beta-BHC

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 28879237
Conc: 47.97 ng/ml



#6 beta-BHC


R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 338506867
Conc: 50.60 ng/ml



#7 delta-BHC


R.T.: 4.665 min
Delta R.T.: 0.000 min
Response: 63556708
Conc: 50.18 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 5.041 min
Delta R.T.: 0.000 min
Response: 731447234
Conc: 52.26 ng/ml




#8 Heptachlor epoxide

R.T.: 5.206 min
Delta R.T.: 0.000 min
Response: 60082097
Conc: 48.94 ng/ml



#8 Heptachlor epoxide


R.T.: 5.853 min
Delta R.T.: 0.000 min
Response: 650509576
Conc: 47.35 ng/ml



#9 Endosulfan I


R.T.: 5.546 min
Delta R.T.: 0.000 min
Response: 57488620
Conc: 48.74 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 6.210 min
Delta R.T.: 0.000 min
Response: 647573760
Conc: 49.45 ng/ml




#10 gamma-Chlordane

R.T.: 5.433 min
Delta R.T.: 0.000 min
Response: 62144485
Conc: 48.77 ng/ml



#10 gamma-Chlordane


R.T.: 6.087 min
Delta R.T.: -0.001 min
Response: 708219450
Conc: 50.17 ng/ml



#11 alpha-Chlordane


R.T.: 5.492 min
Delta R.T.: 0.000 min
Response: 61415904
Conc: 48.95 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.160 min
Delta R.T.: 0.000 min
Response: 681865711
Conc: 49.67 ng/ml




#12 4,4'-DDE

R.T.: 5.654 min
Delta R.T.: 0.000 min
Response: 59524823
Conc: 49.04 ng/ml



#12 4,4'-DDE


R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 693257308
Conc: 49.10 ng/ml



#13 Dieldrin


R.T.: 5.790 min
Delta R.T.: -0.001 min
Response: 61737630
Conc: 48.38 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 6.466 min
Delta R.T.: 0.000 min
Response: 690422278
Conc: 49.09 ng/ml




#14 Endrin

R.T.: 6.049 min
Delta R.T.: -0.001 min
Response: 56376372
Conc: 48.64 ng/ml



#14 Endrin


R.T.: 6.684 min
Delta R.T.: 0.000 min
Response: 598707258
Conc: 49.08 ng/ml



#15 Endosulfan II


R.T.: 6.322 min
Delta R.T.: -0.001 min
Response: 51890412
Conc: 45.92 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.893 min
Delta R.T.: 0.000 min
Response: 550552951
Conc: 47.84 ng/ml




#16 4,4'-DDD

R.T.: 6.172 min
Delta R.T.: 0.000 min
Response: 49625387
Conc: 49.59 ng/ml



#16 4,4'-DDD


R.T.: 6.806 min
Delta R.T.: -0.001 min
Response: 544342823
Conc: 48.85 ng/ml



#17 4,4'-DDT


R.T.: 6.414 min
Delta R.T.: -0.001 min
Response: 52640645
Conc: 51.55 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.105 min
Delta R.T.: 0.000 min
Response: 575335906
Conc: 57.69 ng/ml




#18 Endrin aldehyde

R.T.: 6.490 min
Delta R.T.: -0.002 min
Response: 44771936
Conc: 45.32 ng/ml



#18 Endrin aldehyde


R.T.: 7.016 min
Delta R.T.: 0.000 min
Response: 465566725
Conc: 49.32 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.704 min
Delta R.T.: -0.001 min
Response: 54479848
Conc: 46.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.240 min
Delta R.T.: 0.000 min
Response: 570519065
Conc: 52.59 ng/ml




#20 Methoxychlor

R.T.: 6.960 min
Delta R.T.: -0.002 min
Response: 31066955
Conc: 52.28 ng/ml



#20 Methoxychlor


R.T.: 7.562 min
Delta R.T.: -0.001 min
Response: 274397147
Conc: 56.16 ng/ml



#21 Endrin ketone


R.T.: 7.198 min
Delta R.T.: -0.002 min
Response: 62159295
Conc: 51.03 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 7.711 min
Delta R.T.: 0.000 min
Response: 526594227
Conc: 52.49 ng/ml




#22 Mirex

R.T.: 7.388 min
Delta R.T.: -0.001 min
Response: 49306995
Conc: 49.31 ng/ml



#22 Mirex


R.T.: 8.165 min
Delta R.T.: -0.001 min
Response: 322671177
Conc: 51.62 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.862 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#24 Chlordane-2

R.T.: 5.467 min
Delta R.T.: 0.026 min
Response: 764049070
Conc: 1605.06 ng/ml




#25 Chlordane-3

R.T.: 5.433 min
Delta R.T.: 0.000 min
Response: 62144485
Conc: 498.33 ng/ml



#25 Chlordane-3


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 708219450
Conc: 360.48 ng/ml



#26 Chlordane-4


R.T.: 5.492 min
Delta R.T.: -0.001 min
Response: 61415904
Conc: 586.09 ng/ml

Instrument :
ECD_D
ClientSampleId :




#26 Chlordane-4

R.T.: 6.160 min
Delta R.T.: -0.002 min
Response: 681865711
Conc: 299.46 ng/ml




#27 Chlordane-5

R.T.: 6.322 min
Delta R.T.: -0.011 min
Response: 51890412
Conc: 1145.02 ng/ml



#27 Chlordane-5


R.T.: 6.965 min
Delta R.T.: 0.000 min
Response: 1003047
Conc: 2.44 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.255 min
Delta R.T.: -0.003 min
Response: 57778315
Conc: 47.63 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 9.041 min
Delta R.T.: -0.001 min
Response: 422483265
Conc: 49.79 ng/ml