

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(27) Decachlorobiphenyl (SA)

8.201min 36.264 ng/ml

response 38925262

(27) Decachlorobiphenyl #2 (SA)

9.035min 25.988 ng/ml

response 283659326

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(27) Decachlorobiphenyl (SA)

8.201min 36.264 ng/ml

response 38925262

(27) Decachlorobiphenyl #2 (SA)

9.034min 30.674 ng/ml m

response 334807793

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(3) gamma-BHC (Lindane) (MA)

4.166min 3.100 ng/ml

response 4140690

(3) gamma-BHC (Lindane) #2 (MA)

4.649min 0.168 ng/ml

response 2903866

(+) = Expected Retention Time

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(3) gamma-BHC (Lindane) (MA)

4.166min 3.100 ng/ml

response 4140690

(3) gamma-BHC (Lindane) #2 (MA)

4.648min 0.759 ng/ml m

response 13115543

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(7) delta-BHC (B)

4.630min 2.496 ng/ml

response 3396428

(7) delta-BHC #2 (B)

5.029min 3.784 ng/ml

response 70206750

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(10) trans-Chlordane (B)

5.379min 0.906 ng/ml

response 1136204

(10) trans-Chlordane #2 (B)

6.064min 10.628 ng/ml

response 174064504

(+) = Expected Retention Time

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(10) trans-Chlordane (B)
5.378min 10.669 ng/ml m
response 13374729

(10) trans-Chlordane #2 (B)
6.063min 13.949 ng/ml m
response 228441571

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(11) cis-Chlordane (B)
5.379min 0.925 ng/ml
response 1136204

(11) cis-Chlordane #2 (B)
6.144min 6.740 ng/ml
response 104618849

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(11) cis-Chlordane (B)
5.436min 3.325 ng/ml m
response 4082375

(11) cis-Chlordane #2 (B)
6.144min 6.740 ng/ml
response 104618849

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(12) 4,4'-DDE (B)
5.602min 14.369 ng/ml
response 17782759

(12) 4,4'-DDE #2 (B)
6.314min 25.799 ng/ml
response 404258342

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(12) 4,4'-DDE (B)
5.601min 19.361 ng/ml m
response 23961002

(12) 4,4'-DDE #2 (B)
6.314min 25.799 ng/ml
response 404258342

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(13) Dieldrin (MA)
5.735min 3.883 ng/ml
response 4894061

(13) Dieldrin #2 (MA)
6.455min 0.960 ng/ml
response 14883847

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(13) Dieldrin (MA)
5.734min 9.342 ng/ml m
response 11775334

(13) Dieldrin #2 (MA)
6.454min 2.340 ng/ml m
response 36287937

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(14) Endrin (MA)
5.989min -0.151 ng/ml
response -159252

(14) Endrin #2 (MA)
6.671min 0.680 ng/ml
response 8486514

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(14) Endrin (MA)

5.988min 1.202 ng/ml m

response 1271844

(14) Endrin #2 (MA)

6.669min 1.449 ng/ml m

response 18067033

(+) = Expected Retention Time

PD042921CLP.M Mon May 03 08:19:29 2021

Page: 1

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(16) 4,4'-DDD (A)
6.121min 6.517 ng/ml
response 6489873

(16) 4,4'-DDD #2 (A)
6.800min -10.539 ng/ml
response -130992925

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
Data File : PD062650.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 30 Apr 2021 19:40
Operator : AR\AJ
Sample : M2177-23
Misc :
ALS Vial : 41 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampled :
BG594

Manual Integrations
APPROVED

Ankita
5/3/2021 3:14:20 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 30 23:24:31 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
Quant Title : GC Extractables
QLast Update : Fri Apr 30 02:49:51 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)
6.121min 6.517 ng/ml
response 6489873

(16) 4,4'-DDD #2 (A)
6.799min 12.643 ng/ml m
response 157139739

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD043021\
 Data File : PD062650.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 30 Apr 2021 19:40
 Operator : AR\AJ
 Sample : M2177-23
 Misc :
 ALS Vial : 41 Sample Multiplier: 1

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 30 23:24:31 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD042921CLP.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 30 02:49:51 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.441	3.973	9983423	84779661	10.428	6.982 #
27) SA Decachlor...	8.201	9.034	38925262	334.8E6	36.264	30.674m
Target Compounds						
3) MA gamma-BHC...	4.166	4.648	4140690	13115543	3.100	0.759m#
5) MB Aldrin	4.713	5.449	1611688	49524538	1.237m	2.863m#
7) B delta-BHC	4.630	5.028	3396428	88406184	2.496	4.765m#
8) B Heptachlo...	5.153	5.857	2745547	40555859	2.240	2.529
10) B trans-Chl...	5.378	6.063	13374729	228.4E6	10.669m	13.949m#
11) B cis-Chlor...	5.436	6.144	4082375	104.6E6	3.325m	6.740 #
12) B 4,4'-DDE	5.601	6.314	23961002	404.3E6	19.361m	25.799 #
13) MA Dieldrin	5.734	6.454	11775334	36287937	9.342m	2.340m#
14) MA Endrin	5.988	6.669	1271844	18067033	1.202m	1.449m
16) A 4,4'-DDD	6.121	6.799	6489873	157.1E6	6.517	12.643m#

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

AT
 05/05/21

Instrument :
 ECD_D
 ClientSampled :
 BG594

Manual Integrations
 APPROVED
 Ankit
 5/3/2021 3:14:20 PM