

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD050125\
 Data File : PD088384.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 May 2025 17:19
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 02 01:33:59 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 19 06:32:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.553	2.882	104.3E6	707.9E6	52.239	48.417
28)	SA Decachlor...	9.077	8.076	156.9E6	811.3E6	47.421	43.902
Target Compounds							
2)	A alpha-BHC	4.002	3.395	236.1E6	1115.0E6	54.756	48.770
3)	MA gamma-BHC...	4.333	3.731	225.4E6	1036.3E6	53.820	48.113
4)	MA Heptachlor	4.933	4.085	214.8E6	1003.4E6	53.192	46.891
5)	MB Aldrin	5.274	4.371	216.1E6	1033.9E6	54.724	49.700
6)	B beta-BHC	4.518	4.027	86695638	445.6E6	53.404	48.157
7)	B delta-BHC	4.767	4.264	222.3E6	1032.8E6	53.891	48.575
8)	B Heptachlo...	5.694	4.875	191.9E6	908.0E6	53.691	48.058
9)	A Endosulfan I	6.077	5.249	183.1E6	801.6E6	54.205	44.502
10)	B gamma-Chl...	5.949	5.128	198.2E6	978.0E6	54.709	48.187
11)	B alpha-Chl...	6.030	5.193	195.9E6	938.8E6	54.273	47.889
12)	B 4,4'-DDE	6.199	5.378	172.8E6	994.8E6	52.405	50.513
13)	MA Dieldrin	6.350	5.515	195.2E6	961.6E6	54.706	48.242
14)	MA Endrin	6.577	5.791	156.5E6	861.2E6	52.459	47.311
15)	B Endosulfa...	6.789	6.083	164.7E6	843.1E6	52.671	48.115
16)	A 4,4'-DDD	6.708	5.932	142.6E6	816.2E6	56.696	49.808
17)	MA 4,4'-DDT	7.024	6.186	135.6E6	763.9E6	48.817	44.891
18)	B Endrin al...	6.917	6.261	119.6E6	616.6E6	51.804	46.357
19)	B Endosulfa...	7.152	6.484	153.0E6	808.5E6	53.194	47.192
20)	A Methoxychlor	7.496	6.757	71044631	406.6E6	47.377	44.580
21)	B Endrin ke...	7.633	6.994	164.6E6	894.1E6	53.340	47.802
22)	Mirex	8.117	7.188	120.5E6	687.9E6	51.326	46.411
23)	Chlordane-1	0.000	3.932f	0	185860	N.D.	0.232 #
24)	Chlordane-2	0.000	4.509	0	93461836	N.D.	113.245 #
25)	Chlordane-3	5.949	5.128	198.2E6	978.0E6	293.772	386.710 #
26)	Chlordane-4	6.030	5.193	195.9E6	938.8E6	240.277	439.052 #
27)	Chlordane-5	0.000	6.083	0	843.1E6	N.D.	873.158 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD050125\
Data File : PD088384.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 May 2025 17:19
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 02 01:33:59 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
Quant Title : GC Extractables
QLast Update : Sat Apr 19 06:32:27 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.553 min
Delta R.T.: 0.001 min
Response: 104341003
Conc: 52.24 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.882 min
Delta R.T.: -0.001 min
Response: 707931115
Conc: 48.42 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 236109462
Conc: 54.76 ng/ml



#2 alpha-BHC


R.T.: 3.395 min
Delta R.T.: -0.001 min
Response: 1114954988
Conc: 48.77 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.001 min
Response: 225371250
Conc: 53.82 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.731 min
Delta R.T.: -0.002 min
Response: 1036282335
Conc: 48.11 ng/ml




#4 Heptachlor

R.T.: 4.933 min
Delta R.T.: 0.002 min
Response: 214841875
Conc: 53.19 ng/ml



#4 Heptachlor


R.T.: 4.085 min
Delta R.T.: -0.002 min
Response: 1003372163
Conc: 46.89 ng/ml



#5 Aldrin


R.T.: 5.274 min
Delta R.T.: 0.001 min
Response: 216138918
Conc: 54.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.371 min
Delta R.T.: -0.002 min
Response: 1033889215
Conc: 49.70 ng/ml




#6 beta-BHC

R.T.: 4.518 min
Delta R.T.: 0.002 min
Response: 86695638
Conc: 53.40 ng/ml



#6 beta-BHC


R.T.: 4.027 min
Delta R.T.: -0.002 min
Response: 445648258
Conc: 48.16 ng/ml



#7 delta-BHC


R.T.: 4.767 min
Delta R.T.: 0.002 min
Response: 222298846
Conc: 53.89 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.264 min
Delta R.T.: -0.002 min
Response: 1032783244
Conc: 48.58 ng/ml




#8 Heptachlor epoxide

R.T.: 5.694 min
Delta R.T.: 0.001 min
Response: 191889600
Conc: 53.69 ng/ml



#8 Heptachlor epoxide


R.T.: 4.875 min
Delta R.T.: -0.002 min
Response: 908020885
Conc: 48.06 ng/ml



#9 Endosulfan I


R.T.: 6.077 min
Delta R.T.: 0.001 min
Response: 183058707
Conc: 54.21 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.249 min
Delta R.T.: -0.002 min
Response: 801599111
Conc: 44.50 ng/ml




#10 gamma-Chlordane

R.T.: 5.949 min
Delta R.T.: 0.002 min
Response: 198157804
Conc: 54.71 ng/ml



#10 gamma-Chlordane


R.T.: 5.128 min
Delta R.T.: -0.001 min
Response: 978006635
Conc: 48.19 ng/ml



#11 alpha-Chlordane


R.T.: 6.030 min
Delta R.T.: 0.001 min
Response: 195904088
Conc: 54.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.193 min
Delta R.T.: -0.002 min
Response: 938760646
Conc: 47.89 ng/ml




#12 4,4'-DDE

R.T.: 6.199 min
Delta R.T.: 0.001 min
Response: 172843679
Conc: 52.40 ng/ml



#12 4,4'-DDE


R.T.: 5.378 min
Delta R.T.: -0.002 min
Response: 994807005
Conc: 50.51 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.001 min
Response: 195218496
Conc: 54.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.515 min
Delta R.T.: -0.002 min
Response: 961608068
Conc: 48.24 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.002 min
Response: 156463424
Conc: 52.46 ng/ml



#14 Endrin


R.T.: 5.791 min
Delta R.T.: -0.002 min
Response: 861168337
Conc: 47.31 ng/ml



#15 Endosulfan II


R.T.: 6.789 min
Delta R.T.: 0.002 min
Response: 164662212
Conc: 52.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.083 min
Delta R.T.: -0.002 min
Response: 843056022
Conc: 48.12 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: 0.002 min
Response: 142588376
Conc: 56.70 ng/ml



#16 4,4'-DDD


R.T.: 5.932 min
Delta R.T.: -0.002 min
Response: 816162273
Conc: 49.81 ng/ml



#17 4,4'-DDT


R.T.: 7.024 min
Delta R.T.: 0.002 min
Response: 135591663
Conc: 48.82 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.186 min
Delta R.T.: -0.002 min
Response: 763885223
Conc: 44.89 ng/ml




#18 Endrin aldehyde

R.T.: 6.917 min
Delta R.T.: 0.001 min
Response: 119563928
Conc: 51.80 ng/ml



#18 Endrin aldehyde


R.T.: 6.261 min
Delta R.T.: -0.002 min
Response: 616599402
Conc: 46.36 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.152 min
Delta R.T.: 0.001 min
Response: 152975993
Conc: 53.19 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.484 min
Delta R.T.: -0.002 min
Response: 808547692
Conc: 47.19 ng/ml




#20 Methoxychlor

R.T.: 7.496 min
Delta R.T.: 0.001 min
Response: 71044631
Conc: 47.38 ng/ml



#20 Methoxychlor


R.T.: 6.757 min
Delta R.T.: -0.001 min
Response: 406613013
Conc: 44.58 ng/ml



#21 Endrin ketone


R.T.: 7.633 min
Delta R.T.: 0.001 min
Response: 164639174
Conc: 53.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.994 min
Delta R.T.: -0.001 min
Response: 894083330
Conc: 47.80 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.001 min
Response: 120529312
Conc: 51.33 ng/ml



#22 Mirex


R.T.: 7.188 min
Delta R.T.: -0.001 min
Response: 687852454
Conc: 46.41 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.717 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.932 min
Delta R.T.: 0.023 min
Response: 185860
Conc: 0.23 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.243 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.509 min
Delta R.T.: 0.018 min
Response: 93461836
Conc: 113.25 ng/ml



#25 Chlordane-3


R.T.: 5.949 min
Delta R.T.: 0.000 min
Response: 198157804
Conc: 293.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.128 min
Delta R.T.: -0.001 min
Response: 978006635
Conc: 386.71 ng/ml




#26 Chlordane-4

R.T.: 6.030 min
Delta R.T.: -0.004 min
Response: 195904088
Conc: 240.28 ng/ml



#26 Chlordane-4


R.T.: 5.193 min
Delta R.T.: -0.001 min
Response: 938760646
Conc: 439.05 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.083 min
Delta R.T.: -0.011 min
Response: 843056022
Conc: 873.16 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.077 min
Delta R.T.: 0.002 min
Response: 156875355
Conc: 47.42 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.076 min
Delta R.T.: 0.000 min
Response: 811287916
Conc: 43.90 ng/ml