

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD050225\
 Data File : PD088404.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 May 2025 15:58
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 02 22:55:35 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
 Quant Title : GC Extractables
 QLast Update : Sat Apr 19 06:32:27 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.883	110.8E6	749.7E6	55.461	51.276
28)	SA Decachlor...	9.076	8.076	163.2E6	797.7E6	49.332	43.169
Target Compounds							
2)	A alpha-BHC	4.000	3.396	251.6E6	1181.4E6	58.354	51.677
3)	MA gamma-BHC...	4.332	3.732	240.0E6	1092.9E6	57.316	50.742
4)	MA Heptachlor	4.932	4.086	231.5E6	1059.3E6	57.307	49.504
5)	MB Aldrin	5.273	4.372	227.8E6	1092.3E6	57.667	52.510
6)	B beta-BHC	4.516	4.028	91235218	465.3E6	56.201	50.284
7)	B delta-BHC	4.765	4.265	235.6E6	1081.5E6	57.113	50.864
8)	B Heptachlo...	5.693	4.876	200.9E6	947.2E6	56.203	50.132
9)	A Endosulfan I	6.076	5.250	191.1E6	792.3E6	56.578	43.984
10)	B gamma-Chl...	5.948	5.129	208.5E6	1019.1E6	57.557	50.213
11)	B alpha-Chl...	6.029	5.194	205.2E6	975.1E6	56.846	49.744
12)	B 4,4'-DDE	6.197	5.379	179.3E6	1040.6E6	54.369	52.836
13)	MA Dieldrin	6.349	5.516	202.4E6	995.7E6	56.720	49.952
14)	MA Endrin	6.576	5.792	164.0E6	892.0E6	54.991	49.005
15)	B Endosulfa...	6.788	6.084	170.6E6	863.7E6	54.578	49.295
16)	A 4,4'-DDD	6.707	5.933	149.7E6	838.4E6	59.505	51.166
17)	MA 4,4'-DDT	7.023	6.187	142.1E6	787.1E6	51.148	46.256
18)	B Endrin al...	6.916	6.262	124.0E6	628.9E6	53.730	47.285
19)	B Endosulfa...	7.151	6.485	157.3E6	819.2E6	54.712	47.811
20)	A Methoxychlor	7.495	6.758	74299062	410.5E6	49.548	45.004
21)	B Endrin ke...	7.632	6.994	170.4E6	889.8E6	55.211	47.571
22)	Mirex	8.116	7.189	123.7E6	680.8E6	52.661	45.934
23)	Chlordane-1	0.000	3.897	0	437110	N.D.	0.545 #
24)	Chlordane-2	5.273f	4.510	227.8E6	108.5E6	1367.695	131.476 #
25)	Chlordane-3	5.948	5.129	208.5E6	1019.1E6	309.064	402.972 #
26)	Chlordane-4	6.029	5.194	205.2E6	975.1E6	251.667	456.054 #
27)	Chlordane-5	0.000	6.084	0	863.7E6	N.D.	894.562 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD050225\
Data File : PD088404.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 May 2025 15:58
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 02 22:55:35 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD041825.M
Quant Title : GC Extractables
QLast Update : Sat Apr 19 06:32:27 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 110778408
Conc: 55.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.883 min
Delta R.T.: 0.000 min
Response: 749732575
Conc: 51.28 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 251623455
Conc: 58.35 ng/ml



#2 alpha-BHC


R.T.: 3.396 min
Delta R.T.: 0.000 min
Response: 1181405206
Conc: 51.68 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 240010298
Conc: 57.32 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.732 min
Delta R.T.: 0.000 min
Response: 1092921834
Conc: 50.74 ng/ml




#4 Heptachlor

R.T.: 4.932 min
Delta R.T.: 0.000 min
Response: 231461183
Conc: 57.31 ng/ml



#4 Heptachlor


R.T.: 4.086 min
Delta R.T.: 0.000 min
Response: 1059295011
Conc: 49.50 ng/ml



#5 Aldrin


R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 227760500
Conc: 57.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.372 min
Delta R.T.: 0.000 min
Response: 1092347117
Conc: 52.51 ng/ml




#6 beta-BHC

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 91235218
Conc: 56.20 ng/ml



#6 beta-BHC


R.T.: 4.028 min
Delta R.T.: 0.000 min
Response: 465336764
Conc: 50.28 ng/ml



#7 delta-BHC


R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 235590341
Conc: 57.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.265 min
Delta R.T.: 0.000 min
Response: 1081451245
Conc: 50.86 ng/ml




#8 Heptachlor epoxide

R.T.: 5.693 min
Delta R.T.: 0.000 min
Response: 200865791
Conc: 56.20 ng/ml



#8 Heptachlor epoxide


R.T.: 4.876 min
Delta R.T.: 0.000 min
Response: 947200787
Conc: 50.13 ng/ml



#9 Endosulfan I


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 191072328
Conc: 56.58 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.250 min
Delta R.T.: -0.001 min
Response: 792266944
Conc: 43.98 ng/ml




#10 gamma-Chlordane

R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 208473120
Conc: 57.56 ng/ml



#10 gamma-Chlordane


R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 1019132247
Conc: 50.21 ng/ml



#11 alpha-Chlordane


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 205190881
Conc: 56.85 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.194 min
Delta R.T.: 0.000 min
Response: 975113145
Conc: 49.74 ng/ml




#12 4,4'-DDE

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 179324179
Conc: 54.37 ng/ml



#12 4,4'-DDE


R.T.: 5.379 min
Delta R.T.: 0.000 min
Response: 1040556423
Conc: 52.84 ng/ml



#13 Dieldrin


R.T.: 6.349 min
Delta R.T.: 0.000 min
Response: 202403487
Conc: 56.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.516 min
Delta R.T.: 0.000 min
Response: 995682357
Conc: 49.95 ng/ml




#14 Endrin

R.T.: 6.576 min
Delta R.T.: 0.000 min
Response: 164013748
Conc: 54.99 ng/ml



#14 Endrin


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 892007465
Conc: 49.01 ng/ml



#15 Endosulfan II


R.T.: 6.788 min
Delta R.T.: 0.000 min
Response: 170621446
Conc: 54.58 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 863721811
Conc: 49.29 ng/ml




#16 4,4'-DDD

R.T.: 6.707 min
Delta R.T.: 0.000 min
Response: 149653404
Conc: 59.51 ng/ml



#16 4,4'-DDD


R.T.: 5.933 min
Delta R.T.: -0.001 min
Response: 838424240
Conc: 51.17 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 142065951
Conc: 51.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.187 min
Delta R.T.: -0.001 min
Response: 787117154
Conc: 46.26 ng/ml




#18 Endrin aldehyde

R.T.: 6.916 min
Delta R.T.: 0.000 min
Response: 124008748
Conc: 53.73 ng/ml



#18 Endrin aldehyde


R.T.: 6.262 min
Delta R.T.: 0.000 min
Response: 628933348
Conc: 47.28 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.151 min
Delta R.T.: 0.000 min
Response: 157344114
Conc: 54.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.485 min
Delta R.T.: -0.001 min
Response: 819153000
Conc: 47.81 ng/ml




#20 Methoxychlor

R.T.: 7.495 min
Delta R.T.: 0.000 min
Response: 74299062
Conc: 49.55 ng/ml



#20 Methoxychlor


R.T.: 6.758 min
Delta R.T.: -0.001 min
Response: 410483162
Conc: 45.00 ng/ml



#21 Endrin ketone


R.T.: 7.632 min
Delta R.T.: 0.000 min
Response: 170414419
Conc: 55.21 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.994 min
Delta R.T.: 0.000 min
Response: 889772297
Conc: 47.57 ng/ml




#22 Mirex

R.T.: 8.116 min
Delta R.T.: 0.000 min
Response: 123665096
Conc: 52.66 ng/ml



#22 Mirex


R.T.: 7.189 min
Delta R.T.: 0.000 min
Response: 680780881
Conc: 45.93 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.717 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.897 min
Delta R.T.: -0.011 min
Response: 437110
Conc: 0.55 ng/ml




#24 Chlordane-2

R.T.: 5.273 min
Delta R.T.: 0.030 min
Response: 227760500
Conc: 1367.69 ng/ml



#24 Chlordane-2


R.T.: 4.510 min
Delta R.T.: 0.019 min
Response: 108507492
Conc: 131.48 ng/ml



#25 Chlordane-3


R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 208473120
Conc: 309.06 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 1019132247
Conc: 402.97 ng/ml




#26 Chlordane-4

R.T.: 6.029 min
Delta R.T.: -0.005 min
Response: 205190881
Conc: 251.67 ng/ml



#26 Chlordane-4


R.T.: 5.194 min
Delta R.T.: 0.000 min
Response: 975113145
Conc: 456.05 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.873 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.084 min
Delta R.T.: -0.010 min
Response: 863721811
Conc: 894.56 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.076 min
Delta R.T.: 0.000 min
Response: 163194908
Conc: 49.33 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.076 min
Delta R.T.: 0.000 min
Response: 797738948
Conc: 43.17 ng/ml