

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051220\
 Data File : PD057875.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 12 May 2020 10:16
 Operator : AJ\MA
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 12 10:52:37 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051220.M
 Quant Title : GC Extractables
 QLast Update : Tue May 12 10:50:51 2020
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.228	3.896	43315481	59031380	50.000	50.000
28)	SA Decachlor...	7.873	8.901	43933196	55723949	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.651	4.279	69746484	92609505	50.000	50.000
3)	MA gamma-BHC...	3.923	4.560	67236718	87496594	50.000	50.000
4)	MA Heptachlor	4.203	5.061	57183707	83429128	50.000	50.000
5)	MB Aldrin	4.439	5.362	59257260	80870843	50.000	50.000
6)	B beta-BHC	4.171	4.730	26137386	36668462	50.000	50.000
7)	B delta-BHC	4.363	4.943	65036238	80546430	50.000	50.000
8)	B Heptachlo...	4.872	5.746	54764729	76338126	50.000	50.000
9)	A Endosulfan I	5.200	6.099	51312066	70043654	50.000	50.000
10)	B gamma-Chl...	5.092	5.978	55891204	76804488	50.000	50.000
11)	B alpha-Chl...	5.149	6.050	55552954	76701834	50.000	50.000
12)	B 4,4'-DDE	5.318	6.209	53093251	71031087	50.000	50.000
13)	MA Dieldrin	5.438	6.354	55334975	74233376	50.000	50.000
14)	MA Endrin	5.690	6.570	48062865	63737101	50.000	50.000
15)	B Endosulfa...	5.964	6.780	48892414	64471515	50.000	50.000
16)	A 4,4'-DDD	5.827	6.697	42549902	59413064	50.000	50.000
17)	MA 4,4'-DDT	6.061	6.994	41925805	60494111	50.000	50.000
18)	B Endrin al...	6.131	6.903	41076205	55592694	50.000	50.000
19)	B Endosulfa...	6.341	7.126	45882169	61374568	50.000	50.000
20)	A Methoxychlor	6.609	7.453	20853970	34455598	50.000	50.000
21)	B Endrin ke...	6.823	7.593	56385477	69980718	50.000	50.000
22)	Mirex	6.994	8.043	42093773	51693325	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051220\
Data File : PD057875.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 May 2020 10:16
Operator : AJ\MA
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 12 10:52:37 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051220.M
Quant Title : GC Extractables
QLast Update : Tue May 12 10:50:51 2020
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.228 min
Delta R.T.: 0.000 min
Response: 43315481
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 3.896 min
Delta R.T.: 0.000 min
Response: 59031380
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.651 min
Delta R.T.: 0.000 min
Response: 69746484
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.279 min
Delta R.T.: 0.000 min
Response: 92609505
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 3.923 min
Delta R.T.: 0.000 min
Response: 67236718
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#3 gamma-BHC (Lindane)

R.T.: 4.560 min
Delta R.T.: 0.000 min
Response: 87496594
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.203 min
Delta R.T.: 0.000 min
Response: 57183707
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.061 min
Delta R.T.: 0.000 min
Response: 83429128
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.439 min
Delta R.T.: 0.000 min
Response: 59257260
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 5.362 min
Delta R.T.: 0.000 min
Response: 80870843
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.171 min
Delta R.T.: 0.000 min
Response: 26137386
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.730 min
Delta R.T.: 0.000 min
Response: 36668462
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.363 min
Delta R.T.: 0.000 min
Response: 65036238
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 4.943 min
Delta R.T.: 0.000 min
Response: 80546430
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 4.872 min
Delta R.T.: 0.000 min
Response: 54764729
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.746 min
Delta R.T.: 0.000 min
Response: 76338126
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.200 min
Delta R.T.: 0.000 min
Response: 51312066
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.099 min
Delta R.T.: 0.000 min
Response: 70043654
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.092 min
Delta R.T.: 0.000 min
Response: 55891204
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.978 min
Delta R.T.: 0.000 min
Response: 76804488
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.149 min
Delta R.T.: 0.000 min
Response: 55552954
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#11 alpha-Chlordane

R.T.: 6.050 min
Delta R.T.: 0.000 min
Response: 76701834
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.318 min
Delta R.T.: 0.000 min
Response: 53093251
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.209 min
Delta R.T.: 0.000 min
Response: 71031087
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 55334975
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.354 min
Delta R.T.: 0.000 min
Response: 74233376
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 5.690 min
Delta R.T.: 0.000 min
Response: 48062865
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.570 min
Delta R.T.: 0.000 min
Response: 63737101
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 5.964 min
Delta R.T.: 0.000 min
Response: 48892414
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.780 min
Delta R.T.: 0.000 min
Response: 64471515
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 5.827 min
Delta R.T.: 0.000 min
Response: 42549902
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.697 min
Delta R.T.: 0.000 min
Response: 59413064
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.061 min
Delta R.T.: 0.000 min
Response: 41925805
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 6.994 min
Delta R.T.: 0.000 min
Response: 60494111
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.131 min
Delta R.T.: 0.000 min
Response: 41076205
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.903 min
Delta R.T.: 0.000 min
Response: 55592694
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.341 min
Delta R.T.: 0.000 min
Response: 45882169
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#19 Endosulfan Sulfate

R.T.: 7.126 min
Delta R.T.: 0.000 min
Response: 61374568
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.609 min
Delta R.T.: 0.000 min
Response: 20853970
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.453 min
Delta R.T.: 0.000 min
Response: 34455598
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 6.823 min
Delta R.T.: 0.000 min
Response: 56385477
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.593 min
Delta R.T.: 0.000 min
Response: 69980718
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 6.994 min
Delta R.T.: 0.000 min
Response: 42093773
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.043 min
Delta R.T.: 0.000 min
Response: 51693325
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.873 min
Delta R.T.: 0.000 min
Response: 43933196
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 8.901 min
Delta R.T.: 0.000 min
Response: 55723949
Conc: 50.00 ng/ml