

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051921\
 Data File : PD063102.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 May 2021 02:51
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 27 06:31:46 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
 Quant Title : GC Extractables
 QLast Update : Mon May 24 14:48:18 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.441	3.971	21681849	223.4E6	19.684	19.279
2)	SA Decachlor...	8.196	9.025	20321855	192.9E6	16.147	18.911
Target Compounds							
7)	B delta-BHC	0.000	5.007f	0	37072748	N.D.	2.653 #
8)	B Heptachlo...	0.000	5.850	0	30638534	N.D.	2.003 #
9)	A Endosulfan I	0.000	6.202	0	393627	N.D.	0.028 #
10)	B gamma-Chl...	0.000	6.078	0	4098392	N.D.	0.263 #
11)	B alpha-Chl...	0.000	6.144	0	6914850	N.D.	0.467 #
12)	B 4,4'-DDE	0.000	6.301	0	951359	N.D.	0.063 #
13)	MA Dieldrin	0.000	6.453	0	1334040	N.D.	0.088 #
14)	MA Endrin	5.994	6.674	876172	5742308	0.655	0.450 #
15)	B Endosulfa...	0.000	6.892	0	3325708	N.D.	0.277 #
16)	A 4,4'-DDD	0.000	6.802	0	156783	N.D.	0.013 #
17)	MA 4,4'-DDT	0.000	7.107	0	4202659	N.D.	0.373 #
18)	B Endrin al...	0.000	7.001	0	1468302	N.D.	0.144 #
19)	B Endosulfa...	0.000	7.245f	0	1846336	N.D.	0.150 #
20)	A Methoxychlor	0.000	7.557	0	16281853	N.D.	2.838 #
21)	B Endrin ke...	0.000	7.693	0	40666107	N.D.	3.390 #
22)	Mirex	0.000	8.175f	0	2206308	N.D.	0.290 #
24)	Chlordane-2	0.000	5.399f	0	256127	N.D.	0.453 #
25)	Chlordane-3	0.000	6.078	0	4098392	N.D.	1.735 #
26)	Chlordane-4	0.000	6.144	0	6914850	N.D.	2.557 #
27)	Chlordane-5	0.000	6.923f	0	2076363	N.D.	4.645 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051921\
Data File : PD063102.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 May 2021 02:51
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 27 06:31:46 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
Quant Title : GC Extractables
QLast Update : Mon May 24 14:48:18 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.441 min
Delta R.T.: -0.002 min
Response: 21681849
Conc: 19.68 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.971 min
Delta R.T.: 0.000 min
Response: 223409132
Conc: 19.28 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 4.617 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 5.007 min
Delta R.T.: -0.024 min
Response: 37072748
Conc: 2.65 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.154 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#8 Heptachlor epoxide

R.T.: 5.850 min
Delta R.T.: 0.009 min
Response: 30638534
Conc: 2.00 ng/ml




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T.: 5.493 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.202 min
Delta R.T.: 0.004 min
Response: 393627
Conc: 0.03 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T.: 5.381 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#10 gamma-Chlordane

R.T.: 6.078 min
Delta R.T.: 0.003 min
Response: 4098392
Conc: 0.26 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.440 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.144 min
Delta R.T.: -0.003 min
Response: 6914850
Conc: 0.47 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 5.604 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#12 4,4'-DDE

R.T.: 6.301 min
Delta R.T.: -0.003 min
Response: 951359
Conc: 0.06 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.737 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.453 min
Delta R.T.: 0.000 min
Response: 1334040
Conc: 0.09 ng/ml



#14 Endrin


R.T.: 5.994 min
Delta R.T.: 0.000 min
Response: 876172
Conc: 0.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
I.BLK




#14 Endrin

R.T.: 6.674 min
Delta R.T.: 0.003 min
Response: 5742308
Conc: 0.45 ng/ml




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 6.267 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.892 min
Delta R.T.: 0.012 min
Response: 3325708
Conc: 0.28 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.120 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#16 4,4'-DDD

R.T.: 6.802 min
Delta R.T.: 0.008 min
Response: 156783
Conc: 0.01 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.361 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.107 min
Delta R.T.: 0.014 min
Response: 4202659
Conc: 0.37 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.436 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#18 Endrin aldehyde

R.T.: 7.001 min
Delta R.T.: -0.004 min
Response: 1468302
Conc: 0.14 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 6.649 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 7.245 min
Delta R.T.: 0.018 min
Response: 1846336
Conc: 0.15 ng/ml



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 6.908 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#20 Methoxychlor

R.T.: 7.557 min
Delta R.T.: 0.007 min
Response: 16281853
Conc: 2.84 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.141 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.693 min
Delta R.T.: -0.005 min
Response: 40666107
Conc: 3.39 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 7.329 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#22 Mirex

R.T.: 8.175 min
Delta R.T.: 0.024 min
Response: 2206308
Conc: 0.29 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 4.809 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.399 min
Delta R.T.: -0.029 min
Response: 256127
Conc: 0.45 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T.: 5.377 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#25 Chlordane-3

R.T.: 6.078 min
Delta R.T.: 0.004 min
Response: 4098392
Conc: 1.74 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.436 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.144 min
Delta R.T.: -0.004 min
Response: 6914850
Conc: 2.56 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.273 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
I.BLK




#27 Chlordane-5

R.T.: 6.923 min
Delta R.T.: -0.029 min
Response: 2076363
Conc: 4.65 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.196 min
Delta R.T.: -0.003 min
Response: 20321855
Conc: 16.15 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.025 min
Delta R.T.: 0.000 min
Response: 192926276
Conc: 18.91 ng/ml