

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051925\
 Data File : PD088588.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 May 2025 11:58
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 19 12:42:05 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051925.M
 Quant Title : GC Extractables
 QLast Update : Mon May 19 12:41:43 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.882	106.1E6	727.6E6	50.000	50.000
28)	SA Decachlor...	9.077	8.077	166.4E6	865.9E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.000	3.394	242.4E6	1163.1E6	50.000	50.000
3)	MA gamma-BHC...	4.332	3.731	230.9E6	1072.5E6	50.000	50.000
4)	MA Heptachlor	4.932	4.085	222.3E6	1082.4E6	50.000	50.000
5)	MB Aldrin	5.273	4.371	218.6E6	1059.4E6	50.000	50.000
6)	B beta-BHC	4.517	4.027	88017766	465.1E6	50.000	50.000
7)	B delta-BHC	4.766	4.264	211.4E6	1078.7E6	50.000	50.000
8)	B Heptachlo...	5.693	4.875	194.8E6	953.8E6	50.000	50.000
9)	A Endosulfan I	6.077	5.250	185.4E6	910.3E6	50.000	50.000
10)	B gamma-Chl...	5.948	5.129	197.6E6	1023.2E6	50.000	50.000
11)	B alpha-Chl...	6.030	5.194	197.7E6	988.5E6	50.000	50.000
12)	B 4,4'-DDE	6.198	5.378	179.4E6	1002.3E6	50.000	50.000
13)	MA Dieldrin	6.350	5.516	199.4E6	1010.6E6	50.000	50.000
14)	MA Endrin	6.577	5.792	169.6E6	923.0E6	50.000	50.000
15)	B Endosulfa...	6.788	6.084	168.1E6	879.1E6	50.000	50.000
16)	A 4,4'-DDD	6.708	5.933	139.0E6	836.3E6	50.000	50.000
17)	MA 4,4'-DDT	7.023	6.187	156.2E6	889.1E6	50.000	50.000
18)	B Endrin al...	6.917	6.262	125.6E6	662.6E6	50.000	50.000
19)	B Endosulfa...	7.152	6.486	157.2E6	850.0E6	50.000	50.000
20)	A Methoxychlor	7.495	6.758	82121190	464.3E6	50.000	50.000
21)	B Endrin ke...	7.633	6.995	169.4E6	930.3E6	50.000	50.000
22)	Mirex	8.117	7.189	125.3E6	720.6E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051925\
Data File : PD088588.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 May 2025 11:58
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 19 12:42:05 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051925.M
Quant Title : GC Extractables
QLast Update : Mon May 19 12:41:43 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 106100623
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#1 Tetrachloro-m-xylene

R.T.: 2.882 min
Delta R.T.: 0.000 min
Response: 727614380
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 242364598
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.394 min
Delta R.T.: 0.000 min
Response: 1163142653
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.332 min
Delta R.T.: 0.000 min
Response: 230856385
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 3.731 min
Delta R.T.: 0.000 min
Response: 1072520345
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.932 min
Delta R.T.: 0.000 min
Response: 222267722
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 4.085 min
Delta R.T.: 0.000 min
Response: 1082395979
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.273 min
Delta R.T.: 0.000 min
Response: 218553000
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#5 Aldrin

R.T.: 4.371 min
Delta R.T.: 0.000 min
Response: 1059354088
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.517 min
Delta R.T.: 0.000 min
Response: 88017766
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.027 min
Delta R.T.: 0.000 min
Response: 465123034
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.766 min
Delta R.T.: 0.000 min
Response: 211388375
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#7 delta-BHC

R.T.: 4.264 min
Delta R.T.: 0.000 min
Response: 1078655007
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.693 min
Delta R.T.: 0.000 min
Response: 194838023
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.875 min
Delta R.T.: 0.000 min
Response: 953842823
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.077 min
Delta R.T.: 0.000 min
Response: 185438020
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#9 Endosulfan I

R.T.: 5.250 min
Delta R.T.: 0.000 min
Response: 910324214
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.948 min
Delta R.T.: 0.000 min
Response: 197569776
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 5.129 min
Delta R.T.: 0.000 min
Response: 1023185445
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 197690760
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 5.194 min
Delta R.T.: 0.000 min
Response: 988542005
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 179396456
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.378 min
Delta R.T.: 0.000 min
Response: 1002342446
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.350 min
Delta R.T.: 0.000 min
Response: 199394501
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#13 Dieldrin

R.T.: 5.516 min
Delta R.T.: 0.000 min
Response: 1010582936
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.577 min
Delta R.T.: 0.000 min
Response: 169594195
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.792 min
Delta R.T.: 0.000 min
Response: 922975552
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.788 min
Delta R.T.: 0.000 min
Response: 168074557
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#15 Endosulfan II

R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 879065569
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.708 min
Delta R.T.: 0.000 min
Response: 138959021
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.933 min
Delta R.T.: 0.000 min
Response: 836346477
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.023 min
Delta R.T.: 0.000 min
Response: 156188609
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#17 4,4'-DDT

R.T.: 6.187 min
Delta R.T.: 0.000 min
Response: 889142601
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.917 min
Delta R.T.: 0.000 min
Response: 125576622
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.262 min
Delta R.T.: 0.000 min
Response: 662589753
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.152 min
Delta R.T.: 0.000 min
Response: 157228737
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 6.486 min
Delta R.T.: 0.000 min
Response: 849950225
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.495 min
Delta R.T.: 0.000 min
Response: 82121190
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 464261856
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.633 min
Delta R.T.: 0.000 min
Response: 169421016
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#21 Endrin ketone

R.T.: 6.995 min
Delta R.T.: 0.000 min
Response: 930287465
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.117 min
Delta R.T.: 0.000 min
Response: 125314941
Conc: 50.00 ng/ml



#22 Mirex

R.T.: 7.189 min
Delta R.T.: 0.000 min
Response: 720592274
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.077 min

Delta R.T.: 0.000 min

Response: 166437630

Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050



#28 Decachlorobiphenyl

R.T.: 8.077 min

Delta R.T.: 0.000 min

Response: 865866449

Conc: 50.00 ng/ml