

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052221\
 Data File : PD063190.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 May 2021 08:53
 Operator : AR\AJ
 Sample : HEXANE
 Misc :
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 HEXANE

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 21 11:53:20 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
 Quant Title : GC Extractables
 QLast Update : Tue May 18 07:12:39 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
28)	SA Decachlor...	0.000	8.994f	0	327049	N.D.	0.032 #
Target Compounds							
4)	MA Heptachlor	0.000	5.156	0	1025853	N.D.	0.062 #
7)	B delta-BHC	0.000	5.025	0	4958851	N.D.	0.355 #
8)	B Heptachlo...	0.000	5.848	0	8705515	N.D.	0.569 #
9)	A Endosulfan I	0.000	6.184	0	2959325	N.D.	0.208 #
11)	B alpha-Chl...	0.000	6.128f	0	1621128	N.D.	0.109 #
12)	B 4,4'-DDE	0.000	6.289	0	426474	N.D.	0.028 #
13)	MA Dieldrin	0.000	6.443	0	1990289	N.D.	0.131 #
16)	A 4,4'-DDD	0.000	6.794	0	377611	N.D.	0.031 #
17)	MA 4,4'-DDT	0.000	7.109f	0	2127951	N.D.	0.189 #
19)	B Endosulfa...	0.000	7.234	0	507283	N.D.	0.041 #
20)	A Methoxychlor	0.000	7.575f	0	9148061	N.D.	1.595 #
22)	Mirex	0.000	8.146	0	9190765	N.D.	1.209 #
23)	Chlordane-1	0.000	4.950	0	1235245	N.D.	1.846 #
24)	Chlordane-2	0.000	5.417	0	6915057	N.D.	14.188 #
26)	Chlordane-4	0.000	6.128f	0	1621128	N.D.	0.689 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052221\
Data File : PD063190.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 May 2021 08:53
Operator : AR\AJ
Sample : HEXANE
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleID :
HEXANE

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 21 11:53:20 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
Quant Title : GC Extractables
QLast Update : Tue May 18 07:12:39 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 0.000 min
Exp R.T. : 3.440 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#1 Tetrachloro-m-xylene

R.T.: 0.000 min
Exp R.T. : 3.970 min
Response: 0
Conc: N.D.




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.461 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.156 min
Delta R.T.: 0.005 min
Response: 1025853
Conc: 0.06 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.614 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#7 delta-BHC

R.T.: 5.025 min
Delta R.T.: -0.005 min
Response: 4958851
Conc: 0.35 ng/ml




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T.: 5.152 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.848 min
Delta R.T.: 0.008 min
Response: 8705515
Conc: 0.57 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 5.491 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#9 Endosulfan I

R.T.: 6.184 min
Delta R.T.: -0.013 min
Response: 2959325
Conc: 0.21 ng/ml




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.437 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.128 min
Delta R.T.: -0.019 min
Response: 1621128
Conc: 0.11 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 5.601 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#12 4,4'-DDE

R.T.: 6.289 min
Delta R.T.: -0.015 min
Response: 426474
Conc: 0.03 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.734 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.443 min
Delta R.T.: -0.010 min
Response: 1990289
Conc: 0.13 ng/ml



#16 4,4'-DDD


R.T.: 0.000 min
Exp R.T.: 6.117 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#16 4,4'-DDD

R.T.: 6.794 min
Delta R.T.: 0.000 min
Response: 377611
Conc: 0.03 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.358 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.109 min
Delta R.T.: 0.018 min
Response: 2127951
Conc: 0.19 ng/ml



#19 Endosulfan Sulfate


R.T.: 0.000 min
Exp R.T.: 6.647 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#19 Endosulfan Sulfate

R.T.: 7.234 min
Delta R.T.: 0.007 min
Response: 507283
Conc: 0.04 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T.: 6.905 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 7.575 min
Delta R.T.: 0.025 min
Response: 9148061
Conc: 1.59 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 7.325 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#22 Mirex

R.T.: 8.146 min
Delta R.T.: -0.004 min
Response: 9190765
Conc: 1.21 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.314 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 4.950 min
Delta R.T.: -0.013 min
Response: 1235245
Conc: 1.85 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.815 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE




#24 Chlordane-2

R.T.: 5.417 min
Delta R.T.: -0.012 min
Response: 6915057
Conc: 14.19 ng/ml




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T.: 5.443 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.128 min
Delta R.T.: -0.021 min
Response: 1621128
Conc: 0.69 ng/ml



#28 Decachlorobiphenyl

R.T.: 0.000 min
Exp R.T.: 8.196 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
HEXANE



#28 Decachlorobiphenyl

R.T.: 8.994 min
Delta R.T.: -0.029 min
Response: 327049
Conc: 0.03 ng/ml