

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052221\
 Data File : PD063201.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 May 2021 12:06
 Operator : AR\AJ
 Sample : M2409-01
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 BACKFILL-ASHCROFT-REAR-06

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 21 12:28:46 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
 Quant Title : GC Extractables
 QLast Update : Tue May 18 07:12:39 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.446	3.970	15154661	158.5E6	13.758	13.676
28)	SA Decachlor...	8.201	9.025	18243375	176.1E6	14.496	17.257
Target Compounds							
2)	A alpha-BHC	0.000	4.339f	0	1845713	N.D.	0.096 #
6)	B beta-BHC	0.000	4.825	0	54072965	N.D.	7.290 #
7)	B delta-BHC	0.000	5.005f	0	14597869	N.D.	1.045 #
8)	B Heptachlo...	0.000	5.850	0	11149118	N.D.	0.729 #
14)	MA Endrin	0.000	6.681	0	561196	N.D.	0.044 #
15)	B Endosulfa...	0.000	6.889	0	207015	N.D.	0.017 #
17)	MA 4,4'-DDT	0.000	7.113f	0	2291462	N.D.	0.203 #
18)	B Endrin al...	0.000	7.012	0	1712407	N.D.	0.168 #
19)	B Endosulfa...	0.000	7.237	0	1358305	N.D.	0.111 #
21)	B Endrin ke...	0.000	7.718f	0	6051374	N.D.	0.504 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052221\
Data File : PD063201.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 May 2021 12:06
Operator : AR\AJ
Sample : M2409-01
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 21 12:28:46 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
Quant Title : GC Extractables
QLast Update : Tue May 18 07:12:39 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.446 min
Delta R.T.: 0.006 min
Response: 15154661
Conc: 13.76 ng/ml

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06




#1 Tetrachloro-m-xylene

R.T.: 3.970 min
Delta R.T.: 0.000 min
Response: 158476071
Conc: 13.68 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.877 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 4.339 min
Delta R.T.: -0.019 min
Response: 1845713
Conc: 0.10 ng/ml



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.411 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06




#6 beta-BHC

R.T.: 4.825 min
Delta R.T.: 0.012 min
Response: 54072965
Conc: 7.29 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.614 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 5.005 min
Delta R.T.: -0.025 min
Response: 14597869
Conc: 1.04 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.152 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06




#8 Heptachlor epoxide

R.T.: 5.850 min
Delta R.T.: 0.010 min
Response: 11149118
Conc: 0.73 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 5.991 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 6.681 min
Delta R.T.: 0.010 min
Response: 561196
Conc: 0.04 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.264 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06




#15 Endosulfan II

R.T.: 6.889 min
Delta R.T.: 0.010 min
Response: 207015
Conc: 0.02 ng/ml




#17 4,4'-DDT

R.T.: 0.000 min
Exp R.T.: 6.358 min
Response: 0
Conc: N.D.



#17 4,4'-DDT


R.T.: 7.113 min
Delta R.T.: 0.022 min
Response: 2291462
Conc: 0.20 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 6.433 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06




#18 Endrin aldehyde

R.T.: 7.012 min
Delta R.T.: 0.008 min
Response: 1712407
Conc: 0.17 ng/ml




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T.: 6.647 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 7.237 min
Delta R.T.: 0.010 min
Response: 1358305
Conc: 0.11 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T.: 7.139 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
BACKFILL-ASHCROFT-REAR-06




#21 Endrin ketone

R.T.: 7.718 min
Delta R.T.: 0.021 min
Response: 6051374
Conc: 0.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.201 min
Delta R.T.: 0.005 min
Response: 18243375
Conc: 14.50 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.025 min
Delta R.T.: 0.001 min
Response: 176051463
Conc: 17.26 ng/ml