

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052221\
 Data File : PD063228.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 May 2021 21:23
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 22 01:06:51 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
 Quant Title : GC Extractables
 QLast Update : Tue May 18 07:12:39 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.440	3.970	22281259	222.6E6	20.228	19.206
28)	SA Decachlor...	8.194	9.023	19818059	186.4E6	15.747	18.270
Target Compounds							
4)	MA Heptachlor	0.000	5.125f	0	2414495	N.D.	0.146 #
5)	MB Aldrin	0.000	5.450	0	139260	N.D.	0.008 #
7)	B delta-BHC	0.000	5.006f	0	21116723	N.D.	1.511 #
8)	B Heptachlo...	0.000	5.850	0	15431590	N.D.	1.009 #
10)	B gamma-Chl...	0.000	6.052f	0	806783	N.D.	0.052 #
12)	B 4,4'-DDE	0.000	6.301	0	382984	N.D.	0.025 #
13)	MA Dieldrin	0.000	6.460	0	636968	N.D.	0.042 #
15)	B Endosulfa...	0.000	6.902f	0	1041359	N.D.	0.087 #
18)	B Endrin al...	6.433	0.000	832072	0	0.783	N.D. #
20)	A Methoxychlor	0.000	7.566f	0	9258270	N.D.	1.614 #
21)	B Endrin ke...	0.000	7.716f	0	28749302	N.D.	2.397 #
22)	Mirex	0.000	8.144	0	619999	N.D.	0.082 #
23)	Chlordane-1	0.000	4.948	0	3303419	N.D.	4.936 #
24)	Chlordane-2	0.000	5.416	0	4113383	N.D.	8.439 #
25)	Chlordane-3	0.000	6.052f	0	806783	N.D.	0.394 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052221\
Data File : PD063228.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 May 2021 21:23
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampled :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 22 01:06:51 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
Quant Title : GC Extractables
QLast Update : Tue May 18 07:12:39 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.440 min
Delta R.T.: 0.000 min
Response: 22281259
Conc: 20.23 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.970 min
Delta R.T.: 0.000 min
Response: 222564167
Conc: 19.21 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.461 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.125 min
Delta R.T.: -0.025 min
Response: 2414495
Conc: 0.15 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T.: 4.709 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.450 min
Delta R.T.: -0.004 min
Response: 139260
Conc: 0.01 ng/ml




#7 delta-BHC

R.T.: 0.000 min
Exp R.T.: 4.614 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 5.006 min
Delta R.T.: -0.024 min
Response: 21116723
Conc: 1.51 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T.: 5.152 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 5.850 min
Delta R.T.: 0.010 min
Response: 15431590
Conc: 1.01 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.379 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 6.052 min
Delta R.T.: -0.022 min
Response: 806783
Conc: 0.05 ng/ml



#12 4,4'-DDE


R.T.: 0.000 min
Exp R.T.: 5.601 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#12 4,4'-DDE

R.T.: 6.301 min
Delta R.T.: -0.003 min
Response: 382984
Conc: 0.03 ng/ml




#13 Dieldrin

R.T.: 0.000 min
Exp R.T.: 5.734 min
Response: 0
Conc: N.D.



#13 Dieldrin


R.T.: 6.460 min
Delta R.T.: 0.008 min
Response: 636968
Conc: 0.04 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T.: 6.264 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.902 min
Delta R.T.: 0.023 min
Response: 1041359
Conc: 0.09 ng/ml




#18 Endrin aldehyde

R.T.: 6.433 min
Delta R.T.: 0.000 min
Response: 832072
Conc: 0.78 ng/ml



#18 Endrin aldehyde


R.T.: 0.000 min
Exp R.T.: 7.004 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 0.000 min
Exp R.T.: 6.905 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#20 Methoxychlor

R.T.: 7.566 min
Delta R.T.: 0.016 min
Response: 9258270
Conc: 1.61 ng/ml




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T.: 7.139 min
Response: 0
Conc: N.D.



#21 Endrin ketone


R.T.: 7.716 min
Delta R.T.: 0.020 min
Response: 28749302
Conc: 2.40 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 7.325 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#22 Mirex

R.T.: 8.144 min
Delta R.T.: -0.007 min
Response: 619999
Conc: 0.08 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.314 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 4.948 min
Delta R.T.: -0.015 min
Response: 3303419
Conc: 4.94 ng/ml



#24 Chlordane-2


R.T.: 0.000 min
Exp R.T.: 4.815 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#24 Chlordane-2

R.T.: 5.416 min
Delta R.T.: -0.013 min
Response: 4113383
Conc: 8.44 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T.: 5.385 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 6.052 min
Delta R.T.: -0.023 min
Response: 806783
Conc: 0.39 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.194 min
Delta R.T.: -0.001 min
Response: 19818059
Conc: 15.75 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 9.023 min
Delta R.T.: 0.000 min
Response: 186386483
Conc: 18.27 ng/ml