

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052421\
 Data File : PD063254.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 May 2021 18:04
 Operator : AR\AJ
 Sample : PB136601BS
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 25 01:25:38 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
 Quant Title : GC Extractables
 QLast Update : Mon May 24 14:48:18 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.440	3.970	23924902	247.8E6	21.720	21.384
28)	SA Decachlor...	8.195	9.023	25677395	225.7E6	20.402	22.121
Target Compounds							
2)	A alpha-BHC	3.876	4.358	94859253	933.9E6	54.710	48.503
3)	MA gamma-BHC...	4.159	4.642	87891708	852.5E6	54.058	49.394
4)	MA Heptachlor	4.460	5.150	86191907	851.6E6	54.791	51.360
5)	MB Aldrin	4.708	5.454	84371913	840.9E6	55.074	50.380
6)	B beta-BHC	4.410	4.813	36212118	353.0E6	45.904	47.592
7)	B delta-BHC	4.614	5.030	88823808	814.6E6	53.885	58.304
8)	B Heptachlo...	5.150	5.840	78275786	735.9E6	54.317	48.112
9)	A Endosulfan I	5.489	6.196	73411817	718.3E6	54.099	50.565
10)	B gamma-Chl...	5.377	6.074	77892134	769.8E6	53.104	49.379
11)	B alpha-Chl...	5.436	6.146	78492659	747.1E6	54.367	50.411
12)	B 4,4'-DDE	5.600	6.303	77675150	769.2E6	54.143	50.961
13)	MA Dieldrin	5.733	6.453	78147685	756.5E6	52.816	49.889
14)	MA Endrin	5.991	6.670	64236445	611.1E6	48.028	47.897
15)	B Endosulfa...	6.264	6.879	58370889	610.1E6	46.917	50.879
16)	A 4,4'-DDD	6.118	6.793	73784772	662.4E6	61.336	54.593
17)	MA 4,4'-DDT	6.357	7.091	66078227	588.5E6	57.813	52.191
18)	B Endrin al...	6.433	7.004	66018890	499.0E6	62.109	48.993
19)	B Endosulfa...	6.645	7.227	60274283	612.6E6	50.008	49.923
20)	A Methoxychlor	6.904	7.550	32835163	268.1E6	48.930	46.740
21)	B Endrin ke...	7.138	7.697	78172194	615.2E6	52.900	51.290
22)	Mirex	7.326	8.151	50467642	387.6E6	47.034	50.965
23)	Chlordane-1	4.335f	0.000	414865	0	8.910	N.D. #
24)	Chlordane-2	0.000	5.454f	0	840.9E6	N.D.	1486.655 #
25)	Chlordane-3	5.377	6.074	77892134	769.8E6	472.473	325.923 #
26)	Chlordane-4	5.436	6.146	78492659	747.1E6	580.737	276.255 #
27)	Chlordane-5	6.264	6.948	58370889	958857	1170.860	2.145 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052421\
Data File : PD063254.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 May 2021 18:04
Operator : AR\AJ
Sample : PB136601BS
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 25 01:25:38 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051721.M
Quant Title : GC Extractables
QLast Update : Mon May 24 14:48:18 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.440 min
Delta R.T.: -0.003 min
Response: 23924902
Conc: 21.72 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.970 min
Delta R.T.: 0.000 min
Response: 247807005
Conc: 21.38 ng/ml




#2 alpha-BHC

R.T.: 3.876 min
Delta R.T.: -0.003 min
Response: 94859253
Conc: 54.71 ng/ml



#2 alpha-BHC


R.T.: 4.358 min
Delta R.T.: 0.000 min
Response: 933903993
Conc: 48.50 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.159 min
Delta R.T.: -0.003 min
Response: 87891708
Conc: 54.06 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.642 min
Delta R.T.: 0.000 min
Response: 852490995
Conc: 49.39 ng/ml




#4 Heptachlor

R.T.: 4.460 min
Delta R.T.: -0.003 min
Response: 86191907
Conc: 54.79 ng/ml



#4 Heptachlor


R.T.: 5.150 min
Delta R.T.: 0.000 min
Response: 851579471
Conc: 51.36 ng/ml



#5 Aldrin


R.T.: 4.708 min
Delta R.T.: -0.004 min
Response: 84371913
Conc: 55.07 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.454 min
Delta R.T.: -0.001 min
Response: 840937497
Conc: 50.38 ng/ml




#6 beta-BHC

R.T.: 4.410 min
Delta R.T.: -0.003 min
Response: 36212118
Conc: 45.90 ng/ml



#6 beta-BHC


R.T.: 4.813 min
Delta R.T.: 0.000 min
Response: 353015285
Conc: 47.59 ng/ml



#7 delta-BHC


R.T.: 4.614 min
Delta R.T.: -0.004 min
Response: 88823808
Conc: 53.88 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 5.030 min
Delta R.T.: 0.000 min
Response: 814615076
Conc: 58.30 ng/ml




#8 Heptachlor epoxide

R.T.: 5.150 min
Delta R.T.: -0.004 min
Response: 78275786
Conc: 54.32 ng/ml



#8 Heptachlor epoxide


R.T.: 5.840 min
Delta R.T.: 0.000 min
Response: 735897113
Conc: 48.11 ng/ml



#9 Endosulfan I


R.T.: 5.489 min
Delta R.T.: -0.004 min
Response: 73411817
Conc: 54.10 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 6.196 min
Delta R.T.: -0.001 min
Response: 718263412
Conc: 50.56 ng/ml




#10 gamma-Chlordane

R.T.: 5.377 min
Delta R.T.: -0.004 min
Response: 77892134
Conc: 53.10 ng/ml



#10 gamma-Chlordane


R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 769753495
Conc: 49.38 ng/ml



#11 alpha-Chlordane


R.T.: 5.436 min
Delta R.T.: -0.004 min
Response: 78492659
Conc: 54.37 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.146 min
Delta R.T.: -0.001 min
Response: 747068613
Conc: 50.41 ng/ml




#12 4,4'-DDE

R.T.: 5.600 min
Delta R.T.: -0.004 min
Response: 77675150
Conc: 54.14 ng/ml



#12 4,4'-DDE


R.T.: 6.303 min
Delta R.T.: 0.000 min
Response: 769206918
Conc: 50.96 ng/ml



#13 Dieldrin


R.T.: 5.733 min
Delta R.T.: -0.004 min
Response: 78147685
Conc: 52.82 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 6.453 min
Delta R.T.: 0.000 min
Response: 756493669
Conc: 49.89 ng/ml




#14 Endrin

R.T.: 5.991 min
Delta R.T.: -0.003 min
Response: 64236445
Conc: 48.03 ng/ml



#14 Endrin


R.T.: 6.670 min
Delta R.T.: 0.000 min
Response: 611097877
Conc: 47.90 ng/ml



#15 Endosulfan II


R.T.: 6.264 min
Delta R.T.: -0.003 min
Response: 58370889
Conc: 46.92 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.879 min
Delta R.T.: -0.001 min
Response: 610123633
Conc: 50.88 ng/ml




#16 4,4'-DDD

R.T.: 6.118 min
Delta R.T.: -0.002 min
Response: 73784772
Conc: 61.34 ng/ml



#16 4,4'-DDD


R.T.: 6.793 min
Delta R.T.: 0.000 min
Response: 662352420
Conc: 54.59 ng/ml



#17 4,4'-DDT


R.T.: 6.357 min
Delta R.T.: -0.004 min
Response: 66078227
Conc: 57.81 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.091 min
Delta R.T.: 0.000 min
Response: 588489795
Conc: 52.19 ng/ml




#18 Endrin aldehyde

R.T.: 6.433 min
Delta R.T.: -0.004 min
Response: 66018890
Conc: 62.11 ng/ml



#18 Endrin aldehyde


R.T.: 7.004 min
Delta R.T.: -0.001 min
Response: 498970400
Conc: 48.99 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.645 min
Delta R.T.: -0.004 min
Response: 60274283
Conc: 50.01 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.227 min
Delta R.T.: 0.000 min
Response: 612556884
Conc: 49.92 ng/ml




#20 Methoxychlor

R.T.: 6.904 min
Delta R.T.: -0.004 min
Response: 32835163
Conc: 48.93 ng/ml



#20 Methoxychlor


R.T.: 7.550 min
Delta R.T.: 0.000 min
Response: 268130752
Conc: 46.74 ng/ml



#21 Endrin ketone


R.T.: 7.138 min
Delta R.T.: -0.003 min
Response: 78172194
Conc: 52.90 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 7.697 min
Delta R.T.: 0.000 min
Response: 615240402
Conc: 51.29 ng/ml




#22 Mirex

R.T.: 7.326 min
Delta R.T.: -0.003 min
Response: 50467642
Conc: 47.03 ng/ml



#22 Mirex


R.T.: 8.151 min
Delta R.T.: 0.000 min
Response: 387557317
Conc: 50.96 ng/ml



#23 Chlordane-1


R.T.: 4.335 min
Delta R.T.: 0.027 min
Response: 414865
Conc: 8.91 ng/ml

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 4.962 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.809 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.454 min
Delta R.T.: 0.026 min
Response: 840937497
Conc: 1486.66 ng/ml



#25 Chlordane-3


R.T.: 5.377 min
Delta R.T.: 0.000 min
Response: 77892134
Conc: 472.47 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 769753495
Conc: 325.92 ng/ml




#26 Chlordane-4

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 78492659
Conc: 580.74 ng/ml



#26 Chlordane-4


R.T.: 6.146 min
Delta R.T.: -0.002 min
Response: 747068613
Conc: 276.25 ng/ml



#27 Chlordane-5


R.T.: 6.264 min
Delta R.T.: -0.009 min
Response: 58370889
Conc: 1170.86 ng/ml

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 6.948 min
Delta R.T.: -0.004 min
Response: 958857
Conc: 2.15 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.195 min
Delta R.T.: -0.004 min
Response: 25677395
Conc: 20.40 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.023 min
Delta R.T.: -0.002 min
Response: 225681283
Conc: 22.12 ng/ml