

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(1) Tetrachloro-m-xylene (SA)

3.563min 14.541 ng/ml

response 21749859

(1) Tetrachloro-m-xylene #2 (SA)

2.773min 17.408 ng/ml

response 67694064

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(1) Tetrachloro-m-xylene (SA)

3.562min 14.791 ng/ml m

response 22123902

(1) Tetrachloro-m-xylene #2 (SA)

2.771min 18.352 ng/ml m

response 71364420

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(4) Heptachlor (MA)
4.974min 0.761 ng/ml
response 1917408

(4) Heptachlor #2 (MA)
3.920min 0.437 ng/ml
response 2431289

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(4) Heptachlor (MA)

4.974min 0.761 ng/ml

response 1917408

(4) Heptachlor #2 (MA)

3.920min 0.477 ng/ml m

response 2656943

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(8) Heptachlor epoxide (B)

5.743min 0.770 ng/ml

response 1718819

(8) Heptachlor epoxide #2 (B)

4.720min 0.580 ng/ml

response 2965397

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD051924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(8) Heptachlor epoxide (B)

5.742min 0.509 ng/ml m

response 1136831

(8) Heptachlor epoxide #2 (B)

4.718min 0.662 ng/ml m

response 3383135

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

0.000min 0.000 ng/ml d

response 0

(7) delta-BHC #2 (B)

0.000min 0.000 ng/ml d

response 0

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)

6.140min 5.178 ng/ml

response 10775040

(9) Endosulfan I #2 (A)

5.118min 11.327 ng/ml

response 51083723

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)

6.139min 6.926 ng/ml m

response 14411321

(9) Endosulfan I #2 (A)

5.117min 6.916 ng/ml m

response 31188464

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)

6.139min 6.926 ng/ml m

response 14411321

(9) Endosulfan I #2 (A)

5.117min 13.526 ng/ml m

response 61001546

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)

6.403min 3.973 ng/ml

response 8732644

(13) Dieldrin #2 (MA)

5.362min 5.839 ng/ml

response 29176578

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)

6.401min 3.959 ng/ml m

response 8700453

(13) Dieldrin #2 (MA)

5.361min 8.018 ng/ml m

response 40066065

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)

0.000min 0.000 ng/ml

response 0

(14) Endrin #2 (MA)

5.638min 7.261 ng/ml

response 31757187

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)

6.646min 10.887 ng/ml m

response 19413533

(14) Endrin #2 (MA)

5.637min 5.103 ng/ml m

response 22318604

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(15) Endosulfan II (B)
6.822min 0.283 ng/ml
response 545014

(15) Endosulfan II #2 (B)
5.952min 20.855 ng/ml
response 87890187

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(15) Endosulfan II (B)
6.857min 13.061 ng/ml m
response 25160627

(15) Endosulfan II #2 (B)
5.950min 14.074 ng/ml m
response 59311682

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(16) 4,4'-DDD (A)
6.734min 7.618 ng/ml
response 11815031

(16) 4,4'-DDD #2 (A)
5.778min 4.662 ng/ml
response 17541057

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(16) 4,4'-DDD (A)

6.733min 8.576 ng/ml m

response 13300226

(16) 4,4'-DDD #2 (A)

5.777min 6.112 ng/ml m

response 22998105

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.117min 12.924 ng/ml

response 25904547

(27) Decachlorobiphenyl #2 (SA)

7.902min 19.898 ng/ml

response 78724134

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD052924\
Data File : PD083212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 29 May 2024 12:39
Operator : AR\AJ
Sample : P2571-20
Misc :
ALS Vial : 7 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH6A4

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/03/2024
Supervised By :Ankita Jodhani 06/03/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 30 13:32:25 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD051924CLP.M
Quant Title : GC Extractables
QLast Update : Fri May 17 05:17:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.115min 16.997 ng/ml m

response 34068481

(27) Decachlorobiphenyl #2 (SA)

7.902min 19.898 ng/ml

response 78724134

QEdit