

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD060421\
 Data File : PD063440.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Jun 2021 20:20
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

Ankita
 6/4/2021 11:26:13 AM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 04 02:32:50 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060221.M
 Quant Title : GC Extractables
 QLast Update : Thu Jun 03 01:33:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.440	3.971	73455037	679.7E6	53.084	50.728
28)	SA Decachlor...	8.195	9.025	77121171	716.6E6	49.037	51.857
Target Compounds							
2)	A alpha-BHC	3.876	4.359	115.0E6	1098.8E6	54.998	53.158
3)	MA gamma-BHC...	4.159	4.643	106.8E6	1011.3E6	54.388	53.320
4)	MA Heptachlor	4.459	5.151	106.3E6	999.7E6	54.737	52.309
5)	MB Aldrin	4.707	5.455	102.5E6	1020.6E6	54.216	52.490
6)	B beta-BHC	4.410	4.814	44986115	420.0E6	51.711	53.344
7)	B delta-BHC	4.614	5.031	108.3E6	956.8E6	55.215	50.999
8)	B Heptachlo...	5.150	5.839	93740730	915.1E6	53.494	50.058m
9)	A Endosulfan I	5.489	6.197	87399300	873.0E6	53.025	51.237
10)	B gamma-Chl...	5.377	6.075	95329447	966.9E6	53.380	52.047
11)	B alpha-Chl...	5.436	6.147	93460812	912.0E6	52.854	51.299
12)	B 4,4'-DDE	5.599	6.305	94009216	915.4E6	54.067	50.372
13)	MA Dieldrin	5.732	6.454	93602164	922.3E6	53.292	50.951
14)	MA Endrin	5.990	6.672	85391445	788.1E6	53.690	51.271
15)	B Endosulfa...	6.263	6.881	76548546	739.8E6	54.597	50.172
16)	A 4,4'-DDD	6.115	6.794	77849331	753.1E6	53.680	50.613
17)	MA 4,4'-DDT	6.357	7.093	77809983	765.0E6	53.858	50.821
18)	B Endrin al...	6.432	7.005	60573653	594.5E6	50.909	49.069
19)	B Endosulfa...	6.645	7.228	72607776	746.1E6	56.813	49.203
20)	A Methoxychlor	6.903	7.551	41228695	371.1E6	51.693	50.101
21)	B Endrin ke...	7.138	7.698	92082701	742.2E6	51.904	50.759
22)	Mirex	7.325	8.151	65136909	515.4E6	56.742	51.548

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD060421\
Data File : PD063440.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Jun 2021 20:20
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 04 02:32:50 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060221.M
Quant Title : GC Extractables
QLast Update : Thu Jun 03 01:33:41 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene

R.T.: 3.440 min
Delta R.T.: 0.000 min
Response: 73455037
Conc: 53.08 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#1 Tetrachloro-m-xylene

R.T.: 3.971 min
Delta R.T.: 0.000 min
Response: 679688770
Conc: 50.73 ng/ml




#2 alpha-BHC

R.T.: 3.876 min
Delta R.T.: 0.000 min
Response: 114994678
Conc: 55.00 ng/ml



#2 alpha-BHC

R.T.: 4.359 min
Delta R.T.: 0.000 min
Response: 1098822740
Conc: 53.16 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.159 min
Delta R.T.: 0.000 min
Response: 106815402
Conc: 54.39 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#3 gamma-BHC (Lindane)

R.T.: 4.643 min
Delta R.T.: 0.000 min
Response: 1011283798
Conc: 53.32 ng/ml




#4 Heptachlor

R.T.: 4.459 min
Delta R.T.: 0.000 min
Response: 106276831
Conc: 54.74 ng/ml



#4 Heptachlor

R.T.: 5.151 min
Delta R.T.: 0.000 min
Response: 999664187
Conc: 52.31 ng/ml




#5 Aldrin

R.T.: 4.707 min
Delta R.T.: 0.000 min
Response: 102461998
Conc: 54.22 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#5 Aldrin

R.T.: 5.455 min
Delta R.T.: 0.000 min
Response: 1020597229
Conc: 52.49 ng/ml




#6 beta-BHC

R.T.: 4.410 min
Delta R.T.: 0.000 min
Response: 44986115
Conc: 51.71 ng/ml



#6 beta-BHC

R.T.: 4.814 min
Delta R.T.: 0.000 min
Response: 419995175
Conc: 53.34 ng/ml




#7 delta-BHC

R.T.: 4.614 min
Delta R.T.: 0.000 min
Response: 108289304
Conc: 55.21 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#7 delta-BHC

R.T.: 5.031 min
Delta R.T.: 0.001 min
Response: 956765568
Conc: 51.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.150 min
Delta R.T.: 0.000 min
Response: 93740730
Conc: 53.49 ng/ml



#8 Heptachlor epoxide

R.T.: 5.839 min
Delta R.T.: -0.001 min
Response: 915074674
Conc: 50.06 ng/ml m




#9 Endosulfan I

R.T.: 5.489 min
Delta R.T.: 0.000 min
Response: 87399300
Conc: 53.03 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#9 Endosulfan I

R.T.: 6.197 min
Delta R.T.: 0.000 min
Response: 872984944
Conc: 51.24 ng/ml




#10 gamma-Chlordane

R.T.: 5.377 min
Delta R.T.: 0.000 min
Response: 95329447
Conc: 53.38 ng/ml



#10 gamma-Chlordane

R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 966850391
Conc: 52.05 ng/ml




#11 alpha-Chlordane

R.T.: 5.436 min
Delta R.T.: 0.000 min
Response: 93460812
Conc: 52.85 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#11 alpha-Chlordane

R.T.: 6.147 min
Delta R.T.: 0.000 min
Response: 912010064
Conc: 51.30 ng/ml




#12 4,4'-DDE

R.T.: 5.599 min
Delta R.T.: 0.000 min
Response: 94009216
Conc: 54.07 ng/ml



#12 4,4'-DDE

R.T.: 6.305 min
Delta R.T.: 0.000 min
Response: 915408135
Conc: 50.37 ng/ml




#13 Dieldrin

R.T.: 5.732 min
Delta R.T.: 0.000 min
Response: 93602164
Conc: 53.29 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#13 Dieldrin

R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 922317643
Conc: 50.95 ng/ml




#14 Endrin

R.T.: 5.990 min
Delta R.T.: 0.000 min
Response: 85391445
Conc: 53.69 ng/ml



#14 Endrin

R.T.: 6.672 min
Delta R.T.: 0.000 min
Response: 788058150
Conc: 51.27 ng/ml




#15 Endosulfan II

R.T.: 6.263 min
Delta R.T.: 0.000 min
Response: 76548546
Conc: 54.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#15 Endosulfan II

R.T.: 6.881 min
Delta R.T.: 0.000 min
Response: 739843611
Conc: 50.17 ng/ml




#16 4,4'-DDD

R.T.: 6.115 min
Delta R.T.: 0.000 min
Response: 77849331
Conc: 53.68 ng/ml



#16 4,4'-DDD

R.T.: 6.794 min
Delta R.T.: 0.001 min
Response: 753056528
Conc: 50.61 ng/ml




#17 4,4'-DDT

R.T.: 6.357 min
Delta R.T.: 0.000 min
Response: 77809983
Conc: 53.86 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#17 4,4'-DDT

R.T.: 7.093 min
Delta R.T.: 0.001 min
Response: 764968014
Conc: 50.82 ng/ml




#18 Endrin aldehyde

R.T.: 6.432 min
Delta R.T.: 0.000 min
Response: 60573653
Conc: 50.91 ng/ml



#18 Endrin aldehyde

R.T.: 7.005 min
Delta R.T.: 0.000 min
Response: 594521853
Conc: 49.07 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.645 min
Delta R.T.: 0.000 min
Response: 72607776
Conc: 56.81 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#19 Endosulfan Sulfate

R.T.: 7.228 min
Delta R.T.: 0.000 min
Response: 746135499
Conc: 49.20 ng/ml




#20 Methoxychlor

R.T.: 6.903 min
Delta R.T.: 0.000 min
Response: 41228695
Conc: 51.69 ng/ml



#20 Methoxychlor

R.T.: 7.551 min
Delta R.T.: 0.000 min
Response: 371084663
Conc: 50.10 ng/ml




#21 Endrin ketone

R.T.: 7.138 min
Delta R.T.: 0.000 min
Response: 92082701
Conc: 51.90 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM




#21 Endrin ketone

R.T.: 7.698 min
Delta R.T.: 0.000 min
Response: 742210706
Conc: 50.76 ng/ml




#22 Mirex

R.T.: 7.325 min
Delta R.T.: 0.000 min
Response: 65136909
Conc: 56.74 ng/ml



#22 Mirex

R.T.: 8.151 min
Delta R.T.: 0.001 min
Response: 515427555
Conc: 51.55 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.195 min
Delta R.T.: 0.001 min
Response: 77121171
Conc: 49.04 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

Ankita
6/4/2021 11:26:13 AM



#28 Decachlorobiphenyl

R.T.: 9.025 min
Delta R.T.: 0.001 min
Response: 716589220
Conc: 51.86 ng/ml