

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.561min 5.986 ng/ml m

response 7814180

(1) Tetrachloro-m-xylene #2 (SA)

2.773min 7.895 ng/ml

response 43033547

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 19 07:27:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.808min 2.333 ng/ml
response 6129135

(7) delta-BHC #2 (B)

4.134min 9.720 ng/ml
response 82887608

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)

4.807min 2.626 ng/ml m
response 6899350

(7) delta-BHC #2 (B)

4.132min 4.160 ng/ml m
response 35472153

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(9) Endosulfan I (A)

6.092min 2.229 ng/ml

response 4359399

(9) Endosulfan I #2 (A)

5.115min 27.121 ng/ml

response 179288148

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)
6.137min 14.502 ng/ml m
response 28360346

(9) Endosulfan I #2 (A)
5.114min 17.172 ng/ml m
response 113516248

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(12) 4,4'-DDE (B)

6.223min 2.414 ng/ml

response 5006415

(12) 4,4'-DDE #2 (B)

5.218min 18.881 ng/ml

response 134183448

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)

6.223min 2.414 ng/ml

response 5006415

(12) 4,4'-DDE #2 (B)

5.217min 4.024 ng/ml m

response 28599195

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(13) Dieldrin (MA)
6.358min 4.145 ng/ml
response 8570727

(13) Dieldrin #2 (MA)
5.358min 15.868 ng/ml
response 115601629

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)
6.409min 6.423 ng/ml m
response 13280598

(13) Dieldrin #2 (MA)
5.357min 8.874 ng/ml m
response 64646976

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(17) 4,4'-DDT (MA)

7.059min 10.098 ng/ml

response 15212573

(17) 4,4'-DDT #2 (MA)

6.021min 21.564 ng/ml

response 122062227

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(17) 4,4'-DDT (MA)

7.058min 8.642 ng/ml m

response 13018452

(17) 4,4'-DDT #2 (MA)

6.020min 12.547 ng/ml m

response 71022839

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



QEdit

(19) Endosulfan Sulfate (B)

7.191min 16.036 ng/ml

response 27434794

(19) Endosulfan Sulfate #2 (B)

6.340min 29.078 ng/ml

response 179651497

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.103min 10.238 ng/ml

response 19907195

(27) Decachlorobiphenyl #2 (SA)

7.896min 22.811 ng/ml

response 138511047

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083647.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jun 2024 21:14
Operator : AR\AJ
Sample : P2678-08
Misc :
ALS Vial : 14 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH677

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/17/2024
Supervised By :Ankita Jodhani 06/17/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:09:36 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.102min 10.988 ng/ml m

response 21365601

(27) Decachlorobiphenyl #2 (SA)

7.895min 14.232 ng/ml m

response 86421881