

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.562min 6.313 ng/ml

response 8241065

(1) Tetrachloro-m-xylene #2 (SA)

2.773min 10.114 ng/ml

response 55132391

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.560min 7.373 ng/ml m

response 9624420

(1) Tetrachloro-m-xylene #2 (SA)

2.773min 10.114 ng/ml

response 55132391

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)
4.810min 5.448 ng/ml
response 14310327

(7) delta-BHC #2 (B)
4.134min 9.820 ng/ml
response 83739764

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(7) delta-BHC (B)
4.810min 5.448 ng/ml
response 14310327

(7) delta-BHC #2 (B)
4.133min 4.639 ng/ml m
response 39559281

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)
6.092min 5.721 ng/ml
response 11188834

(9) Endosulfan I #2 (A)
5.116min 23.729 ng/ml
response 156863542

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)
6.137min 19.222 ng/ml m
response 37590938

(9) Endosulfan I #2 (A)
5.115min 12.821 ng/ml m
response 84755934

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 19 07:28:35 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)

6.224min 4.060 ng/ml

response 8420635

(12) 4,4'-DDE #2 (B)

5.218min 20.606 ng/ml

response 146440985

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)
6.224min 4.060 ng/ml
response 8420635

(12) 4,4'-DDE #2 (B)
5.216min 8.952 ng/ml m
response 63617730

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)
6.612min 0.630 ng/ml
response 1063813

(14) Endrin #2 (MA)
5.633min 9.347 ng/ml
response 60447935

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(17) 4,4'-DDT (MA)
7.059min 24.756 ng/ml
response 37292896

(17) 4,4'-DDT #2 (MA)
6.021min 33.209 ng/ml
response 187979345

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(17) 4,4'-DDT (MA)

7.059min 24.756 ng/ml

response 37292896

(17) 4,4'-DDT #2 (MA)

6.020min 27.231 ng/ml m

response 154143760

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(19) Endosulfan Sulfate (B)

7.190min 45.201 ng/ml

response 77330532

(19) Endosulfan Sulfate #2 (B)

6.340min 54.462 ng/ml

response 336485060

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(19) Endosulfan Sulfate (B)

7.190min 45.201 ng/ml

response 77330532

(19) Endosulfan Sulfate #2 (B)

6.339min 45.240 ng/ml m

response 279512160

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(20) Methoxychlor (A)
7.554min 39.707 ng/ml
response 34353149

(20) Methoxychlor #2 (A)
6.629min 52.779 ng/ml
response 153398695

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(20) Methoxychlor (A)
7.553min 56.179 ng/ml m
response 48604911

(20) Methoxychlor #2 (A)
6.627min 38.302 ng/ml m
response 111320225

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.105min 9.754 ng/ml

response 18966353

(27) Decachlorobiphenyl #2 (SA)

7.896min 23.315 ng/ml

response 141571711

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061124\
Data File : PD083662.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 12 Jun 2024 03:25
Operator : AR\AJ
Sample : P2678-18
Misc :
ALS Vial : 24 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
BH687

Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 06/13/2024
Supervised By :Ankita Jodhani 06/14/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 12 10:14:32 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD060724CLP.M
Quant Title : GC Extractables
QLast Update : Fri Jun 07 04:03:14 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.103min 13.249 ng/ml m

response 25762719

(27) Decachlorobiphenyl #2 (SA)

7.895min 15.495 ng/ml m

response 94087785