

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061523\
 Data File : PD075795.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Jun 2023 15:55
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 16 00:53:55 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 16 00:53:35 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.768	155.5E6	78541751	74.522	74.481
2)	SA Decachlor...	9.088	7.913	174.6E6	67775322	74.009	74.464
Target Compounds							
2)	A alpha-BHC	4.002	3.270	282.3E6	120.7E6	74.602	74.563
3)	MA gamma-BHC...	4.336	3.600	256.2E6	110.3E6	74.744	74.439
4)	MA Heptachlor	4.927	3.940	267.7E6	111.6E6	74.612	74.451
5)	MB Aldrin	5.270	4.220	261.6E6	109.8E6	74.664	74.471
6)	B beta-BHC	4.532	3.897	100.9E6	44478023	74.343	74.362
7)	B delta-BHC	4.780	4.127	250.6E6	108.1E6	74.837	74.630
8)	B Heptachlo...	5.697	4.723	232.3E6	99306816	74.669	74.402
9)	A Endosulfan I	6.084	5.093	218.4E6	93145712	74.700	74.447
10)	B gamma-Chl...	5.955	4.974	238.3E6	100.1E6	74.726	74.476
11)	B alpha-Chl...	6.033	5.037	235.2E6	99430195	74.685	74.410
12)	B 4,4'-DDE	6.206	5.227	216.3E6	83328991	74.841	74.615
13)	MA Dieldrin	6.360	5.358	233.4E6	99448310	74.793	74.509
14)	MA Endrin	6.590	5.634	199.6E6	88955766	74.631	74.425
15)	B Endosulfa...	6.809	5.928	185.5E6	78660989	74.677	74.613
16)	A 4,4'-DDD	6.724	5.782	170.7E6	66079398	74.655	74.534
17)	MA 4,4'-DDT	7.038	6.033	178.1E6	65688141	75.139	74.845
18)	B Endrin al...	6.940	6.107	144.1E6	61929266	74.895	74.649
19)	B Endosulfa...	7.175	6.331	182.3E6	77749713	74.790	74.590
20)	A Methoxychlor	7.514	6.608	93321667	34667498	74.624	74.908
21)	B Endrin ke...	7.661	6.837	202.4E6	89184190	74.667	74.583
22)	Mirex	8.137	7.020	149.6E6	73388574	74.229	74.293



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061523\
Data File : PD075795.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Jun 2023 15:55
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 16 00:53:55 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
Quant Title : GC Extractables
QLast Update : Fri Jun 16 00:53:35 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 155528028
Conc: 74.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 2.768 min
Delta R.T.: 0.000 min
Response: 78541751
Conc: 74.48 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 282277436
Conc: 74.60 ng/ml



#2 alpha-BHC


R.T.: 3.270 min
Delta R.T.: 0.000 min
Response: 120674138
Conc: 74.56 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.336 min
Delta R.T.: 0.000 min
Response: 256195020
Conc: 74.74 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 3.600 min
Delta R.T.: 0.000 min
Response: 110313072
Conc: 74.44 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.000 min
Response: 267739848
Conc: 74.61 ng/ml



#4 Heptachlor


R.T.: 3.940 min
Delta R.T.: 0.000 min
Response: 111555615
Conc: 74.45 ng/ml



#5 Aldrin


R.T.: 5.270 min
Delta R.T.: 0.000 min
Response: 261638973
Conc: 74.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 4.220 min
Delta R.T.: 0.000 min
Response: 109783313
Conc: 74.47 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 100948256
Conc: 74.34 ng/ml



#6 beta-BHC


R.T.: 3.897 min
Delta R.T.: 0.000 min
Response: 44478023
Conc: 74.36 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 250550046
Conc: 74.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 4.127 min
Delta R.T.: 0.000 min
Response: 108116539
Conc: 74.63 ng/ml




#8 Heptachlor epoxide

R.T.: 5.697 min
Delta R.T.: 0.000 min
Response: 232338078
Conc: 74.67 ng/ml



#8 Heptachlor epoxide


R.T.: 4.723 min
Delta R.T.: 0.000 min
Response: 99306816
Conc: 74.40 ng/ml



#9 Endosulfan I


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 218374181
Conc: 74.70 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 5.093 min
Delta R.T.: 0.000 min
Response: 93145712
Conc: 74.45 ng/ml




#10 gamma-Chlordane

R.T.: 5.955 min
Delta R.T.: 0.000 min
Response: 238335241
Conc: 74.73 ng/ml



#10 gamma-Chlordane


R.T.: 4.974 min
Delta R.T.: 0.000 min
Response: 100100596
Conc: 74.48 ng/ml



#11 alpha-Chlordane


R.T.: 6.033 min
Delta R.T.: 0.000 min
Response: 235165362
Conc: 74.68 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 5.037 min
Delta R.T.: 0.000 min
Response: 99430195
Conc: 74.41 ng/ml




#12 4,4'-DDE

R.T.: 6.206 min
Delta R.T.: 0.000 min
Response: 216347524
Conc: 74.84 ng/ml



#12 4,4'-DDE


R.T.: 5.227 min
Delta R.T.: 0.000 min
Response: 83328991
Conc: 74.62 ng/ml



#13 Dieldrin


R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 233410470
Conc: 74.79 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 5.358 min
Delta R.T.: 0.000 min
Response: 99448310
Conc: 74.51 ng/ml




#14 Endrin

R.T.: 6.590 min
Delta R.T.: 0.000 min
Response: 199618177
Conc: 74.63 ng/ml



#14 Endrin


R.T.: 5.634 min
Delta R.T.: 0.000 min
Response: 88955766
Conc: 74.42 ng/ml



#15 Endosulfan II


R.T.: 6.809 min
Delta R.T.: 0.000 min
Response: 185477375
Conc: 74.68 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 5.928 min
Delta R.T.: 0.000 min
Response: 78660989
Conc: 74.61 ng/ml




#16 4,4'-DDD

R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 170671592
Conc: 74.66 ng/ml



#16 4,4'-DDD


R.T.: 5.782 min
Delta R.T.: 0.000 min
Response: 66079398
Conc: 74.53 ng/ml



#17 4,4'-DDT


R.T.: 7.038 min
Delta R.T.: 0.000 min
Response: 178143091
Conc: 75.14 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 6.033 min
Delta R.T.: 0.000 min
Response: 65688141
Conc: 74.84 ng/ml




#18 Endrin aldehyde

R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 144101262
Conc: 74.90 ng/ml



#18 Endrin aldehyde


R.T.: 6.107 min
Delta R.T.: 0.000 min
Response: 61929266
Conc: 74.65 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 182279254
Conc: 74.79 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 77749713
Conc: 74.59 ng/ml




#20 Methoxychlor

R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 93321667
Conc: 74.62 ng/ml



#20 Methoxychlor


R.T.: 6.608 min
Delta R.T.: 0.000 min
Response: 34667498
Conc: 74.91 ng/ml



#21 Endrin ketone


R.T.: 7.661 min
Delta R.T.: 0.000 min
Response: 202393486
Conc: 74.67 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 6.837 min
Delta R.T.: 0.000 min
Response: 89184190
Conc: 74.58 ng/ml




#22 Mirex

R.T.: 8.137 min
Delta R.T.: 0.000 min
Response: 149550494
Conc: 74.23 ng/ml



#22 Mirex

R.T.: 7.020 min
Delta R.T.: 0.000 min
Response: 73388574
Conc: 74.29 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.088 min

Delta R.T.: 0.000 min

Response: 174567797

Conc: 74.01 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 7.913 min

Delta R.T.: 0.000 min

Response: 67775322

Conc: 74.46 ng/ml