

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061723\
 Data File : PD075831.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Jun 2023 09:33
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 16 11:02:07 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 16 10:43:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.552	2.765	49202801	23860491	23.098	21.993
28)	SA Decachlor...	9.098	7.915	61298390	23188031	24.196	23.715
Target Compounds							
4)	MA Heptachlor	4.951f	0.000	175088	0	0.049	N.D. #
6)	B beta-BHC	0.000	3.903	0	153275	N.D.	0.240 #
7)	B delta-BHC	4.773	0.000	2312950	0	0.696	N.D. #
8)	B Heptachlo...	5.699	0.000	2908761	0	0.903	N.D. #
9)	A Endosulfan I	6.083	0.000	936122	0	0.312	N.D. #
10)	B gamma-Chl...	5.952	0.000	637622	0	0.198	N.D. #
11)	B alpha-Chl...	6.001f	0.000	1631471	0	0.505	N.D. #
15)	B Endosulfa...	6.795f	0.000	305477	0	0.118	N.D. #
19)	B Endosulfa...	0.000	6.331	0	359912	N.D.	0.333 #
21)	B Endrin ke...	7.673	0.000	1921838	0	0.690	N.D. #
25)	Chlordane-3	5.952	0.000	637622	0	1.228	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD061723\
Data File : PD075831.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Jun 2023 09:33
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 16 11:02:07 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
Quant Title : GC Extractables
QLast Update : Fri Jun 16 10:43:19 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.552 min
Delta R.T.: 0.006 min
Response: 49202801
Conc: 23.10 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.765 min
Delta R.T.: -0.002 min
Response: 23860491
Conc: 21.99 ng/ml




#4 Heptachlor

R.T.: 4.951 min
Delta R.T.: 0.024 min
Response: 175088
Conc: 0.05 ng/ml



#4 Heptachlor


R.T.: 0.000 min
Exp R.T. : 3.940 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 0.000 min
Exp R.T.: 4.532 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#6 beta-BHC

R.T.: 3.903 min
Delta R.T.: 0.006 min
Response: 153275
Conc: 0.24 ng/ml




#7 delta-BHC

R.T.: 4.773 min
Delta R.T.: -0.008 min
Response: 2312950
Conc: 0.70 ng/ml



#7 delta-BHC


R.T.: 0.000 min
Exp R.T.: 4.127 min
Response: 0
Conc: N.D.



#8 Heptachlor epoxide


R.T.: 5.699 min
Delta R.T.: 0.002 min
Response: 2908761
Conc: 0.90 ng/ml

Instrument :
ECD_D
ClientSampleId :




#8 Heptachlor epoxide

R.T.: 0.000 min
Exp R.T. : 4.723 min
Response: 0
Conc: N.D.




#9 Endosulfan I

R.T.: 6.083 min
Delta R.T.: -0.002 min
Response: 936122
Conc: 0.31 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T. : 5.093 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 5.952 min
Delta R.T.: -0.002 min
Response: 637622
Conc: 0.20 ng/ml

Instrument :
ECD_D
ClientSampleId :




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T. : 4.973 min
Response: 0
Conc: N.D.




#11 alpha-Chlordane

R.T.: 6.001 min
Delta R.T.: -0.033 min
Response: 1631471
Conc: 0.50 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T. : 5.037 min
Response: 0
Conc: N.D.



#15 Endosulfan II


R.T.: 6.795 min
Delta R.T.: -0.016 min
Response: 305477
Conc: 0.12 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 0.000 min
Exp R.T. : 5.928 min
Response: 0
Conc: N.D.




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T. : 7.175 min
Response: 0
Conc: N.D.



#19 Endosulfan Sulfate


R.T.: 6.331 min
Delta R.T.: 0.000 min
Response: 359912
Conc: 0.33 ng/ml



#21 Endrin ketone


R.T.: 7.673 min
Delta R.T.: 0.011 min
Response: 1921838
Conc: 0.69 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 0.000 min
Exp R.T. : 6.837 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.952 min
Delta R.T.: -0.003 min
Response: 637622
Conc: 1.23 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T. : 4.974 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 9.098 min
Delta R.T.: 0.009 min
Response: 61298390
Conc: 24.20 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.915 min
Delta R.T.: 0.003 min
Response: 23188031
Conc: 23.71 ng/ml