

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062125\
 Data File : PD089068.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2025 20:49
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 20 23:07:44 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061825.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 18 05:39:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.551	2.881	142.4E6	851.9E6	49.925	50.249
2)	SA Decachlor...	9.073	8.072	183.9E6	921.5E6	46.826	46.613
Target Compounds							
2)	A alpha-BHC	4.000	3.393	301.4E6	1349.6E6	51.708	50.365
3)	MA gamma-BHC...	4.331	3.729	286.3E6	1244.8E6	51.297	50.282
4)	MA Heptachlor	4.930	4.082	280.2E6	1245.3E6	51.403	49.736
5)	MB Aldrin	5.272	4.368	269.4E6	1207.7E6	50.704	49.869
6)	B beta-BHC	4.516	4.025	109.6E6	532.2E6	49.652	49.527
7)	B delta-BHC	4.764	4.261	274.2E6	1247.9E6	53.425	50.170
8)	B Heptachlo...	5.691	4.872	237.3E6	1099.8E6	49.200	50.222
9)	A Endosulfan I	6.075	5.246	223.0E6	1020.6E6	49.468	48.969
10)	B gamma-Chl...	5.946	5.125	235.3E6	1182.9E6	49.148	49.449
11)	B alpha-Chl...	6.027	5.190	239.5E6	1125.8E6	49.503	49.167
12)	B 4,4'-DDE	6.196	5.374	214.6E6	1117.5E6	49.198	48.764
13)	MA Dieldrin	6.347	5.512	238.3E6	1137.8E6	49.672	49.027
14)	MA Endrin	6.575	5.789	201.4E6	1118.3E6	48.808	51.500
15)	B Endosulfa...	6.787	6.080	187.0E6	971.8E6	46.336	48.117
16)	A 4,4'-DDD	6.705	5.929	169.1E6	915.8E6	49.281	47.872
17)	MA 4,4'-DDT	7.021	6.183	182.9E6	980.1E6	48.275	48.328
18)	B Endrin al...	6.915	6.259	144.9E6	718.6E6	47.296	46.936
19)	B Endosulfa...	7.149	6.483	183.6E6	933.4E6	47.840	47.574
20)	A Methoxychlor	7.493	6.754	93878433	501.0E6	46.460	46.523
21)	B Endrin ke...	7.631	6.991	196.0E6	1012.4E6	48.132	46.865
22)	Mirex	8.114	7.186	141.7E6	772.1E6	46.608	46.295
23)	Chlordane-1	0.000	3.894	0	787675	N.D.	0.845 #
24)	Chlordane-2	0.000	4.505	0	16598439	N.D.	17.442 #
25)	Chlordane-3	5.946	5.125	235.3E6	1182.9E6	272.848	398.271 #
26)	Chlordane-4	6.027	5.190	239.5E6	1125.8E6	227.962	449.103 #
27)	Chlordane-5	6.868	6.080	17814	971.8E6	0.097	858.735 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062125\
Data File : PD089068.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2025 20:49
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 20 23:07:44 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061825.M
Quant Title : GC Extractables
QLast Update : Wed Jun 18 05:39:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 142443866
Conc: 49.93 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.881 min
Delta R.T.: 0.000 min
Response: 851883406
Conc: 50.25 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 301409458
Conc: 51.71 ng/ml



#2 alpha-BHC


R.T.: 3.393 min
Delta R.T.: 0.000 min
Response: 1349639763
Conc: 50.37 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.331 min
Delta R.T.: 0.000 min
Response: 286324427
Conc: 51.30 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.729 min
Delta R.T.: 0.000 min
Response: 1244837873
Conc: 50.28 ng/ml




#4 Heptachlor

R.T.: 4.930 min
Delta R.T.: 0.000 min
Response: 280249063
Conc: 51.40 ng/ml



#4 Heptachlor


R.T.: 4.082 min
Delta R.T.: 0.000 min
Response: 1245302227
Conc: 49.74 ng/ml



#5 Aldrin


R.T.: 5.272 min
Delta R.T.: 0.000 min
Response: 269390235
Conc: 50.70 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.368 min
Delta R.T.: 0.000 min
Response: 1207695918
Conc: 49.87 ng/ml




#6 beta-BHC

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 109589381
Conc: 49.65 ng/ml



#6 beta-BHC


R.T.: 4.025 min
Delta R.T.: 0.000 min
Response: 532225484
Conc: 49.53 ng/ml



#7 delta-BHC


R.T.: 4.764 min
Delta R.T.: 0.000 min
Response: 274223499
Conc: 53.42 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.261 min
Delta R.T.: 0.000 min
Response: 1247910097
Conc: 50.17 ng/ml




#8 Heptachlor epoxide

R.T.: 5.691 min
Delta R.T.: 0.000 min
Response: 237339339
Conc: 49.20 ng/ml



#8 Heptachlor epoxide


R.T.: 4.872 min
Delta R.T.: 0.000 min
Response: 1099767601
Conc: 50.22 ng/ml



#9 Endosulfan I


R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 222976589
Conc: 49.47 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.246 min
Delta R.T.: 0.000 min
Response: 1020626319
Conc: 48.97 ng/ml




#10 gamma-Chlordane

R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 235326555
Conc: 49.15 ng/ml



#10 gamma-Chlordane


R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 1182945433
Conc: 49.45 ng/ml



#11 alpha-Chlordane


R.T.: 6.027 min
Delta R.T.: 0.000 min
Response: 239521896
Conc: 49.50 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.190 min
Delta R.T.: -0.001 min
Response: 1125774982
Conc: 49.17 ng/ml




#12 4,4'-DDE

R.T.: 6.196 min
Delta R.T.: 0.000 min
Response: 214552230
Conc: 49.20 ng/ml



#12 4,4'-DDE


R.T.: 5.374 min
Delta R.T.: 0.000 min
Response: 1117483059
Conc: 48.76 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.000 min
Response: 238301689
Conc: 49.67 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.512 min
Delta R.T.: 0.000 min
Response: 1137835231
Conc: 49.03 ng/ml




#14 Endrin

R.T.: 6.575 min
Delta R.T.: 0.000 min
Response: 201361728
Conc: 48.81 ng/ml



#14 Endrin


R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 1118262475
Conc: 51.50 ng/ml



#15 Endosulfan II


R.T.: 6.787 min
Delta R.T.: 0.000 min
Response: 187038793
Conc: 46.34 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 971797139
Conc: 48.12 ng/ml




#16 4,4'-DDD

R.T.: 6.705 min
Delta R.T.: 0.000 min
Response: 169136482
Conc: 49.28 ng/ml



#16 4,4'-DDD


R.T.: 5.929 min
Delta R.T.: 0.000 min
Response: 915759051
Conc: 47.87 ng/ml



#17 4,4'-DDT


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 182874127
Conc: 48.27 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.183 min
Delta R.T.: 0.000 min
Response: 980062362
Conc: 48.33 ng/ml




#18 Endrin aldehyde

R.T.: 6.915 min
Delta R.T.: 0.000 min
Response: 144910852
Conc: 47.30 ng/ml



#18 Endrin aldehyde


R.T.: 6.259 min
Delta R.T.: 0.000 min
Response: 718647412
Conc: 46.94 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 183571772
Conc: 47.84 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.483 min
Delta R.T.: 0.000 min
Response: 933448514
Conc: 47.57 ng/ml




#20 Methoxychlor

R.T.: 7.493 min
Delta R.T.: 0.000 min
Response: 93878433
Conc: 46.46 ng/ml



#20 Methoxychlor


R.T.: 6.754 min
Delta R.T.: 0.000 min
Response: 500961864
Conc: 46.52 ng/ml



#21 Endrin ketone


R.T.: 7.631 min
Delta R.T.: 0.001 min
Response: 196045409
Conc: 48.13 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.991 min
Delta R.T.: 0.000 min
Response: 1012368993
Conc: 46.87 ng/ml




#22 Mirex

R.T.: 8.114 min
Delta R.T.: 0.000 min
Response: 141694391
Conc: 46.61 ng/ml



#22 Mirex


R.T.: 7.186 min
Delta R.T.: 0.000 min
Response: 772119896
Conc: 46.30 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.715 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 3.894 min
Delta R.T.: -0.011 min
Response: 787675
Conc: 0.84 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.241 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.505 min
Delta R.T.: 0.018 min
Response: 16598439
Conc: 17.44 ng/ml



#25 Chlordane-3


R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 235326555
Conc: 272.85 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 5.125 min
Delta R.T.: 0.000 min
Response: 1182945433
Conc: 398.27 ng/ml




#26 Chlordane-4

R.T.: 6.027 min
Delta R.T.: -0.005 min
Response: 239521896
Conc: 227.96 ng/ml



#26 Chlordane-4


R.T.: 5.190 min
Delta R.T.: 0.000 min
Response: 1125774982
Conc: 449.10 ng/ml



#27 Chlordane-5


R.T.: 6.868 min
Delta R.T.: -0.003 min
Response: 17814
Conc: 0.10 ng/ml

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 6.080 min
Delta R.T.: -0.009 min
Response: 971797139
Conc: 858.74 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.073 min
Delta R.T.: 0.001 min
Response: 183915549
Conc: 46.83 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.072 min
Delta R.T.: 0.000 min
Response: 921535241
Conc: 46.61 ng/ml