

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062523\
 Data File : PD076141.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jun 2023 02:12
 Operator : AR\AJ
 Sample : 03376-12
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 DUP-01

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 26 05:37:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 16 10:43:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.767	29988185	15627052	14.078	14.404
2)	SA Decachlor...	9.085	7.911	41652280	17826879	16.441	18.232
Target Compounds							
3)	MA gamma-BHC...	4.308f	0.000	16507	0	0.005	N.D. #
4)	MA Heptachlor	4.940	3.954	175398	351554	0.049	0.231 #
5)	MB Aldrin	5.291f	0.000	146518	0	0.042	N.D. #
7)	B delta-BHC	4.773	0.000	2609390	0	0.785	N.D. #
8)	B Heptachlo...	5.690	0.000	2528746	0	0.785	N.D. #
9)	A Endosulfan I	6.081	0.000	303325	0	0.101	N.D. #
10)	B gamma-Chl...	5.975f	0.000	395926	0	0.123	N.D. #
11)	B alpha-Chl...	6.037	0.000	228662	0	0.071	N.D. #
12)	B 4,4'-DDE	0.000	5.220	0	329322	N.D.	0.295 #
13)	MA Dieldrin	6.360	5.358	597751	186616	0.191	0.138 #
15)	B Endosulfa...	6.834f	0.000	133710	0	0.052	N.D. #
16)	A 4,4'-DDD	6.732	0.000	259419	0	0.114	N.D. #
17)	MA 4,4'-DDT	7.011f	6.026	270765	200056	0.119	0.246 #
19)	B Endosulfa...	7.207f	0.000	51744	0	0.021	N.D. #
21)	B Endrin ke...	7.690f	0.000	1133570	0	0.407	N.D. #
22)	Mirex	8.161f	0.000	76902	0	0.036	N.D. #
25)	Chlordane-3	5.975f	0.000	395926	0	0.762	N.D. #
26)	Chlordane-4	6.037	0.000	228662	0	0.363	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062523\
Data File : PD076141.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jun 2023 02:12
Operator : AR\AJ
Sample : 03376-12
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DUP-01

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 26 05:37:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
Quant Title : GC Extractables
QLast Update : Fri Jun 16 10:43:19 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 29988185
Conc: 14.08 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#1 Tetrachloro-m-xylene

R.T.: 2.767 min
Delta R.T.: 0.000 min
Response: 15627052
Conc: 14.40 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.308 min
Delta R.T.: -0.028 min
Response: 16507
Conc: 0.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T. : 3.599 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 4.940 min
Delta R.T.: 0.013 min
Response: 175398
Conc: 0.05 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#4 Heptachlor

R.T.: 3.954 min
Delta R.T.: 0.014 min
Response: 351554
Conc: 0.23 ng/ml




#5 Aldrin

R.T.: 5.291 min
Delta R.T.: 0.021 min
Response: 146518
Conc: 0.04 ng/ml



#5 Aldrin


R.T.: 0.000 min
Exp R.T. : 4.220 min
Response: 0
Conc: N.D.



#7 delta-BHC


R.T.: 4.773 min
Delta R.T.: -0.007 min
Response: 2609390
Conc: 0.79 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#7 delta-BHC

R.T.: 0.000 min
Exp R.T. : 4.127 min
Response: 0
Conc: N.D.




#8 Heptachlor epoxide

R.T.: 5.690 min
Delta R.T.: -0.007 min
Response: 2528746
Conc: 0.78 ng/ml



#8 Heptachlor epoxide


R.T.: 0.000 min
Exp R.T. : 4.723 min
Response: 0
Conc: N.D.



#9 Endosulfan I


R.T.: 6.081 min
Delta R.T.: -0.004 min
Response: 303325
Conc: 0.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#9 Endosulfan I

R.T.: 0.000 min
Exp R.T. : 5.093 min
Response: 0
Conc: N.D.




#10 gamma-Chlordane

R.T.: 5.975 min
Delta R.T.: 0.021 min
Response: 395926
Conc: 0.12 ng/ml



#10 gamma-Chlordane


R.T.: 0.000 min
Exp R.T. : 4.973 min
Response: 0
Conc: N.D.



#11 alpha-Chlordane


R.T.: 6.037 min
Delta R.T.: 0.003 min
Response: 228662
Conc: 0.07 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#11 alpha-Chlordane

R.T.: 0.000 min
Exp R.T. : 5.037 min
Response: 0
Conc: N.D.




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T. : 6.206 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.220 min
Delta R.T.: -0.007 min
Response: 329322
Conc: 0.30 ng/ml



#13 Dieldrin


R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 597751
Conc: 0.19 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#13 Dieldrin

R.T.: 5.358 min
Delta R.T.: 0.000 min
Response: 186616
Conc: 0.14 ng/ml




#15 Endosulfan II

R.T.: 6.834 min
Delta R.T.: 0.024 min
Response: 133710
Conc: 0.05 ng/ml



#15 Endosulfan II


R.T.: 0.000 min
Exp R.T. : 5.928 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 6.732 min
Delta R.T.: 0.008 min
Response: 259419
Conc: 0.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T. : 5.781 min
Response: 0
Conc: N.D.




#17 4,4'-DDT

R.T.: 7.011 min
Delta R.T.: -0.028 min
Response: 270765
Conc: 0.12 ng/ml



#17 4,4'-DDT


R.T.: 6.026 min
Delta R.T.: -0.007 min
Response: 200056
Conc: 0.25 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.207 min
Delta R.T.: 0.032 min
Response: 51744
Conc: 0.02 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#19 Endosulfan Sulfate

R.T.: 0.000 min
Exp R.T. : 6.331 min
Response: 0
Conc: N.D.




#21 Endrin ketone

R.T.: 7.690 min
Delta R.T.: 0.027 min
Response: 1133570
Conc: 0.41 ng/ml



#21 Endrin ketone


R.T.: 0.000 min
Exp R.T. : 6.837 min
Response: 0
Conc: N.D.



#22 Mirex


R.T.: 8.161 min
Delta R.T.: 0.023 min
Response: 76902
Conc: 0.04 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#22 Mirex

R.T.: 0.000 min
Exp R.T. : 7.019 min
Response: 0
Conc: N.D.




#25 Chlordane-3

R.T.: 5.975 min
Delta R.T.: 0.020 min
Response: 395926
Conc: 0.76 ng/ml



#25 Chlordane-3


R.T.: 0.000 min
Exp R.T. : 4.974 min
Response: 0
Conc: N.D.



#26 Chlordane-4


R.T.: 6.037 min
Delta R.T.: 0.000 min
Response: 228662
Conc: 0.36 ng/ml

Instrument :
ECD_D
ClientSampleId :
DUP-01




#26 Chlordane-4

R.T.: 0.000 min
Exp R.T. : 5.037 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 9.085 min
Delta R.T.: -0.004 min
Response: 41652280
Conc: 16.44 ng/ml



#28 Decachlorobiphenyl

R.T.: 7.911 min
Delta R.T.: -0.002 min
Response: 17826879
Conc: 18.23 ng/ml