

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062523\
 Data File : PD076144.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jun 2023 03:20
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 26 05:38:15 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 16 10:43:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.767	101.2E6	50600757	47.491	46.640
2)	SA Decachlor...	9.084	7.911	105.5E6	45387331	41.661	46.418
Target Compounds							
2)	A alpha-BHC	4.002	3.269	177.7E6	76477186	48.118	47.806
3)	MA gamma-BHC...	4.336	3.599	163.0E6	71068615	48.450	48.233
4)	MA Heptachlor	4.926	3.939	165.2E6	70674417	46.046	46.531
5)	MB Aldrin	5.270	4.219	165.0E6	73268005	47.100	49.134
6)	B beta-BHC	4.532	3.896	67845188	30987456	47.189	48.615
7)	B delta-BHC	4.780	4.126	163.9E6	73480716	49.310	50.712
8)	B Heptachlo...	5.696	4.721	150.4E6	64972168	46.669	47.299
9)	A Endosulfan I	6.084	5.091	138.3E6	58522598	46.114	45.785
10)	B gamma-Chl...	5.953	4.972	152.5E6	66553199	47.325	48.504
11)	B alpha-Chl...	6.033	5.036	149.7E6	65733355	46.313	47.919
12)	B 4,4'-DDE	6.205	5.225	135.9E6	60310057	47.533	54.033
13)	MA Dieldrin	6.359	5.357	144.1E6	66060309	46.103	48.964
14)	MA Endrin	6.590	5.632	113.8E6	55797004	42.553	45.848
15)	B Endosulfa...	6.808	5.926	113.9E6	53115396	44.095	49.233
16)	A 4,4'-DDD	6.723	5.780	112.7E6	52666685	49.528	59.762
17)	MA 4,4'-DDT	7.038	6.031	104.1E6	46113147	45.863	56.769
18)	B Endrin al...	6.938	6.106	57400456	42205133	28.606	48.764 #
19)	B Endosulfa...	7.174	6.328	113.5E6	54314478	45.038	50.263
20)	A Methoxychlor	7.513	6.606	55596293	26041678	42.952	56.265 #
21)	B Endrin ke...	7.660	6.835	130.5E6	62515406	46.829	51.455
22)	Mirex	8.135	7.017	92312467	48564154	43.085	46.330
24)	Chlordane-2	5.270f	4.352	165.0E6	4445618	1254.096	83.852 #
25)	Chlordane-3	5.953	4.972	152.5E6	66553199	293.562	448.294 #
26)	Chlordane-4	6.033	5.036	149.7E6	65733355	237.573	447.903 #
27)	Chlordane-5	0.000	5.926	0	53115396	N.D.	1098.164 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062523\
Data File : PD076144.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jun 2023 03:20
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 26 05:38:15 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
Quant Title : GC Extractables
QLast Update : Fri Jun 16 10:43:19 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 101161419
Conc: 47.49 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.767 min
Delta R.T.: 0.000 min
Response: 50600757
Conc: 46.64 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 177655590
Conc: 48.12 ng/ml



#2 alpha-BHC


R.T.: 3.269 min
Delta R.T.: 0.000 min
Response: 76477186
Conc: 47.81 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.336 min
Delta R.T.: 0.000 min
Response: 163030309
Conc: 48.45 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.599 min
Delta R.T.: 0.000 min
Response: 71068615
Conc: 48.23 ng/ml




#4 Heptachlor

R.T.: 4.926 min
Delta R.T.: 0.000 min
Response: 165150178
Conc: 46.05 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: 0.000 min
Response: 70674417
Conc: 46.53 ng/ml



#5 Aldrin


R.T.: 5.270 min
Delta R.T.: 0.000 min
Response: 165049601
Conc: 47.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: -0.001 min
Response: 73268005
Conc: 49.13 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 67845188
Conc: 47.19 ng/ml



#6 beta-BHC


R.T.: 3.896 min
Delta R.T.: 0.000 min
Response: 30987456
Conc: 48.61 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 163889944
Conc: 49.31 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.126 min
Delta R.T.: 0.000 min
Response: 73480716
Conc: 50.71 ng/ml




#8 Heptachlor epoxide

R.T.: 5.696 min
Delta R.T.: -0.001 min
Response: 150381165
Conc: 46.67 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.002 min
Response: 64972168
Conc: 47.30 ng/ml



#9 Endosulfan I


R.T.: 6.084 min
Delta R.T.: -0.001 min
Response: 138319565
Conc: 46.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.091 min
Delta R.T.: -0.001 min
Response: 58522598
Conc: 45.78 ng/ml




#10 gamma-Chlordane

R.T.: 5.953 min
Delta R.T.: -0.001 min
Response: 152450013
Conc: 47.33 ng/ml



#10 gamma-Chlordane


R.T.: 4.972 min
Delta R.T.: 0.000 min
Response: 66553199
Conc: 48.50 ng/ml



#11 alpha-Chlordane


R.T.: 6.033 min
Delta R.T.: -0.001 min
Response: 149723479
Conc: 46.31 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.036 min
Delta R.T.: -0.001 min
Response: 65733355
Conc: 47.92 ng/ml




#12 4,4'-DDE

R.T.: 6.205 min
Delta R.T.: -0.001 min
Response: 135855394
Conc: 47.53 ng/ml



#12 4,4'-DDE


R.T.: 5.225 min
Delta R.T.: -0.002 min
Response: 60310057
Conc: 54.03 ng/ml



#13 Dieldrin


R.T.: 6.359 min
Delta R.T.: -0.002 min
Response: 144070327
Conc: 46.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.357 min
Delta R.T.: -0.001 min
Response: 66060309
Conc: 48.96 ng/ml




#14 Endrin

R.T.: 6.590 min
Delta R.T.: 0.000 min
Response: 113800090
Conc: 42.55 ng/ml



#14 Endrin


R.T.: 5.632 min
Delta R.T.: -0.001 min
Response: 55797004
Conc: 45.85 ng/ml



#15 Endosulfan II


R.T.: 6.808 min
Delta R.T.: -0.002 min
Response: 113924729
Conc: 44.09 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 5.926 min
Delta R.T.: -0.002 min
Response: 53115396
Conc: 49.23 ng/ml




#16 4,4'-DDD

R.T.: 6.723 min
Delta R.T.: -0.001 min
Response: 112707625
Conc: 49.53 ng/ml



#16 4,4'-DDD


R.T.: 5.780 min
Delta R.T.: -0.001 min
Response: 52666685
Conc: 59.76 ng/ml



#17 4,4'-DDT


R.T.: 7.038 min
Delta R.T.: -0.002 min
Response: 104075034
Conc: 45.86 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.031 min
Delta R.T.: -0.002 min
Response: 46113147
Conc: 56.77 ng/ml




#18 Endrin aldehyde

R.T.: 6.938 min
Delta R.T.: -0.002 min
Response: 57400456
Conc: 28.61 ng/ml



#18 Endrin aldehyde


R.T.: 6.106 min
Delta R.T.: -0.002 min
Response: 42205133
Conc: 48.76 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 113466417
Conc: 45.04 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.328 min
Delta R.T.: -0.002 min
Response: 54314478
Conc: 50.26 ng/ml




#20 Methoxychlor

R.T.: 7.513 min
Delta R.T.: -0.003 min
Response: 55596293
Conc: 42.95 ng/ml



#20 Methoxychlor


R.T.: 6.606 min
Delta R.T.: -0.002 min
Response: 26041678
Conc: 56.26 ng/ml



#21 Endrin ketone


R.T.: 7.660 min
Delta R.T.: -0.003 min
Response: 130463466
Conc: 46.83 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.835 min
Delta R.T.: -0.002 min
Response: 62515406
Conc: 51.46 ng/ml




#22 Mirex

R.T.: 8.135 min
Delta R.T.: -0.003 min
Response: 92312467
Conc: 43.09 ng/ml



#22 Mirex


R.T.: 7.017 min
Delta R.T.: -0.002 min
Response: 48564154
Conc: 46.33 ng/ml



#24 Chlordane-2


R.T.: 5.270 min
Delta R.T.: 0.026 min
Response: 165049601
Conc: 1254.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#24 Chlordane-2

R.T.: 4.352 min
Delta R.T.: 0.009 min
Response: 4445618
Conc: 83.85 ng/ml




#25 Chlordane-3

R.T.: 5.953 min
Delta R.T.: -0.002 min
Response: 152450013
Conc: 293.56 ng/ml



#25 Chlordane-3


R.T.: 4.972 min
Delta R.T.: -0.001 min
Response: 66553199
Conc: 448.29 ng/ml



#26 Chlordane-4


R.T.: 6.033 min
Delta R.T.: -0.005 min
Response: 149723479
Conc: 237.57 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#26 Chlordane-4

R.T.: 5.036 min
Delta R.T.: -0.001 min
Response: 65733355
Conc: 447.90 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.890 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.926 min
Delta R.T.: -0.009 min
Response: 53115396
Conc: 1098.16 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.084 min
Delta R.T.: -0.005 min
Response: 105543247
Conc: 41.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 7.911 min
Delta R.T.: -0.002 min
Response: 45387331
Conc: 46.42 ng/ml