

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062623\
 Data File : PD076193.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Jun 2023 03:25
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 26 06:52:19 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
 Quant Title : GC Extractables
 QLast Update : Fri Jun 16 10:43:19 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.767	102.5E6	52121971	48.103	48.042
2)	SA Decachlor...	9.087	7.911	109.7E6	45869013	43.293	46.911
Target Compounds							
2)	A alpha-BHC	4.002	3.269	179.8E6	79202577	48.700	49.509
3)	MA gamma-BHC...	4.335	3.599	164.6E6	72857397	48.905	49.447
4)	MA Heptachlor	4.927	3.939	167.5E6	73378587	46.705	48.312
5)	MB Aldrin	5.269	4.219	166.1E6	75727464	47.409	50.783
6)	B beta-BHC	4.532	3.896	68381123	31896662	47.562	50.041
7)	B delta-BHC	4.780	4.126	166.5E6	75793188	50.095	52.308
8)	B Heptachlo...	5.697	4.721	154.2E6	67049111	47.868	48.811
9)	A Endosulfan I	6.084	5.091	138.1E6	59539176	46.041	46.580
10)	B gamma-Chl...	5.954	4.972	152.9E6	68439062	47.466	49.878
11)	B alpha-Chl...	6.033	5.036	149.9E6	67536257	46.363	49.233
12)	B 4,4'-DDE	6.205	5.225	137.4E6	62244067	48.057	55.766
13)	MA Dieldrin	6.359	5.357	145.1E6	67621040	46.435	50.121
14)	MA Endrin	6.590	5.633	112.2E6	57261042	41.972	47.051
15)	B Endosulfa...	6.809	5.927	115.9E6	54167738	44.847	50.209
16)	A 4,4'-DDD	6.723	5.780	115.4E6	53986518	50.728	61.260
17)	MA 4,4'-DDT	7.039	6.031	103.8E6	46153549	45.756	56.819
18)	B Endrin al...	6.940	6.106	72688353	42673751	36.225	49.306 #
19)	B Endosulfa...	7.175	6.329	116.5E6	55084951	46.247	50.976
20)	A Methoxychlor	7.514	6.607	55587568	25800657	42.945	55.744 #
21)	B Endrin ke...	7.662	6.836	133.3E6	62040365	47.845	51.064
22)	Mirex	8.136	7.018	94969156	49287153	44.325	47.020
24)	Chlordane-2	5.269f	4.354	166.1E6	6459762	1262.313	121.842 #
25)	Chlordane-3	5.954	4.972	152.9E6	68439062	294.438	460.996 #
26)	Chlordane-4	6.033	5.036	149.9E6	67536257	237.830	460.188 #
27)	Chlordane-5	0.000	5.927	0	54167738	N.D.	1119.921 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD062623\
Data File : PD076193.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Jun 2023 03:25
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 26 06:52:19 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061523.M
Quant Title : GC Extractables
QLast Update : Fri Jun 16 10:43:19 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 102465966
Conc: 48.10 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.767 min
Delta R.T.: 0.000 min
Response: 52121971
Conc: 48.04 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 179804267
Conc: 48.70 ng/ml



#2 alpha-BHC


R.T.: 3.269 min
Delta R.T.: 0.000 min
Response: 79202577
Conc: 49.51 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 164560893
Conc: 48.91 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.599 min
Delta R.T.: 0.000 min
Response: 72857397
Conc: 49.45 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.000 min
Response: 167511218
Conc: 46.70 ng/ml



#4 Heptachlor


R.T.: 3.939 min
Delta R.T.: 0.000 min
Response: 73378587
Conc: 48.31 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: -0.001 min
Response: 166130986
Conc: 47.41 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.219 min
Delta R.T.: 0.000 min
Response: 75727464
Conc: 50.78 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 68381123
Conc: 47.56 ng/ml



#6 beta-BHC


R.T.: 3.896 min
Delta R.T.: 0.000 min
Response: 31896662
Conc: 50.04 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 166497469
Conc: 50.09 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.126 min
Delta R.T.: 0.000 min
Response: 75793188
Conc: 52.31 ng/ml




#8 Heptachlor epoxide

R.T.: 5.697 min
Delta R.T.: 0.000 min
Response: 154246064
Conc: 47.87 ng/ml



#8 Heptachlor epoxide


R.T.: 4.721 min
Delta R.T.: -0.001 min
Response: 67049111
Conc: 48.81 ng/ml



#9 Endosulfan I


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 138099414
Conc: 46.04 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.091 min
Delta R.T.: -0.001 min
Response: 59539176
Conc: 46.58 ng/ml




#10 gamma-Chlordane

R.T.: 5.954 min
Delta R.T.: -0.001 min
Response: 152905016
Conc: 47.47 ng/ml



#10 gamma-Chlordane


R.T.: 4.972 min
Delta R.T.: 0.000 min
Response: 68439062
Conc: 49.88 ng/ml



#11 alpha-Chlordane


R.T.: 6.033 min
Delta R.T.: -0.001 min
Response: 149885709
Conc: 46.36 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.036 min
Delta R.T.: -0.001 min
Response: 67536257
Conc: 49.23 ng/ml




#12 4,4'-DDE

R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 137352998
Conc: 48.06 ng/ml



#12 4,4'-DDE


R.T.: 5.225 min
Delta R.T.: -0.001 min
Response: 62244067
Conc: 55.77 ng/ml



#13 Dieldrin


R.T.: 6.359 min
Delta R.T.: -0.001 min
Response: 145107696
Conc: 46.43 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.357 min
Delta R.T.: 0.000 min
Response: 67621040
Conc: 50.12 ng/ml




#14 Endrin

R.T.: 6.590 min
Delta R.T.: 0.000 min
Response: 112247328
Conc: 41.97 ng/ml



#14 Endrin


R.T.: 5.633 min
Delta R.T.: 0.000 min
Response: 57261042
Conc: 47.05 ng/ml



#15 Endosulfan II


R.T.: 6.809 min
Delta R.T.: -0.001 min
Response: 115868389
Conc: 44.85 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 5.927 min
Delta R.T.: -0.001 min
Response: 54167738
Conc: 50.21 ng/ml




#16 4,4'-DDD

R.T.: 6.723 min
Delta R.T.: 0.000 min
Response: 115438531
Conc: 50.73 ng/ml



#16 4,4'-DDD


R.T.: 5.780 min
Delta R.T.: 0.000 min
Response: 53986518
Conc: 61.26 ng/ml



#17 4,4'-DDT


R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 103832582
Conc: 45.76 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.031 min
Delta R.T.: -0.001 min
Response: 46153549
Conc: 56.82 ng/ml




#18 Endrin aldehyde

R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 72688353
Conc: 36.22 ng/ml



#18 Endrin aldehyde


R.T.: 6.106 min
Delta R.T.: -0.001 min
Response: 42673751
Conc: 49.31 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 116512466
Conc: 46.25 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.329 min
Delta R.T.: -0.002 min
Response: 55084951
Conc: 50.98 ng/ml




#20 Methoxychlor

R.T.: 7.514 min
Delta R.T.: -0.002 min
Response: 55587568
Conc: 42.94 ng/ml



#20 Methoxychlor


R.T.: 6.607 min
Delta R.T.: -0.001 min
Response: 25800657
Conc: 55.74 ng/ml



#21 Endrin ketone


R.T.: 7.662 min
Delta R.T.: 0.000 min
Response: 133293060
Conc: 47.84 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.836 min
Delta R.T.: 0.000 min
Response: 62040365
Conc: 51.06 ng/ml




#22 Mirex

R.T.: 8.136 min
Delta R.T.: -0.001 min
Response: 94969156
Conc: 44.33 ng/ml



#22 Mirex


R.T.: 7.018 min
Delta R.T.: 0.000 min
Response: 49287153
Conc: 47.02 ng/ml



#24 Chlordane-2


R.T.: 5.269 min
Delta R.T.: 0.026 min
Response: 166130986
Conc: 1262.31 ng/ml

Instrument :
ECD_D
ClientSampleId :




#24 Chlordane-2

R.T.: 4.354 min
Delta R.T.: 0.011 min
Response: 6459762
Conc: 121.84 ng/ml




#25 Chlordane-3

R.T.: 5.954 min
Delta R.T.: -0.002 min
Response: 152905016
Conc: 294.44 ng/ml



#25 Chlordane-3


R.T.: 4.972 min
Delta R.T.: -0.001 min
Response: 68439062
Conc: 461.00 ng/ml



#26 Chlordane-4


R.T.: 6.033 min
Delta R.T.: -0.005 min
Response: 149885709
Conc: 237.83 ng/ml

Instrument :
ECD_D
ClientSampleId :




#26 Chlordane-4

R.T.: 5.036 min
Delta R.T.: 0.000 min
Response: 67536257
Conc: 460.19 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 6.890 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 5.927 min
Delta R.T.: -0.008 min
Response: 54167738
Conc: 1119.92 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.087 min
Delta R.T.: -0.003 min
Response: 109675693
Conc: 43.29 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.911 min
Delta R.T.: -0.001 min
Response: 45869013
Conc: 46.91 ng/ml