

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD071123\
 Data File : PD076503.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Jul 2023 17:38
 Operator : AR\AJ
 Sample : PSTDIC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 12 01:25:51 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071123.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 12 01:24:03 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.546	2.766	109.3E6	54851261	50.000	49.575
28)	SA Decachlor...	9.087	7.908	123.5E6	50265727	50.000	50.000
Target Compounds							
2)	A alpha-BHC	4.002	3.268	195.1E6	83259932	50.000	50.000
3)	MA gamma-BHC...	4.335	3.597	185.4E6	80547170	50.000	50.000
4)	MA Heptachlor	4.926	3.937	182.7E6	77687120	50.000	50.000
5)	MB Aldrin	5.269	4.217	188.3E6	78937645	50.000	50.000
6)	B beta-BHC	4.532	3.894	73350611	32455958	50.000	50.000
7)	B delta-BHC	4.780	4.124	176.3E6	77645050	50.000	50.000
8)	B Heptachlo...	5.696	4.719	164.6E6	70787430	50.000	50.000
9)	A Endosulfan I	6.084	5.089	152.2E6	65356767	50.000	50.000
10)	B gamma-Chl...	5.954	4.969	164.9E6	69856603	50.000	50.000
11)	B alpha-Chl...	6.033	5.033	164.7E6	70146051	50.000	50.000
12)	B 4,4'-DDE	6.205	5.222	150.0E6	60497054	50.000	50.000
13)	MA Dieldrin	6.359	5.354	165.8E6	71603710	50.000	50.000
14)	MA Endrin	6.590	5.630	136.2E6	62125757	50.000	50.000
15)	B Endosulfa...	6.809	5.924	140.0E6	60177110	50.000	50.000
16)	A 4,4'-DDD	6.724	5.777	119.8E6	48981190	50.000	50.000
17)	MA 4,4'-DDT	7.039	6.028	121.7E6	49121266	50.330	50.000
18)	B Endrin al...	6.940	6.103	114.1E6	50656240	49.913	50.000
19)	B Endosulfa...	7.175	6.326	129.0E6	56977860	50.000	50.000
20)	A Methoxychlor	7.515	6.604	68811853	27377390	50.000	50.000
21)	B Endrin ke...	7.661	6.833	149.0E6	68438054	50.000	50.000
22)	Mirex	8.136	7.015	108.2E6	53215511	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD071123\
Data File : PD076503.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jul 2023 17:38
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 12 01:25:51 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071123.M
Quant Title : GC Extractables
QLast Update : Wed Jul 12 01:24:03 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.546 min
Delta R.T.: 0.000 min
Response: 109326833
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.766 min
Delta R.T.: 0.000 min
Response: 54851261
Conc: 49.58 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 195066171
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 3.268 min
Delta R.T.: 0.000 min
Response: 83259932
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 185383172
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.597 min
Delta R.T.: 0.000 min
Response: 80547170
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.926 min
Delta R.T.: 0.000 min
Response: 182662019
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 3.937 min
Delta R.T.: 0.000 min
Response: 77687120
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: 0.000 min
Response: 188282316
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.217 min
Delta R.T.: 0.000 min
Response: 78937645
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.532 min
Delta R.T.: 0.000 min
Response: 73350611
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 32455958
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 176347034
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.124 min
Delta R.T.: 0.000 min
Response: 77645050
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 164598903
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 4.719 min
Delta R.T.: 0.000 min
Response: 70787430
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 152176225
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.089 min
Delta R.T.: 0.000 min
Response: 65356767
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.954 min
Delta R.T.: 0.000 min
Response: 164943698
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 69856603
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 6.033 min
Delta R.T.: 0.000 min
Response: 164728508
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.033 min
Delta R.T.: 0.000 min
Response: 70146051
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 149967183
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 5.222 min
Delta R.T.: 0.000 min
Response: 60497054
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 6.359 min
Delta R.T.: 0.000 min
Response: 165772584
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: 0.000 min
Response: 71603710
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.590 min
Delta R.T.: 0.000 min
Response: 136173787
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: 0.000 min
Response: 62125757
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.809 min
Delta R.T.: 0.000 min
Response: 140003874
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 5.924 min
Delta R.T.: 0.000 min
Response: 60177110
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 119812803
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 48981190
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 121658760
Conc: 50.33 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: 0.000 min
Response: 49121266
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.940 min
Delta R.T.: 0.001 min
Response: 114054444
Conc: 49.91 ng/ml



#18 Endrin aldehyde


R.T.: 6.103 min
Delta R.T.: 0.000 min
Response: 50656240
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 129040774
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 6.326 min
Delta R.T.: 0.000 min
Response: 56977860
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 7.515 min
Delta R.T.: 0.000 min
Response: 68811853
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 6.604 min
Delta R.T.: 0.000 min
Response: 27377390
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.661 min
Delta R.T.: 0.000 min
Response: 149038564
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 6.833 min
Delta R.T.: 0.000 min
Response: 68438054
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 8.136 min
Delta R.T.: 0.000 min
Response: 108166930
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 7.015 min
Delta R.T.: 0.000 min
Response: 53215511
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.087 min
Delta R.T.: 0.000 min
Response: 123535177
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 7.908 min
Delta R.T.: 0.000 min
Response: 50265727
Conc: 50.00 ng/ml