

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD071123\
 Data File : PD076502.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Jul 2023 17:24
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 12 01:31:28 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071123.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 12 01:31:21 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.765	163.3E6	81904132	74.649	74.596
28)	SA Decachlor...	9.087	7.908	178.5E6	73301716	73.939	74.151
Target Compounds							
2)	A alpha-BHC	4.002	3.267	298.6E6	127.7E6	74.908	74.847
3)	MA gamma-BHC...	4.335	3.597	281.2E6	122.5E6	74.574	74.583
4)	MA Heptachlor	4.927	3.937	274.7E6	117.3E6	74.398	74.404
5)	MB Aldrin	5.269	4.217	283.4E6	119.4E6	74.468	74.326
6)	B beta-BHC	4.531	3.894	107.2E6	47734088	74.283	74.364
7)	B delta-BHC	4.780	4.124	268.5E6	118.4E6	74.723	74.620
8)	B Heptachlo...	5.697	4.719	244.3E6	106.0E6	74.268	74.198
9)	A Endosulfan I	6.084	5.089	226.2E6	97963470	74.289	74.271
10)	B gamma-Chl...	5.953	4.969	246.5E6	105.2E6	74.261	74.245
11)	B alpha-Chl...	6.033	5.034	244.9E6	105.0E6	74.252	74.194
12)	B 4,4'-DDE	6.205	5.222	226.3E6	91976368	74.279	74.412
13)	MA Dieldrin	6.360	5.354	248.8E6	108.1E6	74.326	74.239
14)	MA Endrin	6.590	5.630	204.4E6	93582302	74.329	74.160
15)	B Endosulfa...	6.809	5.924	206.4E6	89860895	74.259	74.303
16)	A 4,4'-DDD	6.724	5.777	179.2E6	73850903	74.221	74.197
17)	MA 4,4'-DDT	7.039	6.029	184.9E6	75638956	74.458	74.471
18)	B Endrin al...	6.940	6.104	163.4E6	73314152	74.788	74.780
19)	B Endosulfa...	7.175	6.327	190.7E6	84716576	74.275	74.173
20)	A Methoxychlor	7.514	6.604	100.7E6	40466022	74.147	74.181
21)	B Endrin ke...	7.661	6.834	221.3E6	102.1E6	74.253	74.380
22)	Mirex	8.137	7.015	157.6E6	78006878	74.097	74.223



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD071123\
Data File : PD076502.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jul 2023 17:24
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 12 01:31:28 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071123.M
Quant Title : GC Extractables
QLast Update : Wed Jul 12 01:31:21 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 163308073
Conc: 74.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 2.765 min
Delta R.T.: 0.000 min
Response: 81904132
Conc: 74.60 ng/ml




#2 alpha-BHC

R.T.: 4.002 min
Delta R.T.: 0.000 min
Response: 298630040
Conc: 74.91 ng/ml



#2 alpha-BHC


R.T.: 3.267 min
Delta R.T.: 0.000 min
Response: 127717732
Conc: 74.85 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 281245334
Conc: 74.57 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#3 gamma-BHC (Lindane)

R.T.: 3.597 min
Delta R.T.: 0.000 min
Response: 122485026
Conc: 74.58 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.000 min
Response: 274725368
Conc: 74.40 ng/ml



#4 Heptachlor


R.T.: 3.937 min
Delta R.T.: 0.000 min
Response: 117312796
Conc: 74.40 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: 0.000 min
Response: 283399941
Conc: 74.47 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 4.217 min
Delta R.T.: 0.000 min
Response: 119407326
Conc: 74.33 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 107248984
Conc: 74.28 ng/ml



#6 beta-BHC


R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 47734088
Conc: 74.36 ng/ml



#7 delta-BHC


R.T.: 4.780 min
Delta R.T.: 0.000 min
Response: 268462647
Conc: 74.72 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 4.124 min
Delta R.T.: 0.000 min
Response: 118389995
Conc: 74.62 ng/ml




#8 Heptachlor epoxide

R.T.: 5.697 min
Delta R.T.: 0.000 min
Response: 244260467
Conc: 74.27 ng/ml



#8 Heptachlor epoxide


R.T.: 4.719 min
Delta R.T.: 0.000 min
Response: 105958250
Conc: 74.20 ng/ml



#9 Endosulfan I


R.T.: 6.084 min
Delta R.T.: 0.000 min
Response: 226196202
Conc: 74.29 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 5.089 min
Delta R.T.: 0.000 min
Response: 97963470
Conc: 74.27 ng/ml




#10 gamma-Chlordane

R.T.: 5.953 min
Delta R.T.: 0.000 min
Response: 246525435
Conc: 74.26 ng/ml



#10 gamma-Chlordane


R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 105160978
Conc: 74.25 ng/ml



#11 alpha-Chlordane


R.T.: 6.033 min
Delta R.T.: 0.000 min
Response: 244892109
Conc: 74.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 5.034 min
Delta R.T.: 0.000 min
Response: 104987799
Conc: 74.19 ng/ml




#12 4,4'-DDE

R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 226282096
Conc: 74.28 ng/ml



#12 4,4'-DDE


R.T.: 5.222 min
Delta R.T.: 0.000 min
Response: 91976368
Conc: 74.41 ng/ml



#13 Dieldrin


R.T.: 6.360 min
Delta R.T.: 0.000 min
Response: 248783348
Conc: 74.33 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 5.354 min
Delta R.T.: 0.000 min
Response: 108093907
Conc: 74.24 ng/ml




#14 Endrin

R.T.: 6.590 min
Delta R.T.: 0.000 min
Response: 204437759
Conc: 74.33 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: 0.000 min
Response: 93582302
Conc: 74.16 ng/ml



#15 Endosulfan II


R.T.: 6.809 min
Delta R.T.: 0.000 min
Response: 206432027
Conc: 74.26 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 5.924 min
Delta R.T.: 0.000 min
Response: 89860895
Conc: 74.30 ng/ml




#16 4,4'-DDD

R.T.: 6.724 min
Delta R.T.: 0.000 min
Response: 179215338
Conc: 74.22 ng/ml



#16 4,4'-DDD


R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 73850903
Conc: 74.20 ng/ml



#17 4,4'-DDT


R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 184890125
Conc: 74.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 75638956
Conc: 74.47 ng/ml




#18 Endrin aldehyde

R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 163449802
Conc: 74.79 ng/ml



#18 Endrin aldehyde


R.T.: 6.104 min
Delta R.T.: 0.000 min
Response: 73314152
Conc: 74.78 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.175 min
Delta R.T.: 0.000 min
Response: 190712527
Conc: 74.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 6.327 min
Delta R.T.: 0.000 min
Response: 84716576
Conc: 74.17 ng/ml




#20 Methoxychlor

R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 100745720
Conc: 74.15 ng/ml



#20 Methoxychlor


R.T.: 6.604 min
Delta R.T.: 0.000 min
Response: 40466022
Conc: 74.18 ng/ml



#21 Endrin ketone


R.T.: 7.661 min
Delta R.T.: 0.000 min
Response: 221288004
Conc: 74.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 6.834 min
Delta R.T.: 0.000 min
Response: 102099794
Conc: 74.38 ng/ml




#22 Mirex

R.T.: 8.137 min
Delta R.T.: 0.000 min
Response: 157550531
Conc: 74.10 ng/ml



#22 Mirex


R.T.: 7.015 min
Delta R.T.: 0.000 min
Response: 78006878
Conc: 74.22 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.087 min
Delta R.T.: 0.000 min
Response: 178505381
Conc: 73.94 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 7.908 min
Delta R.T.: 0.000 min
Response: 73301716
Conc: 74.15 ng/ml