

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD071123\
 Data File : PD076505.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 Jul 2023 18:04
 Operator : AR\AJ
 Sample : PSTDICC005
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC005

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 12 01:34:27 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071123.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 12 01:34:20 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.545	2.765	11181497	5701152	5.110	5.178
28)	SA Decachlor...	9.087	7.908	14341683	5908017	5.675	5.708
Target Compounds							
2)	A alpha-BHC	4.001	3.267	17814420	7972863	4.660	4.822
3)	MA gamma-BHC...	4.335	3.597	17371247	7838723	4.762	4.894
4)	MA Heptachlor	4.925	3.937	17838059	7868474	4.930	5.050
5)	MB Aldrin	5.268	4.217	18311888	7777707	4.914	4.942
6)	B beta-BHC	4.531	3.894	8711175	3649552	5.774	5.517
7)	B delta-BHC	4.779	4.123	17103228	7517543	4.893	4.873
8)	B Heptachlo...	5.696	4.719	18290700	7483136	5.471	5.234
9)	A Endosulfan I	6.083	5.089	16058457	6878185	5.254	5.219
10)	B gamma-Chl...	5.951	4.969	16573176	7268666	5.048m	5.162
11)	B alpha-Chl...	6.032	5.033	17486858	7402528	5.278	5.229
12)	B 4,4'-DDE	6.205	5.222	14327278	5854881	4.838	4.868
13)	MA Dieldrin	6.359	5.353	16442988	7088455	4.997	4.964
14)	MA Endrin	6.590	5.630	13617102	6249257	5.025	5.021
15)	B Endosulfa...	6.807	5.923	15495613	6420487	5.461m	5.280
16)	A 4,4'-DDD	6.723	5.776	11894241	4816419	5.002	4.940
17)	MA 4,4'-DDT	7.038	6.028	10294647	3790710	4.394	4.044
18)	B Endrin al...	6.939	6.103	11905238	5165048	5.468	5.341
19)	B Endosulfa...	7.174	6.326	14102238	6205214	5.406	5.368
20)	A Methoxychlor	7.514	6.604	7385747	2661019	5.342	4.921
21)	B Endrin ke...	7.660	6.833	15593369	7023588	5.217	5.129
22)	Mirex	8.136	7.015	12360573	6153985	5.606	5.638



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD071123\
Data File : PD076505.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 Jul 2023 18:04
Operator : AR\AJ
Sample : PSTDICC005
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC005

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 12 01:34:27 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071123.M
Quant Title : GC Extractables
QLast Update : Wed Jul 12 01:34:20 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.545 min
Delta R.T.: 0.000 min
Response: 11181497
Conc: 5.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#1 Tetrachloro-m-xylene

R.T.: 2.765 min
Delta R.T.: 0.000 min
Response: 5701152
Conc: 5.18 ng/ml




#2 alpha-BHC

R.T.: 4.001 min
Delta R.T.: 0.000 min
Response: 17814420
Conc: 4.66 ng/ml



#2 alpha-BHC


R.T.: 3.267 min
Delta R.T.: 0.000 min
Response: 7972863
Conc: 4.82 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.335 min
Delta R.T.: 0.000 min
Response: 17371247
Conc: 4.76 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#3 gamma-BHC (Lindane)

R.T.: 3.597 min
Delta R.T.: 0.000 min
Response: 7838723
Conc: 4.89 ng/ml




#4 Heptachlor

R.T.: 4.925 min
Delta R.T.: 0.000 min
Response: 17838059
Conc: 4.93 ng/ml



#4 Heptachlor


R.T.: 3.937 min
Delta R.T.: 0.000 min
Response: 7868474
Conc: 5.05 ng/ml



#5 Aldrin


R.T.: 5.268 min
Delta R.T.: 0.000 min
Response: 18311888
Conc: 4.91 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#5 Aldrin

R.T.: 4.217 min
Delta R.T.: 0.000 min
Response: 7777707
Conc: 4.94 ng/ml




#6 beta-BHC

R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 8711175
Conc: 5.77 ng/ml



#6 beta-BHC


R.T.: 3.894 min
Delta R.T.: 0.000 min
Response: 3649552
Conc: 5.52 ng/ml



#7 delta-BHC


R.T.: 4.779 min
Delta R.T.: 0.000 min
Response: 17103228
Conc: 4.89 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#7 delta-BHC

R.T.: 4.123 min
Delta R.T.: 0.000 min
Response: 7517543
Conc: 4.87 ng/ml




#8 Heptachlor epoxide

R.T.: 5.696 min
Delta R.T.: 0.000 min
Response: 18290700
Conc: 5.47 ng/ml



#8 Heptachlor epoxide


R.T.: 4.719 min
Delta R.T.: 0.000 min
Response: 7483136
Conc: 5.23 ng/ml



#9 Endosulfan I


R.T.: 6.083 min
Delta R.T.: 0.000 min
Response: 16058457
Conc: 5.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#9 Endosulfan I

R.T.: 5.089 min
Delta R.T.: 0.000 min
Response: 6878185
Conc: 5.22 ng/ml




#10 gamma-Chlordane

R.T.: 5.951 min
Delta R.T.: 0.000 min
Response: 16573176
Conc: 5.05 ng/ml m



#10 gamma-Chlordane


R.T.: 4.969 min
Delta R.T.: 0.000 min
Response: 7268666
Conc: 5.16 ng/ml



#11 alpha-Chlordane


R.T.: 6.032 min
Delta R.T.: 0.000 min
Response: 17486858
Conc: 5.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#11 alpha-Chlordane

R.T.: 5.033 min
Delta R.T.: 0.000 min
Response: 7402528
Conc: 5.23 ng/ml




#12 4,4'-DDE

R.T.: 6.205 min
Delta R.T.: 0.000 min
Response: 14327278
Conc: 4.84 ng/ml



#12 4,4'-DDE


R.T.: 5.222 min
Delta R.T.: 0.000 min
Response: 5854881
Conc: 4.87 ng/ml



#13 Dieldrin


R.T.: 6.359 min
Delta R.T.: 0.000 min
Response: 16442988
Conc: 5.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#13 Dieldrin

R.T.: 5.353 min
Delta R.T.: 0.000 min
Response: 7088455
Conc: 4.96 ng/ml




#14 Endrin

R.T.: 6.590 min
Delta R.T.: 0.000 min
Response: 13617102
Conc: 5.02 ng/ml



#14 Endrin


R.T.: 5.630 min
Delta R.T.: 0.000 min
Response: 6249257
Conc: 5.02 ng/ml



#15 Endosulfan II


R.T.: 6.807 min
Delta R.T.: 0.000 min
Response: 15495613
Conc: 5.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#15 Endosulfan II

R.T.: 5.923 min
Delta R.T.: 0.000 min
Response: 6420487
Conc: 5.28 ng/ml




#16 4,4'-DDD

R.T.: 6.723 min
Delta R.T.: 0.000 min
Response: 11894241
Conc: 5.00 ng/ml



#16 4,4'-DDD


R.T.: 5.776 min
Delta R.T.: 0.000 min
Response: 4816419
Conc: 4.94 ng/ml



#17 4,4'-DDT


R.T.: 7.038 min
Delta R.T.: 0.000 min
Response: 10294647
Conc: 4.39 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#17 4,4'-DDT

R.T.: 6.028 min
Delta R.T.: 0.000 min
Response: 3790710
Conc: 4.04 ng/ml




#18 Endrin aldehyde

R.T.: 6.939 min
Delta R.T.: 0.000 min
Response: 11905238
Conc: 5.47 ng/ml



#18 Endrin aldehyde


R.T.: 6.103 min
Delta R.T.: 0.000 min
Response: 5165048
Conc: 5.34 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 14102238
Conc: 5.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#19 Endosulfan Sulfate

R.T.: 6.326 min
Delta R.T.: 0.000 min
Response: 6205214
Conc: 5.37 ng/ml




#20 Methoxychlor

R.T.: 7.514 min
Delta R.T.: 0.000 min
Response: 7385747
Conc: 5.34 ng/ml



#20 Methoxychlor


R.T.: 6.604 min
Delta R.T.: 0.000 min
Response: 2661019
Conc: 4.92 ng/ml



#21 Endrin ketone


R.T.: 7.660 min
Delta R.T.: 0.000 min
Response: 15593369
Conc: 5.22 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005




#21 Endrin ketone

R.T.: 6.833 min
Delta R.T.: 0.000 min
Response: 7023588
Conc: 5.13 ng/ml




#22 Mirex

R.T.: 8.136 min
Delta R.T.: 0.000 min
Response: 12360573
Conc: 5.61 ng/ml



#22 Mirex


R.T.: 7.015 min
Delta R.T.: 0.000 min
Response: 6153985
Conc: 5.64 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.087 min
Delta R.T.: 0.000 min
Response: 14341683
Conc: 5.68 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC005



#28 Decachlorobiphenyl

R.T.: 7.908 min
Delta R.T.: 0.000 min
Response: 5908017
Conc: 5.71 ng/ml