

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(12) 4,4'-DDE (B)  
5.642min 0.742 ng/ml  
response 2387063

(12) 4,4'-DDE #2 (B)  
6.510min 1.034 ng/ml  
response 14178798

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(14) Endrin (MA)  
6.033min 0.846 ng/ml  
response 2344344

(14) Endrin #2 (MA)  
6.895min 0.747 ng/ml  
response 7799291

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(14) Endrin (MA)

6.033min 0.846 ng/ml

response 2344344

(14) Endrin #2 (MA)

6.894min 0.886 ng/ml m

response 9251138

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)

6.160min 0.852 ng/ml

response 2219174

(16) 4,4'-DDD #2 (A)

7.010min 0.501 ng/ml

response 5475009

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
 Data File : PD070888.D  
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
 Acq On : 13 Jul 2022 23:44  
 Operator : AR\AJ  
 Sample : N3670-01  
 Misc : PEST MDL 1 PPB  
 ALS Vial : 44 Sample Multiplier: 1


Instrument :  
 ECD\_D  
 ClientSampleId :  
 MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
 Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
 Integration File signal 2: autoint2.e  
 Quant Time: Jul 14 07:30:24 2022  
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
 Quant Title : GC Extractables  
 QLast Update : Thu Jul 14 05:14:58 2022  
 Response via : Initial Calibration  
 Integrator: ChemStation

Volume Inj. : 1 µl  
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(16) 4,4'-DDD (A)  
 6.160min 0.852 ng/ml  
 response 2219174

(16) 4,4'-DDD #2 (A)  
 7.009min 1.090 ng/ml m  
 response 11926078

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1



Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(17) 4,4'-DDT (MA)

6.401min 0.730 ng/ml

response 1952139

(17) 4,4'-DDT #2 (MA)

7.312min 1.899 ng/ml

response 21256822

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(17) 4,4'-DDT (MA)

6.401min 0.730 ng/ml

response 1952139

(17) 4,4'-DDT #2 (MA)

7.310min 1.051 ng/ml m

response 11760254

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(21) Endrin ketone (B)

7.184min 0.942 ng/ml

response 2919801

(21) Endrin ketone #2 (B)

7.941min 1.262 ng/ml

response 15584324

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Data\PD071422\  
Data File : PD070888.D  
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch  
Acq On : 13 Jul 2022 23:44  
Operator : AR\AJ  
Sample : N3670-01  
Misc : PEST MDL 1 PPB  
ALS Vial : 44 Sample Multiplier: 1


Instrument :  
ECD\_D  
ClientSampleId :  
MDL-WATER-QT2-2022-03

## Manual IntegrationsAPPROVED

Reviewed By :Abdul Mirza 07/14/2022  
Supervised By :Ankita Jodhani 07/14/2022

Integration File signal 1: autoint1.e  
Integration File signal 2: autoint2.e  
Quant Time: Jul 14 07:30:24 2022  
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD\_D\Method\PD071422CLP.M  
Quant Title : GC Extractables  
QLast Update : Thu Jul 14 05:14:58 2022  
Response via : Initial Calibration  
Integrator: ChemStation

Volume Inj. : 1 µl  
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1  
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(21) Endrin ketone (B)

7.184min 0.942 ng/ml

response 2919801

(21) Endrin ketone #2 (B)

7.940min 1.294 ng/ml m

response 15976433