

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD072122\
 Data File : PD071061.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jul 2022 18:43
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 20 23:44:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071922.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 20 05:30:10 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.474	4.126	150.7E6	1414.5E6	52.012	48.924
2)	SA Decachlor...	8.243	9.322	148.1E6	556.3E6	48.478	48.781
Target Compounds							
2)	A alpha-BHC	3.916	4.531	238.9E6	1860.6E6	54.459	49.089
3)	MA gamma-BHC...	4.200	4.824	220.3E6	1467.8E6	50.747	49.145
4)	MA Heptachlor	0.000	5.341	0	1078.8E6	N.D.	48.837 #
5)	MB Aldrin	4.748	5.653	211.3E6	902.8E6	50.566	48.767
6)	B beta-BHC	4.449	5.001	81963513	615.1E6	49.039	45.858
7)	B delta-BHC	4.654	5.225	201.6E6	1179.5E6	50.934	49.885
8)	B Heptachlo...	5.193	6.048	185.7E6	732.4E6	49.568	48.444
9)	A Endosulfan I	5.533	6.413	180.6E6	710.4E6	51.718	48.936
10)	B gamma-Chl...	5.420	6.285	193.6E6	771.8E6	49.780	48.936
11)	B alpha-Chl...	5.478	6.358	190.9E6	747.5E6	49.923	48.579
12)	B 4,4'-DDE	5.644	6.512	182.2E6	738.0E6	51.744	49.168
13)	MA Dieldrin	5.777	6.674	195.2E6	754.5E6	51.970	49.376
14)	MA Endrin	6.035	6.897	158.7E6	563.3E6	50.833	54.312
15)	B Endosulfa...	6.309	7.111	148.6E6	614.9E6	49.386	49.119
16)	A 4,4'-DDD	6.162	7.013	149.8E6	632.4E6	51.028	50.841
17)	MA 4,4'-DDT	6.403	7.314	150.6E6	648.9E6	49.182	48.453
18)	B Endrin al...	6.479	7.237	115.9E6	493.9E6	48.336	48.980
19)	B Endosulfa...	6.692	7.461	102.9E6	598.2E6	34.555	49.504 #
20)	A Methoxychlor	6.953	7.773	70535681	330.8E6	42.668	48.147
21)	B Endrin ke...	7.185	7.943	178.3E6	681.3E6	51.482	49.226
22)	Mirex	7.372	8.397	15245614	449.9E6	5.499	48.956 #
23)	Chlordane-1	4.375f	0.000	7266465	0	67.370	N.D. #
24)	Chlordane-2	4.849	5.653f	206023	902.8E6	1.671	1513.849 #
25)	Chlordane-3	5.420	6.285	193.6E6	771.8E6	543.487	390.820 #
26)	Chlordane-4	5.478	6.358	190.9E6	747.5E6	647.197	325.879 #
27)	Chlordane-5	6.309	0.000	148.6E6	0	1213.267	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD072122\
Data File : PD071061.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jul 2022 18:43
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 20 23:44:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071922.M
Quant Title : GC Extractables
QLast Update : Wed Jul 20 05:30:10 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.474 min
Delta R.T.: 0.000 min
Response: 150726413
Conc: 52.01 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.126 min
Delta R.T.: 0.000 min
Response: 1414508485
Conc: 48.92 ng/ml




#2 alpha-BHC

R.T.: 3.916 min
Delta R.T.: 0.000 min
Response: 238924839
Conc: 54.46 ng/ml



#2 alpha-BHC


R.T.: 4.531 min
Delta R.T.: 0.000 min
Response: 1860643645
Conc: 49.09 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.200 min
Delta R.T.: 0.000 min
Response: 220348069
Conc: 50.75 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.824 min
Delta R.T.: 0.000 min
Response: 1467829969
Conc: 49.15 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.500 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.341 min
Delta R.T.: 0.000 min
Response: 1078785266
Conc: 48.84 ng/ml



#5 Aldrin


R.T.: 4.748 min
Delta R.T.: 0.000 min
Response: 211317204
Conc: 50.57 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.653 min
Delta R.T.: 0.000 min
Response: 902826101
Conc: 48.77 ng/ml




#6 beta-BHC

R.T.: 4.449 min
Delta R.T.: 0.000 min
Response: 81963513
Conc: 49.04 ng/ml



#6 beta-BHC


R.T.: 5.001 min
Delta R.T.: 0.000 min
Response: 615121827
Conc: 45.86 ng/ml



#7 delta-BHC


R.T.: 4.654 min
Delta R.T.: 0.000 min
Response: 201595934
Conc: 50.93 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 5.225 min
Delta R.T.: 0.000 min
Response: 1179465607
Conc: 49.88 ng/ml




#8 Heptachlor epoxide

R.T.: 5.193 min
Delta R.T.: 0.000 min
Response: 185671040
Conc: 49.57 ng/ml



#8 Heptachlor epoxide


R.T.: 6.048 min
Delta R.T.: 0.000 min
Response: 732431327
Conc: 48.44 ng/ml



#9 Endosulfan I


R.T.: 5.533 min
Delta R.T.: 0.000 min
Response: 180579646
Conc: 51.72 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 6.413 min
Delta R.T.: 0.000 min
Response: 710378633
Conc: 48.94 ng/ml




#10 gamma-Chlordane

R.T.: 5.420 min
Delta R.T.: 0.000 min
Response: 193563056
Conc: 49.78 ng/ml



#10 gamma-Chlordane


R.T.: 6.285 min
Delta R.T.: 0.000 min
Response: 771799077
Conc: 48.94 ng/ml



#11 alpha-Chlordane


R.T.: 5.478 min
Delta R.T.: 0.000 min
Response: 190872207
Conc: 49.92 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 747481846
Conc: 48.58 ng/ml




#12 4,4'-DDE

R.T.: 5.644 min
Delta R.T.: 0.000 min
Response: 182225928
Conc: 51.74 ng/ml



#12 4,4'-DDE


R.T.: 6.512 min
Delta R.T.: 0.000 min
Response: 738027618
Conc: 49.17 ng/ml



#13 Dieldrin


R.T.: 5.777 min
Delta R.T.: 0.000 min
Response: 195224317
Conc: 51.97 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 6.674 min
Delta R.T.: 0.000 min
Response: 754468734
Conc: 49.38 ng/ml




#14 Endrin

R.T.: 6.035 min
Delta R.T.: 0.000 min
Response: 158739473
Conc: 50.83 ng/ml



#14 Endrin


R.T.: 6.897 min
Delta R.T.: 0.000 min
Response: 563329313
Conc: 54.31 ng/ml



#15 Endosulfan II


R.T.: 6.309 min
Delta R.T.: 0.000 min
Response: 148558224
Conc: 49.39 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 7.111 min
Delta R.T.: 0.000 min
Response: 614884056
Conc: 49.12 ng/ml




#16 4,4'-DDD

R.T.: 6.162 min
Delta R.T.: 0.000 min
Response: 149764189
Conc: 51.03 ng/ml



#16 4,4'-DDD


R.T.: 7.013 min
Delta R.T.: 0.000 min
Response: 632370419
Conc: 50.84 ng/ml



#17 4,4'-DDT


R.T.: 6.403 min
Delta R.T.: 0.000 min
Response: 150554259
Conc: 49.18 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.314 min
Delta R.T.: 0.000 min
Response: 648945194
Conc: 48.45 ng/ml




#18 Endrin aldehyde

R.T.: 6.479 min
Delta R.T.: 0.000 min
Response: 115935177
Conc: 48.34 ng/ml



#18 Endrin aldehyde


R.T.: 7.237 min
Delta R.T.: 0.000 min
Response: 493929836
Conc: 48.98 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.692 min
Delta R.T.: 0.000 min
Response: 102936693
Conc: 34.55 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.461 min
Delta R.T.: 0.000 min
Response: 598156868
Conc: 49.50 ng/ml




#20 Methoxychlor

R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 70535681
Conc: 42.67 ng/ml



#20 Methoxychlor


R.T.: 7.773 min
Delta R.T.: 0.000 min
Response: 330838785
Conc: 48.15 ng/ml



#21 Endrin ketone


R.T.: 7.185 min
Delta R.T.: 0.000 min
Response: 178326105
Conc: 51.48 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 7.943 min
Delta R.T.: 0.000 min
Response: 681278272
Conc: 49.23 ng/ml




#22 Mirex

R.T.: 7.372 min
Delta R.T.: 0.000 min
Response: 15245614
Conc: 5.50 ng/ml



#22 Mirex


R.T.: 8.397 min
Delta R.T.: 0.000 min
Response: 449882787
Conc: 48.96 ng/ml



#23 Chlordane-1


R.T.: 4.375 min
Delta R.T.: 0.026 min
Response: 7266465
Conc: 67.37 ng/ml

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 5.147 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 4.849 min
Delta R.T.: -0.002 min
Response: 206023
Conc: 1.67 ng/ml



#24 Chlordane-2


R.T.: 5.653 min
Delta R.T.: 0.027 min
Response: 902826101
Conc: 1513.85 ng/ml



#25 Chlordane-3


R.T.: 5.420 min
Delta R.T.: 0.000 min
Response: 193563056
Conc: 543.49 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 6.285 min
Delta R.T.: 0.000 min
Response: 771799077
Conc: 390.82 ng/ml




#26 Chlordane-4

R.T.: 5.478 min
Delta R.T.: 0.000 min
Response: 190872207
Conc: 647.20 ng/ml



#26 Chlordane-4


R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 747481846
Conc: 325.88 ng/ml



#27 Chlordane-5


R.T.: 6.309 min
Delta R.T.: -0.009 min
Response: 148558224
Conc: 1213.27 ng/m

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 7.181 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.243 min
Delta R.T.: 0.000 min
Response: 148115821
Conc: 48.48 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.322 min
Delta R.T.: 0.000 min
Response: 556349258
Conc: 48.78 ng/ml