

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD072419\
 Data File : PD054092.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 24 Jul 2019 12:46
 Operator : SM\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 25 03:59:57 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071919.M
 Quant Title : GC Extractables
 QLast Update : Fri Jul 19 04:33:23 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.312	3.982	29868159	45845385	51.896	52.628
28)	SA Decachlor...	8.008	9.023	32807546	45164920	48.736	48.719
Target Compounds							
2)	A alpha-BHC	3.741	4.369	45618321	69516561	52.671	55.109
3)	MA gamma-BHC...	4.019	4.652	43114952	66305135	52.560	54.060
4)	MA Heptachlor	4.307	5.160	38934517	67270805	53.428	53.701
5)	MB Aldrin	4.548	5.464	42768135	66595406	53.818	54.162
6)	B beta-BHC	4.268	4.819	18470706	29797344	52.441	53.219
7)	B delta-BHC	4.465	5.036	44525830	69671193	53.106	53.825
8)	B Heptachlo...	4.986	5.848	40376440	64145846	53.223	53.045
9)	A Endosulfan I	5.318	6.202	39431670	61182684	53.073	52.686
10)	B gamma-Chl...	5.209	6.080	42884780	68357478	52.724	51.894
11)	B alpha-Chl...	5.266	6.153	42748670	67398601	52.767	51.908
12)	B 4,4'-DDE	5.435	6.309	41652826	64632677	52.565	52.602
13)	MA Dieldrin	5.559	6.459	43431668	66483768	53.479	52.910
14)	MA Endrin	5.813	6.675	37167663	51304958	49.631	48.950
15)	B Endosulfa...	6.087	6.882	39677939	60313754	53.029	52.159
16)	A 4,4'-DDD	5.947	6.796	32223823	53815901	53.842	53.268
17)	MA 4,4'-DDT	6.183	7.094	30323871	52252531	52.655	53.041
18)	B Endrin al...	6.255	7.006	33333363	52048094	52.479	52.335
19)	B Endosulfa...	6.467	7.228	36615379	56003975	52.088	51.538
20)	A Methoxychlor	6.734	7.550	14484533	27099785	50.685	50.507
21)	B Endrin ke...	6.953	7.697	43714361	64313303	54.546	52.895
22)	Mirex	7.129	8.152	33093420	46074972	50.869	49.990



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD072419\
Data File : PD054092.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 24 Jul 2019 12:46
Operator : SM\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 25 03:59:57 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD071919.M
Quant Title : GC Extractables
QLast Update : Fri Jul 19 04:33:23 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.312 min
Delta R.T.: 0.000 min
Response: 29868159
Conc: 51.90 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 3.982 min
Delta R.T.: 0.000 min
Response: 45845385
Conc: 52.63 ng/ml




#2 alpha-BHC

R.T.: 3.741 min
Delta R.T.: -0.001 min
Response: 45618321
Conc: 52.67 ng/ml



#2 alpha-BHC


R.T.: 4.369 min
Delta R.T.: 0.000 min
Response: 69516561
Conc: 55.11 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.019 min
Delta R.T.: 0.000 min
Response: 43114952
Conc: 52.56 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.652 min
Delta R.T.: 0.000 min
Response: 66305135
Conc: 54.06 ng/ml




#4 Heptachlor

R.T.: 4.307 min
Delta R.T.: 0.000 min
Response: 38934517
Conc: 53.43 ng/ml



#4 Heptachlor


R.T.: 5.160 min
Delta R.T.: 0.000 min
Response: 67270805
Conc: 53.70 ng/ml



#5 Aldrin


R.T.: 4.548 min
Delta R.T.: 0.000 min
Response: 42768135
Conc: 53.82 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.464 min
Delta R.T.: 0.000 min
Response: 66595406
Conc: 54.16 ng/ml




#6 beta-BHC

R.T.: 4.268 min
Delta R.T.: -0.001 min
Response: 18470706
Conc: 52.44 ng/ml



#6 beta-BHC


R.T.: 4.819 min
Delta R.T.: 0.000 min
Response: 29797344
Conc: 53.22 ng/ml



#7 delta-BHC


R.T.: 4.465 min
Delta R.T.: -0.001 min
Response: 44525830
Conc: 53.11 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.036 min
Delta R.T.: 0.000 min
Response: 69671193
Conc: 53.83 ng/ml




#8 Heptachlor epoxide

R.T.: 4.986 min
Delta R.T.: -0.001 min
Response: 40376440
Conc: 53.22 ng/ml



#8 Heptachlor epoxide


R.T.: 5.848 min
Delta R.T.: 0.000 min
Response: 64145846
Conc: 53.05 ng/ml



#9 Endosulfan I


R.T.: 5.318 min
Delta R.T.: -0.001 min
Response: 39431670
Conc: 53.07 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.202 min
Delta R.T.: 0.000 min
Response: 61182684
Conc: 52.69 ng/ml




#10 gamma-Chlordane

R.T.: 5.209 min
Delta R.T.: 0.000 min
Response: 42884780
Conc: 52.72 ng/ml



#10 gamma-Chlordane


R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 68357478
Conc: 51.89 ng/ml



#11 alpha-Chlordane


R.T.: 5.266 min
Delta R.T.: 0.000 min
Response: 42748670
Conc: 52.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.153 min
Delta R.T.: 0.000 min
Response: 67398601
Conc: 51.91 ng/ml




#12 4,4'-DDE

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 41652826
Conc: 52.57 ng/ml



#12 4,4'-DDE


R.T.: 6.309 min
Delta R.T.: 0.000 min
Response: 64632677
Conc: 52.60 ng/ml



#13 Dielddrin


R.T.: 5.559 min
Delta R.T.: 0.000 min
Response: 43431668
Conc: 53.48 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dielddrin

R.T.: 6.459 min
Delta R.T.: 0.000 min
Response: 66483768
Conc: 52.91 ng/ml




#14 Endrin

R.T.: 5.813 min
Delta R.T.: 0.000 min
Response: 37167663
Conc: 49.63 ng/ml



#14 Endrin


R.T.: 6.675 min
Delta R.T.: 0.000 min
Response: 51304958
Conc: 48.95 ng/ml



#15 Endosulfan II


R.T.: 6.087 min
Delta R.T.: 0.000 min
Response: 39677939
Conc: 53.03 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.882 min
Delta R.T.: 0.000 min
Response: 60313754
Conc: 52.16 ng/ml




#16 4,4'-DDD

R.T.: 5.947 min
Delta R.T.: -0.001 min
Response: 32223823
Conc: 53.84 ng/ml



#16 4,4'-DDD


R.T.: 6.796 min
Delta R.T.: 0.000 min
Response: 53815901
Conc: 53.27 ng/ml



#17 4,4'-DDT


R.T.: 6.183 min
Delta R.T.: -0.001 min
Response: 30323871
Conc: 52.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.094 min
Delta R.T.: 0.000 min
Response: 52252531
Conc: 53.04 ng/ml




#18 Endrin aldehyde

R.T.: 6.255 min
Delta R.T.: -0.001 min
Response: 33333363
Conc: 52.48 ng/ml



#18 Endrin aldehyde


R.T.: 7.006 min
Delta R.T.: 0.000 min
Response: 52048094
Conc: 52.33 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.467 min
Delta R.T.: 0.000 min
Response: 36615379
Conc: 52.09 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.228 min
Delta R.T.: 0.000 min
Response: 56003975
Conc: 51.54 ng/ml




#20 Methoxychlor

R.T.: 6.734 min
Delta R.T.: 0.000 min
Response: 14484533
Conc: 50.68 ng/ml



#20 Methoxychlor


R.T.: 7.550 min
Delta R.T.: 0.000 min
Response: 27099785
Conc: 50.51 ng/ml



#21 Endrin ketone


R.T.: 6.953 min
Delta R.T.: -0.001 min
Response: 43714361
Conc: 54.55 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.697 min
Delta R.T.: 0.000 min
Response: 64313303
Conc: 52.90 ng/ml




#22 Mirex

R.T.: 7.129 min
Delta R.T.: 0.000 min
Response: 33093420
Conc: 50.87 ng/ml



#22 Mirex


R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 46074972
Conc: 49.99 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.008 min
Delta R.T.: 0.000 min
Response: 32807546
Conc: 48.74 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 9.023 min
Delta R.T.: -0.002 min
Response: 45164920
Conc: 48.72 ng/ml