

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080323\
 Data File : PD076984.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 03 Aug 2023 11:19
 Operator : AR\AJ
 Sample : PSTDICC100
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC100

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 03 13:48:30 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD080323.M
 Quant Title : GC Extractables
 QLast Update : Thu Aug 03 13:48:00 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.543	2.762	231.4E6	132.7E6	99.596	100.560
28)	SA Decachlor...	9.086	7.904	250.9E6	131.2E6	96.000	95.962
Target Compounds							
2)	A alpha-BHC	4.000	3.264	405.0E6	200.4E6	104.427	104.314
3)	MA gamma-BHC...	4.333	3.594	383.9E6	190.2E6	103.864	103.109
4)	MA Heptachlor	4.924	3.933	366.5E6	182.0E6	102.094	102.032
5)	MB Aldrin	5.268	4.213	377.5E6	188.2E6	102.338	102.488
6)	B beta-BHC	4.530	3.890	141.9E6	71708522	97.383	98.134
7)	B delta-BHC	4.779	4.120	362.4E6	183.7E6	104.242	103.779
8)	B Heptachlo...	5.695	4.716	322.4E6	166.2E6	99.994	101.862
9)	A Endosulfan I	6.082	5.086	299.8E6	155.1E6	100.293	102.020
10)	B gamma-Chl...	5.952	4.966	327.3E6	166.1E6	101.774	102.431
11)	B alpha-Chl...	6.030	5.030	324.6E6	165.7E6	100.779	101.755
12)	B 4,4'-DDE	6.203	5.219	305.8E6	148.1E6	103.444	102.980
13)	MA Dieldrin	6.358	5.350	332.7E6	171.4E6	102.155	102.847
14)	MA Endrin	6.588	5.626	279.6E6	146.7E6	101.545	102.045
15)	B Endosulfa...	6.809	5.920	286.1E6	141.9E6	95.956	101.086
16)	A 4,4'-DDD	6.722	5.773	238.8E6	113.2E6	102.718	102.511
17)	MA 4,4'-DDT	7.037	6.025	253.4E6	121.2E6	104.133	106.357
18)	B Endrin al...	6.939	6.100	209.5E6	110.0E6	97.966	99.020
19)	B Endosulfa...	7.174	6.323	252.2E6	131.1E6	99.548	101.157
20)	A Methoxychlor	7.513	6.600	134.6E6	58977287	97.408	99.334
21)	B Endrin ke...	7.660	6.830	295.9E6	157.6E6	100.334	101.703
22)	Mirex	8.135	7.011	210.3E6	121.7E6	96.911	98.826



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080323\
Data File : PD076984.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 03 Aug 2023 11:19
Operator : AR\AJ
Sample : PSTDICC100
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC100

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 03 13:48:30 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD080323.M
Quant Title : GC Extractables
QLast Update : Thu Aug 03 13:48:00 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.543 min
Delta R.T.: 0.000 min
Response: 231438634
Conc: 99.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#1 Tetrachloro-m-xylene

R.T.: 2.762 min
Delta R.T.: 0.000 min
Response: 132663003
Conc: 100.56 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 404978189
Conc: 104.43 ng/ml



#2 alpha-BHC


R.T.: 3.264 min
Delta R.T.: 0.000 min
Response: 200362630
Conc: 104.31 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.333 min
Delta R.T.: 0.000 min
Response: 383939744
Conc: 103.86 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#3 gamma-BHC (Lindane)

R.T.: 3.594 min
Delta R.T.: 0.000 min
Response: 190234120
Conc: 103.11 ng/ml




#4 Heptachlor

R.T.: 4.924 min
Delta R.T.: 0.000 min
Response: 366453204
Conc: 102.09 ng/ml



#4 Heptachlor


R.T.: 3.933 min
Delta R.T.: 0.000 min
Response: 182017712
Conc: 102.03 ng/ml



#5 Aldrin


R.T.: 5.268 min
Delta R.T.: 0.000 min
Response: 377474582
Conc: 102.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#5 Aldrin

R.T.: 4.213 min
Delta R.T.: 0.000 min
Response: 188233303
Conc: 102.49 ng/ml




#6 beta-BHC

R.T.: 4.530 min
Delta R.T.: 0.000 min
Response: 141868862
Conc: 97.38 ng/ml



#6 beta-BHC


R.T.: 3.890 min
Delta R.T.: 0.000 min
Response: 71708522
Conc: 98.13 ng/ml



#7 delta-BHC


R.T.: 4.779 min
Delta R.T.: 0.000 min
Response: 362391610
Conc: 104.24 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#7 delta-BHC

R.T.: 4.120 min
Delta R.T.: 0.000 min
Response: 183672710
Conc: 103.78 ng/ml




#8 Heptachlor epoxide

R.T.: 5.695 min
Delta R.T.: 0.000 min
Response: 322441694
Conc: 99.99 ng/ml



#8 Heptachlor epoxide


R.T.: 4.716 min
Delta R.T.: 0.000 min
Response: 166242635
Conc: 101.86 ng/ml



#9 Endosulfan I


R.T.: 6.082 min
Delta R.T.: 0.000 min
Response: 299755667
Conc: 100.29 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#9 Endosulfan I

R.T.: 5.086 min
Delta R.T.: 0.000 min
Response: 155096145
Conc: 102.02 ng/ml




#10 gamma-Chlordane

R.T.: 5.952 min
Delta R.T.: 0.000 min
Response: 327287161
Conc: 101.77 ng/ml



#10 gamma-Chlordane


R.T.: 4.966 min
Delta R.T.: 0.000 min
Response: 166128623
Conc: 102.43 ng/ml



#11 alpha-Chlordane


R.T.: 6.030 min
Delta R.T.: 0.000 min
Response: 324557524
Conc: 100.78 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#11 alpha-Chlordane

R.T.: 5.030 min
Delta R.T.: 0.000 min
Response: 165693233
Conc: 101.75 ng/ml




#12 4,4'-DDE

R.T.: 6.203 min
Delta R.T.: 0.000 min
Response: 305849077
Conc: 103.44 ng/ml



#12 4,4'-DDE


R.T.: 5.219 min
Delta R.T.: 0.000 min
Response: 148067208
Conc: 102.98 ng/ml



#13 Dieldrin


R.T.: 6.358 min
Delta R.T.: 0.000 min
Response: 332724271
Conc: 102.15 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#13 Dieldrin

R.T.: 5.350 min
Delta R.T.: 0.000 min
Response: 171393545
Conc: 102.85 ng/ml




#14 Endrin

R.T.: 6.588 min
Delta R.T.: 0.000 min
Response: 279596705
Conc: 101.54 ng/ml



#14 Endrin


R.T.: 5.626 min
Delta R.T.: 0.000 min
Response: 146731288
Conc: 102.05 ng/ml



#15 Endosulfan II


R.T.: 6.809 min
Delta R.T.: 0.000 min
Response: 286148103
Conc: 95.96 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#15 Endosulfan II

R.T.: 5.920 min
Delta R.T.: 0.000 min
Response: 141867218
Conc: 101.09 ng/ml




#16 4,4'-DDD

R.T.: 6.722 min
Delta R.T.: 0.000 min
Response: 238824713
Conc: 102.72 ng/ml



#16 4,4'-DDD


R.T.: 5.773 min
Delta R.T.: 0.000 min
Response: 113239911
Conc: 102.51 ng/ml



#17 4,4'-DDT


R.T.: 7.037 min
Delta R.T.: 0.000 min
Response: 253395012
Conc: 104.13 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#17 4,4'-DDT

R.T.: 6.025 min
Delta R.T.: 0.000 min
Response: 121248175
Conc: 106.36 ng/ml




#18 Endrin aldehyde

R.T.: 6.939 min
Delta R.T.: 0.000 min
Response: 209495580
Conc: 97.97 ng/ml



#18 Endrin aldehyde


R.T.: 6.100 min
Delta R.T.: 0.000 min
Response: 109969236
Conc: 99.02 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.174 min
Delta R.T.: 0.000 min
Response: 252231470
Conc: 99.55 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#19 Endosulfan Sulfate

R.T.: 6.323 min
Delta R.T.: 0.000 min
Response: 131060268
Conc: 101.16 ng/ml




#20 Methoxychlor

R.T.: 7.513 min
Delta R.T.: 0.000 min
Response: 134554228
Conc: 97.41 ng/ml



#20 Methoxychlor


R.T.: 6.600 min
Delta R.T.: 0.000 min
Response: 58977287
Conc: 99.33 ng/ml



#21 Endrin ketone


R.T.: 7.660 min
Delta R.T.: 0.000 min
Response: 295894879
Conc: 100.33 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100




#21 Endrin ketone

R.T.: 6.830 min
Delta R.T.: 0.000 min
Response: 157605491
Conc: 101.70 ng/ml




#22 Mirex

R.T.: 8.135 min
Delta R.T.: 0.001 min
Response: 210272266
Conc: 96.91 ng/ml



#22 Mirex


R.T.: 7.011 min
Delta R.T.: 0.000 min
Response: 121706809
Conc: 98.83 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.086 min
Delta R.T.: 0.000 min
Response: 250851615
Conc: 96.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC100



#28 Decachlorobiphenyl

R.T.: 7.904 min
Delta R.T.: 0.000 min
Response: 131240078
Conc: 95.96 ng/ml