

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(5) Aldrin (MB)

7.410min 5.086 ng/ml

response 8010564

(5) Aldrin #2 (MB)

6.464min 3.524 ng/ml

response 37071353

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(5) Aldrin (MB)

7.409min 1.588 ng/ml m

response 2501690

(5) Aldrin #2 (MB)

6.462min 4.136 ng/ml m

response 43508759

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(6) beta-BHC (B)

6.639min 1.490 ng/ml

response 1162487

(6) beta-BHC #2 (B)

6.121min 2.765 ng/ml

response 16775231

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(6) beta-BHC (B)

6.638min 0.812 ng/ml m

response 633879

(6) beta-BHC #2 (B)

6.120min 3.450 ng/ml m

response 20929697

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(7) delta-BHC (B)

6.907min 0.985 ng/ml

response 1714595

(7) delta-BHC #2 (B)

6.373min 2.451 ng/ml

response 26623568

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(7) delta-BHC (B)

6.907min 0.985 ng/ml

response 1714595

(7) delta-BHC #2 (B)

6.372min 1.437 ng/ml m

response 15614516

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(10) trans-Chlordane (B)

8.133min 13.099 ng/ml

response 20991480

(10) trans-Chlordane #2 (B)

7.304min 4.050 ng/ml

response 36735927

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(10) trans-Chlordane (B)
8.132min 13.344 ng/ml m
response 21383326

(10) trans-Chlordane #2 (B)
7.302min 4.834 ng/ml m
response 43844709

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(11) cis-Chlordane (B)

8.230min 3.584 ng/ml

response 5584438

(11) cis-Chlordane #2 (B)

7.392min 12.568 ng/ml

response 111797614

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(11) cis-Chlordane (B)
8.228min 3.293 ng/ml m
response 5130467

(11) cis-Chlordane #2 (B)
7.390min 1.515 ng/ml m
response 13474568

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampled :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(13) Dieldrin (MA)
8.569min 3.305 ng/ml
response 4928025

(13) Dieldrin #2 (MA)
7.736min 10.361 ng/ml
response 83219516

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(13) Dieldrin (MA)
8.569min 3.305 ng/ml
response 4928025

(13) Dieldrin #2 (MA)
7.735min 4.707 ng/ml m
response 37804760

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



(15) Endosulfan II (B)
9.030min 3.088 ng/ml
response 4009924

(15) Endosulfan II #2 (B)
8.333min 5.332 ng/ml
response 30776702

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(15) Endosulfan II (B)
9.029min 3.836 ng/ml m
response 4980845

(15) Endosulfan II #2 (B)
8.333min 5.332 ng/ml
response 30776702

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(16) 4,4'-DDD (A)
8.960min 18.928 ng/ml
response 23235428

(16) 4,4'-DDD #2 (A)
8.179min 5.836 ng/ml
response 33614688

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(16) 4,4'-DDD (A)
8.958min 22.191 ng/ml m
response 27240500

(16) 4,4'-DDD #2 (A)
8.177min 4.692 ng/ml m
response 27021198

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(17) 4,4'-DDT (MA)

9.245min 8.584 ng/ml

response 11206214

(17) 4,4'-DDT #2 (MA)

8.438min 13.865 ng/ml

response 76323660

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
Data File : PD064770.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Aug 2021 14:32
Operator : AR\AJ
Sample : M3169-22
Misc :
ALS Vial : 20 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
C00C1

Manual Integrations
APPROVED

mohammad
8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 06 06:55:24 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
Quant Title : GC Extractables
QLast Update : Wed Jul 28 07:07:14 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm



QEdit

(17) 4,4'-DDT (MA)

9.275min 2.940 ng/ml m

response 3838149

(17) 4,4'-DDT #2 (MA)

8.437min 21.003 ng/ml m

response 115611830

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080521\
 Data File : PD064770.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Aug 2021 14:32
 Operator : AR\AJ
 Sample : M3169-22
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 C00C1

Manual Integrations
 APPROVED

mohammad
 8/6/2021 3:07:53 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 06 06:55:24 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD072721CLP.M
 Quant Title : GC Extractables
 QLast Update : Wed Jul 28 07:07:14 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	5.405	4.617	15435676	148.2E6	12.940	16.218 #
27) SA Decachlor...	11.305	10.359	28796595	151.4E6	21.875	25.464
Target Compounds						
5) MB Aldrin	7.409	6.462	2501690	43508759	1.588m	4.136m#
6) B beta-BHC	6.638	6.120	633879	20929697	0.812m	3.450m#
7) B delta-BHC	6.907	6.372	1714595	15614516	0.985	1.437m#
8) B Heptachlo...	7.875	7.043	3761955	17824668	2.191	1.926
10) B trans-Chl...	8.132	7.302	21383326	43844709	13.344m	4.834m#
11) B cis-Chlor...	8.228	7.390	5130467	13474568	3.293m	1.515m#
12) B 4,4'-DDE	8.435	7.604	1319298	32768772	0.915	4.343 #
13) MA Dieldrin	8.569	7.735	4928025	37804760	3.305	4.707m#
14) MA Endrin	8.815	8.034	3128078	18900203	2.443	3.290 #
15) B Endosulfa...	9.029	8.333	4980845	30776702	3.836m	5.332 #
16) A 4,4'-DDD	8.958	8.177	27240500	27021198	22.191m	4.692m#
17) MA 4,4'-DDT	9.275	8.437	3838149	115.6E6	2.940m	21.003m#

AJ
 08/10/21

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.