

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080825\
 Data File : PD089792.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Aug 2025 11:30
 Operator : AR\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 07 23:14:56 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD073125.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 01 07:03:58 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.547	2.877	52243077	404.5E6	21.180	25.539
28)	SA Decachlor...	9.065	8.065	81107120	488.6E6	21.825	24.333
Target Compounds							
2)	A alpha-BHC	0.000	3.378	0	2756497	N.D.	0.113 #
3)	MA gamma-BHC...	0.000	3.721	0	707448	N.D.	0.031 #
4)	MA Heptachlor	0.000	4.069	0	591018	N.D.	0.025 #
5)	MB Aldrin	5.258	4.378	228395	913370	0.050	0.041
6)	B beta-BHC	0.000	4.036	0	408080	N.D.	0.042 #
7)	B delta-BHC	4.776	4.260	1663177	295517	0.363	0.013 #
8)	B Heptachlo...	5.681	4.863	1525668	301686	0.365	0.015 #
9)	A Endosulfan I	0.000	5.248	0	247021	N.D.	0.013 #
10)	B gamma-Chl...	0.000	5.121	0	409592	N.D.	0.019 #
11)	B alpha-Chl...	0.000	5.202f	0	372264	N.D.	0.018 #
12)	B 4,4'-DDE	0.000	5.381	0	605401	N.D.	0.029 #
13)	MA Dieldrin	0.000	5.514	0	155230	N.D.	0.007 #
14)	MA Endrin	0.000	5.790	0	8806192	N.D.	0.442 #
15)	B Endosulfa...	6.769f	6.078	428638	834849	0.117	0.044 #
16)	A 4,4'-DDD	0.000	5.930	0	136188	N.D.	0.008 #
17)	MA 4,4'-DDT	0.000	6.169	0	438470	N.D.	0.024 #
20)	A Methoxychlor	0.000	6.744	0	7728	N.D.	0.001 #
22)	Mirex	0.000	7.191	0	140684	N.D.	0.009 #
23)	Chlordane-1	0.000	3.892	0	4521	N.D.	0.006 #
24)	Chlordane-2	5.258	4.493	228395	424870	1.344	0.556 #
25)	Chlordane-3	0.000	5.121	0	409592	N.D.	0.177 #
26)	Chlordane-4	0.000	5.202	0	372264	N.D.	0.187 #
27)	Chlordane-5	0.000	6.078	0	834849	N.D.	0.923 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD080825\
Data File : PD089792.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Aug 2025 11:30
Operator : AR\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 07 23:14:56 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD073125.M
Quant Title : GC Extractables
QLast Update : Fri Aug 01 07:03:58 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.547 min
Delta R.T.: 0.000 min
Response: 52243077
Conc: 21.18 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 2.877 min
Delta R.T.: 0.000 min
Response: 404484443
Conc: 25.54 ng/ml




#2 alpha-BHC

R.T.: 0.000 min
Exp R.T. : 3.997 min
Response: 0
Conc: N.D.



#2 alpha-BHC


R.T.: 3.378 min
Delta R.T.: -0.012 min
Response: 2756497
Conc: 0.11 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 0.000 min
Exp R.T.: 4.328 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 3.721 min
Delta R.T.: -0.005 min
Response: 707448
Conc: 0.03 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T.: 4.927 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 4.069 min
Delta R.T.: -0.010 min
Response: 591018
Conc: 0.03 ng/ml



#5 Aldrin


R.T.: 5.258 min
Delta R.T.: -0.010 min
Response: 228395
Conc: 0.05 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 4.378 min
Delta R.T.: 0.013 min
Response: 913370
Conc: 0.04 ng/ml




#6 beta-BHC

R.T.: 0.000 min
Exp R.T. : 4.514 min
Response: 0
Conc: N.D.



#6 beta-BHC


R.T.: 4.036 min
Delta R.T.: 0.014 min
Response: 408080
Conc: 0.04 ng/ml



#7 delta-BHC


R.T.: 4.776 min
Delta R.T.: 0.013 min
Response: 1663177
Conc: 0.36 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 4.260 min
Delta R.T.: 0.001 min
Response: 295517
Conc: 0.01 ng/ml




#8 Heptachlor epoxide

R.T.: 5.681 min
Delta R.T.: -0.007 min
Response: 1525668
Conc: 0.36 ng/ml



#8 Heptachlor epoxide


R.T.: 4.863 min
Delta R.T.: -0.006 min
Response: 301686
Conc: 0.01 ng/ml



#9 Endosulfan I


R.T.: 0.000 min
Exp R.T.: 6.072 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 5.248 min
Delta R.T.: 0.005 min
Response: 247021
Conc: 0.01 ng/ml




#10 gamma-Chlordane

R.T.: 0.000 min
Exp R.T.: 5.944 min
Response: 0
Conc: N.D.



#10 gamma-Chlordane


R.T.: 5.121 min
Delta R.T.: 0.000 min
Response: 409592
Conc: 0.02 ng/ml



#11 alpha-Chlordane


R.T.: 0.000 min
Exp R.T.: 6.025 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 5.202 min
Delta R.T.: 0.015 min
Response: 372264
Conc: 0.02 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T.: 6.194 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 5.381 min
Delta R.T.: 0.010 min
Response: 605401
Conc: 0.03 ng/ml



#13 Dieldrin


R.T.: 0.000 min
Exp R.T.: 6.345 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 5.514 min
Delta R.T.: 0.005 min
Response: 155230
Conc: 0.01 ng/ml




#14 Endrin

R.T.: 0.000 min
Exp R.T.: 6.572 min
Response: 0
Conc: N.D.



#14 Endrin


R.T.: 5.790 min
Delta R.T.: 0.005 min
Response: 8806192
Conc: 0.44 ng/ml



#15 Endosulfan II


R.T.: 6.769 min
Delta R.T.: -0.015 min
Response: 428638
Conc: 0.12 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.078 min
Delta R.T.: 0.000 min
Response: 834849
Conc: 0.04 ng/ml




#16 4,4'-DDD

R.T.: 0.000 min
Exp R.T. : 6.704 min
Response: 0
Conc: N.D.



#16 4,4'-DDD


R.T.: 5.930 min
Delta R.T.: 0.005 min
Response: 136188
Conc: 0.01 ng/ml



#17 4,4'-DDT


R.T.: 0.000 min
Exp R.T.: 7.019 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 6.169 min
Delta R.T.: -0.010 min
Response: 438470
Conc: 0.02 ng/ml




#20 Methoxychlor

R.T.: 0.000 min
Exp R.T.: 7.492 min
Response: 0
Conc: N.D.



#20 Methoxychlor


R.T.: 6.744 min
Delta R.T.: -0.006 min
Response: 7728
Conc: 0.00 ng/ml



#22 Mirex


R.T.: 0.000 min
Exp R.T.: 8.112 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#22 Mirex

R.T.: 7.191 min
Delta R.T.: 0.010 min
Response: 140684
Conc: 0.01 ng/ml




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T.: 4.712 min
Response: 0
Conc: N.D.



#23 Chlordane-1


R.T.: 3.892 min
Delta R.T.: -0.010 min
Response: 4521
Conc: 0.01 ng/ml



#24 Chlordane-2


R.T.: 5.258 min
Delta R.T.: 0.020 min
Response: 228395
Conc: 1.34 ng/ml

Instrument :
ECD_D
ClientSampleId :




#24 Chlordane-2

R.T.: 4.493 min
Delta R.T.: 0.010 min
Response: 424870
Conc: 0.56 ng/ml




#25 Chlordane-3

R.T.: 0.000 min
Exp R.T. : 5.944 min
Response: 0
Conc: N.D.



#25 Chlordane-3


R.T.: 5.121 min
Delta R.T.: 0.000 min
Response: 409592
Conc: 0.18 ng/ml



#26 Chlordane-4


R.T.: 0.000 min
Exp R.T.: 6.029 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :




#26 Chlordane-4

R.T.: 5.202 min
Delta R.T.: 0.016 min
Response: 372264
Conc: 0.19 ng/ml




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 6.868 min
Response: 0
Conc: N.D.



#27 Chlordane-5


R.T.: 6.078 min
Delta R.T.: -0.008 min
Response: 834849
Conc: 0.92 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.065 min
Delta R.T.: -0.005 min
Response: 81107120
Conc: 21.82 ng/ml

Instrument :
ECD_D
ClientSampleId :



#28 Decachlorobiphenyl

R.T.: 8.065 min
Delta R.T.: -0.003 min
Response: 488562899
Conc: 24.33 ng/ml