

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082021\
 Data File : PD065058.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 Aug 2021 19:34
 Operator : AR\AJ
 Sample : PEM
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PEM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 20 03:31:32 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 20 02:25:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.496	4.013	20331296	160.2E6	19.780	20.227
28)	SA Decachlor...	8.241	9.084	22969184	95018149	20.272	20.078
Target Compounds							
2)	A alpha-BHC	3.935	4.407	14326665	122.3E6	10.010	10.532
3)	MA gamma-BHC...	4.218	4.694	14193340	109.9E6	10.345	10.378
4)	MA Heptachlor	0.000	5.176f	0	17299366	N.D.	1.725 #
6)	B beta-BHC	4.466	4.870	7664805	57069136	3.193	9.684 #
12)	B 4,4'-DDE	0.000	6.356	0	1837722	N.D.	0.256 #
14)	MA Endrin	6.047	6.728	51067163	297.2E6	48.663	48.295
16)	A 4,4'-DDD	6.171	6.853	64421	1723220	0.068	0.293 #
17)	MA 4,4'-DDT	6.409	7.148	95250014	553.6E6	95.777	92.320
20)	A Methoxychlor	6.955	7.607	131.4E6	664.3E6	222.947	219.529
21)	B Endrin ke...	7.192	7.761	934080	4468835	0.733	0.688
23)	Chlordane-1	4.396f	0.000	1926950	0	50.881	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082021\
Data File : PD065058.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 Aug 2021 19:34
Operator : AR\AJ
Sample : PEM
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampled :
PEM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 20 03:31:32 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
Quant Title : GC Extractables
QLast Update : Fri Aug 20 02:25:41 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x 0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.496 min
Delta R.T.: 0.000 min
Response: 20331296
Conc: 19.78 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 160213911
Conc: 20.23 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 14326665
Conc: 10.01 ng/ml



#2 alpha-BHC


R.T.: 4.407 min
Delta R.T.: 0.000 min
Response: 122347544
Conc: 10.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.218 min
Delta R.T.: 0.000 min
Response: 14193340
Conc: 10.35 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#3 gamma-BHC (Lindane)

R.T.: 4.694 min
Delta R.T.: 0.000 min
Response: 109934599
Conc: 10.38 ng/ml




#4 Heptachlor

R.T.: 0.000 min
Exp R.T. : 4.517 min
Response: 0
Conc: N.D.



#4 Heptachlor


R.T.: 5.176 min
Delta R.T.: -0.022 min
Response: 17299366
Conc: 1.73 ng/ml



#6 beta-BHC


R.T.: 4.466 min
Delta R.T.: -0.005 min
Response: 7664805
Conc: 3.19 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#6 beta-BHC

R.T.: 4.870 min
Delta R.T.: 0.000 min
Response: 57069136
Conc: 9.68 ng/ml




#12 4,4'-DDE

R.T.: 0.000 min
Exp R.T. : 5.653 min
Response: 0
Conc: N.D.



#12 4,4'-DDE


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 1837722
Conc: 0.26 ng/ml



#14 Endrin


R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 51067163
Conc: 48.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#14 Endrin

R.T.: 6.728 min
Delta R.T.: 0.000 min
Response: 297246848
Conc: 48.29 ng/ml




#16 4,4'-DDD

R.T.: 6.171 min
Delta R.T.: 0.003 min
Response: 64421
Conc: 0.07 ng/ml



#16 4,4'-DDD


R.T.: 6.853 min
Delta R.T.: 0.003 min
Response: 1723220
Conc: 0.29 ng/ml



#17 4,4'-DDT


R.T.: 6.409 min
Delta R.T.: 0.000 min
Response: 95250014
Conc: 95.78 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#17 4,4'-DDT

R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 553636182
Conc: 92.32 ng/ml




#20 Methoxychlor

R.T.: 6.955 min
Delta R.T.: 0.000 min
Response: 131409842
Conc: 222.95 ng/ml



#20 Methoxychlor


R.T.: 7.607 min
Delta R.T.: 0.000 min
Response: 664320609
Conc: 219.53 ng/ml



#21 Endrin ketone


R.T.: 7.192 min
Delta R.T.: 0.000 min
Response: 934080
Conc: 0.73 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM




#21 Endrin ketone

R.T.: 7.761 min
Delta R.T.: 0.000 min
Response: 4468835
Conc: 0.69 ng/ml




#23 Chlordane-1

R.T.: 4.396 min
Delta R.T.: 0.030 min
Response: 1926950
Conc: 50.88 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 5.009 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.241 min
Delta R.T.: 0.000 min
Response: 22969184
Conc: 20.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PEM



#28 Decachlorobiphenyl

R.T.: 9.084 min
Delta R.T.: 0.000 min
Response: 95018149
Conc: 20.08 ng/ml