

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082121\
 Data File : PD065125.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Aug 2021 19:37
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 21 00:38:01 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 20 02:25:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.496	4.013	49674315	387.7E6	48.326	48.946
28)	SA Decachlor...	8.239	9.083	58726649	240.5E6	51.831	50.812
Target Compounds							
2)	A alpha-BHC	3.936	4.408	70851539	563.8E6	49.506	48.533
3)	MA gamma-BHC...	4.219	4.694	66117913	511.9E6	48.192	48.322
4)	MA Heptachlor	4.517	5.198	62146346	477.0E6	47.714	47.575
5)	MB Aldrin	4.765	5.503	59129549	437.6E6	49.307	48.447
6)	B beta-BHC	4.466	4.870	32133339	230.2E6	49.835	51.249
7)	B delta-BHC	4.672	5.087	65323204	485.9E6	49.409	50.029
8)	B Heptachlo...	5.207	5.893	55306285	386.6E6	48.669	51.820
9)	A Endosulfan I	5.545	6.250	52221647	347.4E6	48.956	49.329
10)	B gamma-Chl...	5.432	6.126	55243555	382.0E6	48.859	49.964
11)	B alpha-Chl...	5.491	6.198	54666575	366.3E6	48.824	49.209
12)	B 4,4'-DDE	5.653	6.356	52472811	352.8E6	49.787	49.127
13)	MA Dieldrin	5.788	6.508	55316283	356.0E6	49.290	49.065
14)	MA Endrin	6.046	6.728	50306849	284.7E6	47.939	46.257
15)	B Endosulfa...	6.318	6.941	49718775	290.7E6	49.725	49.579
16)	A 4,4'-DDD	6.168	6.850	46847605	296.2E6	49.533	50.367
17)	MA 4,4'-DDT	6.408	7.148	48889573	302.8E6	49.160	50.499
18)	B Endrin al...	6.487	7.065	40185783	234.5E6	48.563	50.281
19)	B Endosulfa...	6.699	7.287	52181523	289.3E6	49.140	50.453
20)	A Methoxychlor	6.954	7.607	29523365	154.1E6	50.089	50.921
21)	B Endrin ke...	7.192	7.761	64683493	333.3E6	50.737	51.289
22)	Mirex	7.377	8.210	50528348	228.6E6	49.551	51.339
23)	Chlordane-1	4.393f	0.000	2195105	0	57.961	N.D. #
24)	Chlordane-2	0.000	5.503f	0	437.6E6	N.D.	1398.931 #
25)	Chlordane-3	5.432	6.126	55243555	382.0E6	500.526	369.516 #
26)	Chlordane-4	5.491	6.198	54666575	366.3E6	595.472	304.695 #
27)	Chlordane-5	6.318	0.000	49718775	0	1105.137	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082121\
Data File : PD065125.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Aug 2021 19:37
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 21 00:38:01 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
Quant Title : GC Extractables
QLast Update : Fri Aug 20 02:25:41 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.496 min
Delta R.T.: 0.000 min
Response: 49674315
Conc: 48.33 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 387689602
Conc: 48.95 ng/ml




#2 alpha-BHC

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 70851539
Conc: 49.51 ng/ml



#2 alpha-BHC


R.T.: 4.408 min
Delta R.T.: 0.000 min
Response: 563807816
Conc: 48.53 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.219 min
Delta R.T.: 0.000 min
Response: 66117913
Conc: 48.19 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.694 min
Delta R.T.: 0.000 min
Response: 511894926
Conc: 48.32 ng/ml




#4 Heptachlor

R.T.: 4.517 min
Delta R.T.: 0.000 min
Response: 62146346
Conc: 47.71 ng/ml



#4 Heptachlor


R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 476988012
Conc: 47.57 ng/ml



#5 Aldrin


R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 59129549
Conc: 49.31 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.503 min
Delta R.T.: 0.002 min
Response: 437619653
Conc: 48.45 ng/ml




#6 beta-BHC

R.T.: 4.466 min
Delta R.T.: -0.004 min
Response: 32133339
Conc: 49.84 ng/ml



#6 beta-BHC


R.T.: 4.870 min
Delta R.T.: 0.000 min
Response: 230187475
Conc: 51.25 ng/ml



#7 delta-BHC


R.T.: 4.672 min
Delta R.T.: 0.002 min
Response: 65323204
Conc: 49.41 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 5.087 min
Delta R.T.: 0.000 min
Response: 485863253
Conc: 50.03 ng/ml




#8 Heptachlor epoxide

R.T.: 5.207 min
Delta R.T.: 0.000 min
Response: 55306285
Conc: 48.67 ng/ml



#8 Heptachlor epoxide


R.T.: 5.893 min
Delta R.T.: 0.000 min
Response: 386601960
Conc: 51.82 ng/ml



#9 Endosulfan I


R.T.: 5.545 min
Delta R.T.: 0.000 min
Response: 52221647
Conc: 48.96 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 6.250 min
Delta R.T.: 0.000 min
Response: 347405795
Conc: 49.33 ng/ml




#10 gamma-Chlordane

R.T.: 5.432 min
Delta R.T.: 0.000 min
Response: 55243555
Conc: 48.86 ng/ml



#10 gamma-Chlordane


R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 382025408
Conc: 49.96 ng/ml



#11 alpha-Chlordane


R.T.: 5.491 min
Delta R.T.: 0.000 min
Response: 54666575
Conc: 48.82 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 366341581
Conc: 49.21 ng/ml




#12 4,4'-DDE

R.T.: 5.653 min
Delta R.T.: 0.000 min
Response: 52472811
Conc: 49.79 ng/ml



#12 4,4'-DDE


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 352768483
Conc: 49.13 ng/ml



#13 Dieldrin


R.T.: 5.788 min
Delta R.T.: 0.000 min
Response: 55316283
Conc: 49.29 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 6.508 min
Delta R.T.: 0.000 min
Response: 356021418
Conc: 49.06 ng/ml




#14 Endrin

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 50306849
Conc: 47.94 ng/ml



#14 Endrin


R.T.: 6.728 min
Delta R.T.: 0.000 min
Response: 284705522
Conc: 46.26 ng/ml



#15 Endosulfan II


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 49718775
Conc: 49.73 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.941 min
Delta R.T.: 0.000 min
Response: 290725510
Conc: 49.58 ng/ml




#16 4,4'-DDD

R.T.: 6.168 min
Delta R.T.: 0.000 min
Response: 46847605
Conc: 49.53 ng/ml



#16 4,4'-DDD


R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 296179118
Conc: 50.37 ng/ml



#17 4,4'-DDT


R.T.: 6.408 min
Delta R.T.: 0.000 min
Response: 48889573
Conc: 49.16 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 302838644
Conc: 50.50 ng/ml




#18 Endrin aldehyde

R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 40185783
Conc: 48.56 ng/ml



#18 Endrin aldehyde


R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 234531968
Conc: 50.28 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.699 min
Delta R.T.: 0.000 min
Response: 52181523
Conc: 49.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.287 min
Delta R.T.: 0.000 min
Response: 289330258
Conc: 50.45 ng/ml




#20 Methoxychlor

R.T.: 6.954 min
Delta R.T.: 0.000 min
Response: 29523365
Conc: 50.09 ng/ml



#20 Methoxychlor


R.T.: 7.607 min
Delta R.T.: 0.000 min
Response: 154092753
Conc: 50.92 ng/ml



#21 Endrin ketone


R.T.: 7.192 min
Delta R.T.: 0.000 min
Response: 64683493
Conc: 50.74 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 7.761 min
Delta R.T.: 0.000 min
Response: 333314104
Conc: 51.29 ng/ml




#22 Mirex

R.T.: 7.377 min
Delta R.T.: 0.000 min
Response: 50528348
Conc: 49.55 ng/ml



#22 Mirex


R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 228580153
Conc: 51.34 ng/ml



#23 Chlordane-1


R.T.: 4.393 min
Delta R.T.: 0.027 min
Response: 2195105
Conc: 57.96 ng/ml

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 5.009 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.866 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.503 min
Delta R.T.: 0.025 min
Response: 437619653
Conc: 1398.93 ng/ml



#25 Chlordane-3


R.T.: 5.432 min
Delta R.T.: 0.000 min
Response: 55243555
Conc: 500.53 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 382025408
Conc: 369.52 ng/ml




#26 Chlordane-4

R.T.: 5.491 min
Delta R.T.: 0.000 min
Response: 54666575
Conc: 595.47 ng/ml



#26 Chlordane-4


R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 366341581
Conc: 304.70 ng/ml



#27 Chlordane-5


R.T.: 6.318 min
Delta R.T.: -0.010 min
Response: 49718775
Conc: 1105.14 ng/ml

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 7.010 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.239 min
Delta R.T.: 0.000 min
Response: 58726649
Conc: 51.83 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.083 min
Delta R.T.: 0.000 min
Response: 240470200
Conc: 50.81 ng/ml