

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082121\
 Data File : PD065138.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Aug 2021 22:36
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 21 00:41:17 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 20 02:25:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.496	4.013	50920277	391.0E6	49.538	49.360
28)	SA Decachlor...	8.240	9.084	59588303	238.4E6	52.591	50.385
Target Compounds							
2)	A alpha-BHC	3.935	4.408	72626307	567.5E6	50.746	48.848
3)	MA gamma-BHC...	4.218	4.694	68118614	515.2E6	49.651	48.635
4)	MA Heptachlor	4.517	5.198	64223898	479.4E6	49.309	47.819
5)	MB Aldrin	4.765	5.503	60956071	440.4E6	50.830	48.750
6)	B beta-BHC	4.466	4.870	32946327	231.1E6	51.385	51.456
7)	B delta-BHC	4.671	5.087	67147324	490.3E6	50.789	50.484
8)	B Heptachlo...	5.207	5.893	57089905	391.0E6	50.238	52.409
9)	A Endosulfan I	5.545	6.251	53859918	351.5E6	50.492	49.911
10)	B gamma-Chl...	5.432	6.126	56744379	390.6E6	50.186	51.079
11)	B alpha-Chl...	5.490	6.198	56203495	371.6E6	50.197	49.921
12)	B 4,4'-DDE	5.653	6.356	54424800	354.5E6	51.640	49.367
13)	MA Dieldrin	5.788	6.508	57047389	358.1E6	50.832	49.354
14)	MA Endrin	6.046	6.727	51756038	281.7E6	49.320	45.775
15)	B Endosulfa...	6.318	6.941	51249460	290.0E6	51.256	49.456
16)	A 4,4'-DDD	6.168	6.850	48392941	296.2E6	51.167	50.379
17)	MA 4,4'-DDT	6.408	7.148	50436992	302.1E6	50.716	50.377
18)	B Endrin al...	6.487	7.065	41190348	235.2E6	49.777	50.416
19)	B Endosulfa...	6.698	7.288	53408356	287.6E6	50.295	50.156
20)	A Methoxychlor	6.954	7.607	30390519	153.0E6	51.560	50.546
21)	B Endrin ke...	7.192	7.761	66147357	331.5E6	51.885	51.012
22)	Mirex	7.378	8.210	51559931	229.2E6	50.563	51.468
23)	Chlordane-1	4.393f	0.000	2424033	0	64.006	N.D. #
24)	Chlordane-2	0.000	5.503f	0	440.4E6	N.D.	1407.675 #
25)	Chlordane-3	5.432	6.126	56744379	390.6E6	514.124	377.764 #
26)	Chlordane-4	5.490	6.198	56203495	371.6E6	612.214	309.101 #
27)	Chlordane-5	6.318	0.000	51249460	0	1139.161	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082121\
Data File : PD065138.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Aug 2021 22:36
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 21 00:41:17 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
Quant Title : GC Extractables
QLast Update : Fri Aug 20 02:25:41 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.496 min
Delta R.T.: 0.000 min
Response: 50920277
Conc: 49.54 ng/ml

Instrument :
ECD_D
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 390965541
Conc: 49.36 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 72626307
Conc: 50.75 ng/ml



#2 alpha-BHC


R.T.: 4.408 min
Delta R.T.: 0.000 min
Response: 567469924
Conc: 48.85 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.218 min
Delta R.T.: 0.000 min
Response: 68118614
Conc: 49.65 ng/ml

Instrument :
ECD_D
ClientSampleId :




#3 gamma-BHC (Lindane)

R.T.: 4.694 min
Delta R.T.: 0.000 min
Response: 515212855
Conc: 48.64 ng/ml




#4 Heptachlor

R.T.: 4.517 min
Delta R.T.: 0.000 min
Response: 64223898
Conc: 49.31 ng/ml



#4 Heptachlor


R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 479431566
Conc: 47.82 ng/ml



#5 Aldrin


R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 60956071
Conc: 50.83 ng/ml

Instrument :
ECD_D
ClientSampleId :




#5 Aldrin

R.T.: 5.503 min
Delta R.T.: 0.001 min
Response: 440354971
Conc: 48.75 ng/ml




#6 beta-BHC

R.T.: 4.466 min
Delta R.T.: -0.004 min
Response: 32946327
Conc: 51.39 ng/ml



#6 beta-BHC


R.T.: 4.870 min
Delta R.T.: 0.000 min
Response: 231051607
Conc: 51.46 ng/ml



#7 delta-BHC


R.T.: 4.671 min
Delta R.T.: 0.001 min
Response: 67147324
Conc: 50.79 ng/ml

Instrument :
ECD_D
ClientSampleId :




#7 delta-BHC

R.T.: 5.087 min
Delta R.T.: 0.000 min
Response: 490277861
Conc: 50.48 ng/ml




#8 Heptachlor epoxide

R.T.: 5.207 min
Delta R.T.: 0.000 min
Response: 57089905
Conc: 50.24 ng/ml



#8 Heptachlor epoxide


R.T.: 5.893 min
Delta R.T.: 0.000 min
Response: 390992160
Conc: 52.41 ng/ml



#9 Endosulfan I


R.T.: 5.545 min
Delta R.T.: 0.000 min
Response: 53859918
Conc: 50.49 ng/ml

Instrument :
ECD_D
ClientSampleId :




#9 Endosulfan I

R.T.: 6.251 min
Delta R.T.: 0.000 min
Response: 351502519
Conc: 49.91 ng/ml




#10 gamma-Chlordane

R.T.: 5.432 min
Delta R.T.: 0.000 min
Response: 56744379
Conc: 50.19 ng/ml



#10 gamma-Chlordane


R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 390552468
Conc: 51.08 ng/ml



#11 alpha-Chlordane


R.T.: 5.490 min
Delta R.T.: 0.000 min
Response: 56203495
Conc: 50.20 ng/ml

Instrument :
ECD_D
ClientSampleId :




#11 alpha-Chlordane

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 371638647
Conc: 49.92 ng/ml




#12 4,4'-DDE

R.T.: 5.653 min
Delta R.T.: 0.000 min
Response: 54424800
Conc: 51.64 ng/ml



#12 4,4'-DDE


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 354489213
Conc: 49.37 ng/ml



#13 Dieldrin


R.T.: 5.788 min
Delta R.T.: 0.000 min
Response: 57047389
Conc: 50.83 ng/ml

Instrument :
ECD_D
ClientSampleId :




#13 Dieldrin

R.T.: 6.508 min
Delta R.T.: 0.000 min
Response: 358116944
Conc: 49.35 ng/ml




#14 Endrin

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 51756038
Conc: 49.32 ng/ml



#14 Endrin


R.T.: 6.727 min
Delta R.T.: 0.000 min
Response: 281735754
Conc: 45.77 ng/ml



#15 Endosulfan II


R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 51249460
Conc: 51.26 ng/ml

Instrument :
ECD_D
ClientSampleId :




#15 Endosulfan II

R.T.: 6.941 min
Delta R.T.: 0.000 min
Response: 290003171
Conc: 49.46 ng/ml




#16 4,4'-DDD

R.T.: 6.168 min
Delta R.T.: 0.000 min
Response: 48392941
Conc: 51.17 ng/ml



#16 4,4'-DDD


R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 296247880
Conc: 50.38 ng/ml



#17 4,4'-DDT


R.T.: 6.408 min
Delta R.T.: 0.000 min
Response: 50436992
Conc: 50.72 ng/ml

Instrument :
ECD_D
ClientSampleId :




#17 4,4'-DDT

R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 302109041
Conc: 50.38 ng/ml




#18 Endrin aldehyde

R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 41190348
Conc: 49.78 ng/ml



#18 Endrin aldehyde


R.T.: 7.065 min
Delta R.T.: 0.000 min
Response: 235159684
Conc: 50.42 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.698 min
Delta R.T.: 0.000 min
Response: 53408356
Conc: 50.29 ng/ml

Instrument :
ECD_D
ClientSampleId :




#19 Endosulfan Sulfate

R.T.: 7.288 min
Delta R.T.: 0.000 min
Response: 287627505
Conc: 50.16 ng/ml




#20 Methoxychlor

R.T.: 6.954 min
Delta R.T.: 0.000 min
Response: 30390519
Conc: 51.56 ng/ml



#20 Methoxychlor


R.T.: 7.607 min
Delta R.T.: 0.000 min
Response: 152958389
Conc: 50.55 ng/ml



#21 Endrin ketone


R.T.: 7.192 min
Delta R.T.: 0.000 min
Response: 66147357
Conc: 51.89 ng/ml

Instrument :
ECD_D
ClientSampleId :




#21 Endrin ketone

R.T.: 7.761 min
Delta R.T.: 0.000 min
Response: 331512953
Conc: 51.01 ng/ml




#22 Mirex

R.T.: 7.378 min
Delta R.T.: 0.000 min
Response: 51559931
Conc: 50.56 ng/ml



#22 Mirex


R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 229153886
Conc: 51.47 ng/ml



#23 Chlordane-1


R.T.: 4.393 min
Delta R.T.: 0.027 min
Response: 2424033
Conc: 64.01 ng/ml

Instrument :
ECD_D
ClientSampleId :




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 5.009 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.866 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.503 min
Delta R.T.: 0.024 min
Response: 440354971
Conc: 1407.67 ng/ml



#25 Chlordane-3


R.T.: 5.432 min
Delta R.T.: 0.000 min
Response: 56744379
Conc: 514.12 ng/ml

Instrument :
ECD_D
ClientSampleId :




#25 Chlordane-3

R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 390552468
Conc: 377.76 ng/ml




#26 Chlordane-4

R.T.: 5.490 min
Delta R.T.: 0.000 min
Response: 56203495
Conc: 612.21 ng/ml



#26 Chlordane-4


R.T.: 6.198 min
Delta R.T.: -0.001 min
Response: 371638647
Conc: 309.10 ng/ml



#27 Chlordane-5


R.T.: 6.318 min
Delta R.T.: -0.010 min
Response: 51249460
Conc: 1139.16 ng/ml

Instrument :
ECD_D
ClientSampleId :




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T. : 7.010 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.240 min
Delta R.T.: 0.000 min
Response: 59588303
Conc: 52.59 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.084 min
Delta R.T.: 0.000 min
Response: 238447729
Conc: 50.38 ng/ml