

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082121\
 Data File : PD065192.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 21 Aug 2021 17:10
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Manual Integrations
 APPROVED

mohammad
 8/23/2021 2:41:26 PM

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 23 01:54:17 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
 Quant Title : GC Extractables
 QLast Update : Fri Aug 20 02:25:41 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.496	4.013	53885803	408.3E6	52.423	51.551
28)	SA Decachlor...	8.239	9.084	64250961	254.2E6	56.706	53.719
Target Compounds							
2)	A alpha-BHC	3.936	4.408	77151142	590.9E6	53.907	50.869
3)	MA gamma-BHC...	4.219	4.695	72085366	536.6E6	52.542	50.657
4)	MA Heptachlor	4.517	5.198	67381507	494.4E6	51.733	49.312
5)	MB Aldrin	4.765	5.503	64478551	455.1E6	53.768	50.378
6)	B beta-BHC	4.466	4.870	34844280	240.4E6	55.003	53.704
7)	B delta-BHC	4.672	5.087	71310612	512.1E6	53.938	52.729
8)	B Heptachlo...	5.207	5.891	61078763	395.1E6	53.748	52.964m
9)	A Endosulfan I	5.545	6.251	57476192	361.8E6	53.882	51.380
10)	B gamma-Chl...	5.432	6.127	60982211	388.6E6	53.934	50.825
11)	B alpha-Chl...	5.491	6.198	59600093	381.1E6	53.231	51.193
12)	B 4,4'-DDE	5.653	6.356	60382352	364.5E6	57.292	50.760
13)	MA Dieldrin	5.789	6.509	61237655	377.7E6	54.566	52.057
14)	MA Endrin	6.046	6.727	58719180	231.5E6	55.955	37.607 #
15)	B Endosulfa...	6.318	6.941	54989660	306.5E6	54.997	52.262
16)	A 4,4'-DDD	6.168	6.851	52709536	314.3E6	55.731	53.452
17)	MA 4,4'-DDT	6.408	7.148	53954416	315.5E6	54.253	52.603
18)	B Endrin al...	6.486	7.066	44061042	244.0E6	53.246	52.304
19)	B Endosulfa...	6.698	7.288	57732988	305.1E6	54.367	53.207
20)	A Methoxychlor	6.955	7.607	32580092	166.6E6	55.275	55.060
21)	B Endrin ke...	7.192	7.761	70676957	350.7E6	55.438	53.963
22)	Mirex	7.378	8.210	56089053	243.1E6	55.005	54.592

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082121\
Data File : PD065192.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 21 Aug 2021 17:10
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 23 01:54:17 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082021.M
Quant Title : GC Extractables
QLast Update : Fri Aug 20 02:25:41 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene

R.T.: 3.496 min
Delta R.T.: 0.000 min
Response: 53885803
Conc: 52.42 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 408323337
Conc: 51.55 ng/ml




#2 alpha-BHC

R.T.: 3.936 min
Delta R.T.: 0.000 min
Response: 77151142
Conc: 53.91 ng/ml



#2 alpha-BHC

R.T.: 4.408 min
Delta R.T.: 0.000 min
Response: 590944975
Conc: 50.87 ng/ml




#3 gamma-BHC (Lindane)

R.T.: 4.219 min
Delta R.T.: 0.000 min
Response: 72085366
Conc: 52.54 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#3 gamma-BHC (Lindane)

R.T.: 4.695 min
Delta R.T.: 0.000 min
Response: 536628067
Conc: 50.66 ng/ml




#4 Heptachlor

R.T.: 4.517 min
Delta R.T.: 0.000 min
Response: 67381507
Conc: 51.73 ng/ml



#4 Heptachlor

R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 494407331
Conc: 49.31 ng/ml




#5 Aldrin

R.T.: 4.765 min
Delta R.T.: 0.000 min
Response: 64478551
Conc: 53.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#5 Aldrin

R.T.: 5.503 min
Delta R.T.: 0.002 min
Response: 455059328
Conc: 50.38 ng/ml




#6 beta-BHC

R.T.: 4.466 min
Delta R.T.: -0.004 min
Response: 34844280
Conc: 55.00 ng/ml



#6 beta-BHC

R.T.: 4.870 min
Delta R.T.: 0.000 min
Response: 240414859
Conc: 53.70 ng/ml




#7 delta-BHC

R.T.: 4.672 min
Delta R.T.: 0.002 min
Response: 71310612
Conc: 53.94 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#7 delta-BHC

R.T.: 5.087 min
Delta R.T.: 0.000 min
Response: 512084171
Conc: 52.73 ng/ml




#8 Heptachlor epoxide

R.T.: 5.207 min
Delta R.T.: 0.000 min
Response: 61078763
Conc: 53.75 ng/ml



#8 Heptachlor epoxide

R.T.: 5.891 min
Delta R.T.: 0.000 min
Response: 395138274
Conc: 52.96 ng/ml m




#9 Endosulfan I

R.T.: 5.545 min
Delta R.T.: 0.000 min
Response: 57476192
Conc: 53.88 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#9 Endosulfan I

R.T.: 6.251 min
Delta R.T.: 0.000 min
Response: 361849929
Conc: 51.38 ng/ml




#10 gamma-Chlordane

R.T.: 5.432 min
Delta R.T.: 0.000 min
Response: 60982211
Conc: 53.93 ng/ml



#10 gamma-Chlordane

R.T.: 6.127 min
Delta R.T.: 0.000 min
Response: 388612330
Conc: 50.82 ng/ml




#11 alpha-Chlordane

R.T.: 5.491 min
Delta R.T.: 0.000 min
Response: 59600093
Conc: 53.23 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#11 alpha-Chlordane

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 381108246
Conc: 51.19 ng/ml




#12 4,4'-DDE

R.T.: 5.653 min
Delta R.T.: 0.000 min
Response: 60382352
Conc: 57.29 ng/ml



#12 4,4'-DDE

R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 364493572
Conc: 50.76 ng/ml




#13 Dieldrin

R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 61237655
Conc: 54.57 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#13 Dieldrin

R.T.: 6.509 min
Delta R.T.: 0.000 min
Response: 377735774
Conc: 52.06 ng/ml




#14 Endrin

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 58719180
Conc: 55.96 ng/ml



#14 Endrin

R.T.: 6.727 min
Delta R.T.: -0.001 min
Response: 231467236
Conc: 37.61 ng/ml




#15 Endosulfan II

R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 54989660
Conc: 55.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#15 Endosulfan II

R.T.: 6.941 min
Delta R.T.: 0.000 min
Response: 306461072
Conc: 52.26 ng/ml




#16 4,4'-DDD

R.T.: 6.168 min
Delta R.T.: 0.000 min
Response: 52709536
Conc: 55.73 ng/ml



#16 4,4'-DDD

R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 314318397
Conc: 53.45 ng/ml




#17 4,4'-DDT

R.T.: 6.408 min
Delta R.T.: 0.000 min
Response: 53954416
Conc: 54.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#17 4,4'-DDT

R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 315455395
Conc: 52.60 ng/ml




#18 Endrin aldehyde

R.T.: 6.486 min
Delta R.T.: 0.000 min
Response: 44061042
Conc: 53.25 ng/ml



#18 Endrin aldehyde

R.T.: 7.066 min
Delta R.T.: 0.000 min
Response: 243965858
Conc: 52.30 ng/ml




#19 Endosulfan Sulfate

R.T.: 6.698 min
Delta R.T.: 0.000 min
Response: 57732988
Conc: 54.37 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#19 Endosulfan Sulfate

R.T.: 7.288 min
Delta R.T.: 0.000 min
Response: 305123175
Conc: 53.21 ng/ml




#20 Methoxychlor

R.T.: 6.955 min
Delta R.T.: 0.000 min
Response: 32580092
Conc: 55.27 ng/ml



#20 Methoxychlor

R.T.: 7.607 min
Delta R.T.: 0.000 min
Response: 166616669
Conc: 55.06 ng/ml




#21 Endrin ketone

R.T.: 7.192 min
Delta R.T.: 0.000 min
Response: 70676957
Conc: 55.44 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050


Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM




#21 Endrin ketone

R.T.: 7.761 min
Delta R.T.: 0.000 min
Response: 350693358
Conc: 53.96 ng/ml




#22 Mirex

R.T.: 7.378 min
Delta R.T.: 0.000 min
Response: 56089053
Conc: 55.00 ng/ml



#22 Mirex

R.T.: 8.210 min
Delta R.T.: 0.000 min
Response: 243060963
Conc: 54.59 ng/ml




#28 Decachlorobiphenyl

R.T.: 8.239 min
Delta R.T.: 0.000 min
Response: 64250961
Conc: 56.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Manual Integrations
APPROVED

mohammad
8/23/2021 2:41:26 PM



#28 Decachlorobiphenyl

R.T.: 9.084 min
Delta R.T.: 0.001 min
Response: 254228999
Conc: 53.72 ng/ml