

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082225\
 Data File : PD090025.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Aug 2025 20:25
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 25 01:56:21 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 19 13:16:54 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.549	2.878	159.0E6	1182.6E6	54.187	53.631
28)	SA Decachlor...	9.070	8.065	215.7E6	1224.8E6	49.975	47.316
Target Compounds							
2)	A alpha-BHC	3.998	3.390	343.6E6	1867.4E6	57.246	55.024
3)	MA gamma-BHC...	4.329	3.726	320.4E6	1701.5E6	55.947	54.586
4)	MA Heptachlor	4.927	4.078	297.2E6	1615.9E6	52.993	51.805
5)	MB Aldrin	5.269	4.364	305.5E6	1679.8E6	56.425	55.155
6)	B beta-BHC	4.515	4.021	122.3E6	728.6E6	54.539	54.654
7)	B delta-BHC	4.763	4.257	315.8E6	1734.9E6	60.991	54.990
8)	B Heptachlo...	5.688	4.867	266.9E6	1500.8E6	54.401	54.190
9)	A Endosulfan I	6.072	5.242	250.3E6	1386.3E6	54.246	52.868
10)	B gamma-Chl...	5.944	5.120	272.2E6	1619.8E6	55.661	54.703
11)	B alpha-Chl...	6.024	5.185	267.2E6	1541.9E6	54.279	54.030
12)	B 4,4'-DDE	6.194	5.370	239.6E6	1561.6E6	54.593	54.178
13)	MA Dieldrin	6.344	5.507	266.4E6	1588.1E6	54.409	54.226
14)	MA Endrin	6.572	5.784	220.7E6	1476.2E6	53.264	55.428
15)	B Endosulfa...	6.785	6.075	219.2E6	1328.7E6	51.936	52.527
16)	A 4,4'-DDD	6.704	5.924	189.0E6	1305.3E6	54.651	54.287
17)	MA 4,4'-DDT	7.020	6.177	176.2E6	1190.3E6	46.249	47.481
18)	B Endrin al...	6.913	6.253	149.5E6	921.5E6	52.138	53.515
19)	B Endosulfa...	7.148	6.477	198.6E6	1227.9E6	50.686	50.366
20)	A Methoxychlor	7.491	6.748	85493217	633.2E6	42.627	49.103
21)	B Endrin ke...	7.629	6.986	202.3E6	1270.1E6	48.800	47.667
22)	Mirex	8.111	7.179	149.6E6	988.2E6	47.434	47.839
23)	Chlordane-1	0.000	3.897	0	755522	N.D.	0.850 #
24)	Chlordane-2	0.000	4.502f	0	30671513	N.D.	32.018 #
25)	Chlordane-3	5.944	5.120	272.2E6	1619.8E6	401.408	584.572 #
26)	Chlordane-4	6.024	5.185	267.2E6	1541.9E6	321.814	640.618 #
27)	Chlordane-5	0.000	6.075	0	1328.7E6	N.D.	1207.905 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082225\
Data File : PD090025.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Aug 2025 20:25
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 25 01:56:21 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
Quant Title : GC Extractables
QLast Update : Tue Aug 19 13:16:54 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.549 min
Delta R.T.: 0.000 min
Response: 159030267
Conc: 54.19 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.878 min
Delta R.T.: 0.000 min
Response: 1182582581
Conc: 53.63 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.000 min
Response: 343605729
Conc: 57.25 ng/ml



#2 alpha-BHC


R.T.: 3.390 min
Delta R.T.: 0.000 min
Response: 1867441206
Conc: 55.02 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: 0.001 min
Response: 320402342
Conc: 55.95 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.726 min
Delta R.T.: 0.000 min
Response: 1701489948
Conc: 54.59 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.000 min
Response: 297249674
Conc: 52.99 ng/ml



#4 Heptachlor


R.T.: 4.078 min
Delta R.T.: 0.000 min
Response: 1615866969
Conc: 51.80 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: 0.001 min
Response: 305512093
Conc: 56.42 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.364 min
Delta R.T.: 0.000 min
Response: 1679785372
Conc: 55.16 ng/ml




#6 beta-BHC

R.T.: 4.515 min
Delta R.T.: 0.001 min
Response: 122332669
Conc: 54.54 ng/ml



#6 beta-BHC


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 728554121
Conc: 54.65 ng/ml



#7 delta-BHC


R.T.: 4.763 min
Delta R.T.: 0.001 min
Response: 315792287
Conc: 60.99 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.257 min
Delta R.T.: 0.000 min
Response: 1734919919
Conc: 54.99 ng/ml




#8 Heptachlor epoxide

R.T.: 5.688 min
Delta R.T.: 0.000 min
Response: 266934810
Conc: 54.40 ng/ml



#8 Heptachlor epoxide


R.T.: 4.867 min
Delta R.T.: 0.000 min
Response: 1500783355
Conc: 54.19 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.000 min
Response: 250340679
Conc: 54.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 1386293301
Conc: 52.87 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: 0.000 min
Response: 272236599
Conc: 55.66 ng/ml



#10 gamma-Chlordane


R.T.: 5.120 min
Delta R.T.: 0.000 min
Response: 1619828465
Conc: 54.70 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 267185582
Conc: 54.28 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.185 min
Delta R.T.: 0.000 min
Response: 1541916811
Conc: 54.03 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: 0.001 min
Response: 239571113
Conc: 54.59 ng/ml



#12 4,4'-DDE


R.T.: 5.370 min
Delta R.T.: 0.000 min
Response: 1561572210
Conc: 54.18 ng/ml



#13 Dieldrin


R.T.: 6.344 min
Delta R.T.: 0.000 min
Response: 266374483
Conc: 54.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 1588117436
Conc: 54.23 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: 0.000 min
Response: 220704008
Conc: 53.26 ng/ml



#14 Endrin


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 1476174064
Conc: 55.43 ng/ml



#15 Endosulfan II


R.T.: 6.785 min
Delta R.T.: 0.002 min
Response: 219157433
Conc: 51.94 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 1328658039
Conc: 52.53 ng/ml




#16 4,4'-DDD

R.T.: 6.704 min
Delta R.T.: 0.002 min
Response: 189045287
Conc: 54.65 ng/ml



#16 4,4'-DDD


R.T.: 5.924 min
Delta R.T.: 0.000 min
Response: 1305268582
Conc: 54.29 ng/ml



#17 4,4'-DDT


R.T.: 7.020 min
Delta R.T.: 0.002 min
Response: 176197182
Conc: 46.25 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 1190337040
Conc: 47.48 ng/ml




#18 Endrin aldehyde

R.T.: 6.913 min
Delta R.T.: 0.001 min
Response: 149487649
Conc: 52.14 ng/ml



#18 Endrin aldehyde


R.T.: 6.253 min
Delta R.T.: 0.000 min
Response: 921516497
Conc: 53.51 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 198613255
Conc: 50.69 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 1227896993
Conc: 50.37 ng/ml




#20 Methoxychlor

R.T.: 7.491 min
Delta R.T.: 0.000 min
Response: 85493217
Conc: 42.63 ng/ml



#20 Methoxychlor


R.T.: 6.748 min
Delta R.T.: 0.000 min
Response: 633217667
Conc: 49.10 ng/ml



#21 Endrin ketone


R.T.: 7.629 min
Delta R.T.: 0.002 min
Response: 202251778
Conc: 48.80 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.986 min
Delta R.T.: 0.000 min
Response: 1270077788
Conc: 47.67 ng/ml




#22 Mirex

R.T.: 8.111 min
Delta R.T.: 0.002 min
Response: 149628744
Conc: 47.43 ng/ml



#22 Mirex


R.T.: 7.179 min
Delta R.T.: 0.000 min
Response: 988151009
Conc: 47.84 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.710 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.897 min
Delta R.T.: -0.004 min
Response: 755522
Conc: 0.85 ng/ml




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T.: 5.238 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 4.502 min
Delta R.T.: 0.020 min
Response: 30671513
Conc: 32.02 ng/ml



#25 Chlordane-3


R.T.: 5.944 min
Delta R.T.: 0.001 min
Response: 272236599
Conc: 401.41 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.120 min
Delta R.T.: 0.000 min
Response: 1619828465
Conc: 584.57 ng/ml




#26 Chlordane-4

R.T.: 6.024 min
Delta R.T.: -0.003 min
Response: 267185582
Conc: 321.81 ng/ml



#26 Chlordane-4


R.T.: 5.185 min
Delta R.T.: 0.000 min
Response: 1541916811
Conc: 640.62 ng/ml



#27 Chlordane-5


R.T.: 0.000 min
Exp R.T.: 6.867 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.075 min
Delta R.T.: -0.008 min
Response: 1328658039
Conc: 1207.91 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.070 min
Delta R.T.: 0.003 min
Response: 215691278
Conc: 49.98 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.065 min
Delta R.T.: 0.000 min
Response: 1224811750
Conc: 47.32 ng/ml