

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082521\
 Data File : PD065318.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Aug 2021 18:04
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 26 03:41:28 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082521.M
 Quant Title : GC Extractables
 QLast Update : Wed Aug 25 05:44:31 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.495	4.013	50244129	342.8E6	46.602	50.139
28)	SA Decachlor...	8.239	9.083	65127589	228.7E6	47.997	52.819
Target Compounds							
2)	A alpha-BHC	3.935	4.408	72336357	497.8E6	47.064	50.305
3)	MA gamma-BHC...	4.218	4.694	68953680	458.6E6	45.402	50.955
4)	MA Heptachlor	4.516	5.198	65886765	426.9E6	46.247	50.450
5)	MB Aldrin	4.764	5.503	63207327	397.3E6	47.839	51.057
6)	B beta-BHC	4.466	4.869	33914940	211.1E6	50.624	55.197
7)	B delta-BHC	4.671	5.086	68657250	431.9E6	46.652	49.855
8)	B Heptachlo...	5.206	5.892	59942801	374.4E6	47.424	58.828
9)	A Endosulfan I	5.545	6.250	56804358	317.0E6	47.464	51.947
10)	B gamma-Chl...	5.431	6.126	60409541	338.7E6	47.464	51.470
11)	B alpha-Chl...	5.490	6.198	59647012	333.4E6	47.222	51.622
12)	B 4,4'-DDE	5.652	6.356	58535919	324.4E6	48.990	52.285
13)	MA Dieldrin	5.788	6.508	60421344	332.1E6	47.738	52.424
14)	MA Endrin	6.045	6.726	56519242	253.1E6	47.174	47.130
15)	B Endosulfa...	6.317	6.940	54012970	272.7E6	46.714	52.213
16)	A 4,4'-DDD	6.167	6.850	51761760	276.1E6	48.419	52.911
17)	MA 4,4'-DDT	6.408	7.147	54172852	277.1E6	46.773	51.529
18)	B Endrin al...	6.486	7.064	43507603	217.3E6	45.590	51.383
19)	B Endosulfa...	6.697	7.287	57213967	270.9E6	46.341	51.753
20)	A Methoxychlor	6.953	7.606	33078322	145.1E6	47.093	51.956
21)	B Endrin ke...	7.192	7.760	70072258	314.2E6	47.748	53.294
22)	Mirex	7.376	8.209	56066086	219.8E6	53.198	53.235
23)	Chlordane-1	4.393f	0.000	906482	0	23.094	N.D. #
24)	Chlordane-2	0.000	5.503f	0	397.3E6	N.D.	1614.088 #
25)	Chlordane-3	5.431	6.126	60409541	338.7E6	505.079	386.005
26)	Chlordane-4	5.490	6.198	59647012	333.4E6	598.022	326.290 #
27)	Chlordane-5	6.317	0.000	54012970	0	1102.537	N.D. #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082521\
Data File : PD065318.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Aug 2021 18:04
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 26 03:41:28 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082521.M
Quant Title : GC Extractables
QLast Update : Wed Aug 25 05:44:31 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.495 min
Delta R.T.: 0.000 min
Response: 50244129
Conc: 46.60 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 342820586
Conc: 50.14 ng/ml




#2 alpha-BHC

R.T.: 3.935 min
Delta R.T.: 0.000 min
Response: 72336357
Conc: 47.06 ng/ml



#2 alpha-BHC


R.T.: 4.408 min
Delta R.T.: 0.000 min
Response: 497838845
Conc: 50.31 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.218 min
Delta R.T.: 0.000 min
Response: 68953680
Conc: 45.40 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 4.694 min
Delta R.T.: 0.000 min
Response: 458598286
Conc: 50.96 ng/ml




#4 Heptachlor

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 65886765
Conc: 46.25 ng/ml



#4 Heptachlor

R.T.: 5.198 min
Delta R.T.: 0.000 min
Response: 426870335
Conc: 50.45 ng/ml



#5 Aldrin


R.T.: 4.764 min

Delta R.T.: 0.000 min

Response: 63207327

Conc: 47.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 5.503 min

Delta R.T.: 0.000 min

Response: 397314780

Conc: 51.06 ng/ml




#6 beta-BHC

R.T.: 4.466 min

Delta R.T.: 0.000 min

Response: 33914940

Conc: 50.62 ng/ml




#6 beta-BHC

R.T.: 4.869 min

Delta R.T.: 0.000 min

Response: 211053718


Conc: 55.20 ng/ml



#7 delta-BHC


R.T.: 4.671 min
Delta R.T.: 0.000 min
Response: 68657250
Conc: 46.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 5.086 min
Delta R.T.: 0.000 min
Response: 431898980
Conc: 49.86 ng/ml




#8 Heptachlor epoxide

R.T.: 5.206 min
Delta R.T.: 0.000 min
Response: 59942801
Conc: 47.42 ng/ml



#8 Heptachlor epoxide


R.T.: 5.892 min
Delta R.T.: 0.000 min
Response: 374436631
Conc: 58.83 ng/ml



#9 Endosulfan I


R.T.: 5.545 min
Delta R.T.: 0.000 min
Response: 56804358
Conc: 47.46 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 6.250 min
Delta R.T.: 0.000 min
Response: 316981119
Conc: 51.95 ng/ml




#10 gamma-Chlordane

R.T.: 5.431 min
Delta R.T.: 0.000 min
Response: 60409541
Conc: 47.46 ng/ml



#10 gamma-Chlordane


R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 338657824
Conc: 51.47 ng/ml



#11 alpha-Chlordane


R.T.: 5.490 min
Delta R.T.: 0.000 min
Response: 59647012
Conc: 47.22 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 333362578
Conc: 51.62 ng/ml




#12 4,4'-DDE

R.T.: 5.652 min
Delta R.T.: 0.000 min
Response: 58535919
Conc: 48.99 ng/ml



#12 4,4'-DDE


R.T.: 6.356 min
Delta R.T.: 0.000 min
Response: 324367942
Conc: 52.29 ng/ml



#13 Dieldrin


R.T.: 5.788 min
Delta R.T.: 0.000 min
Response: 60421344
Conc: 47.74 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 6.508 min
Delta R.T.: 0.000 min
Response: 332130074
Conc: 52.42 ng/ml




#14 Endrin

R.T.: 6.045 min
Delta R.T.: 0.000 min
Response: 56519242
Conc: 47.17 ng/ml



#14 Endrin


R.T.: 6.726 min
Delta R.T.: 0.000 min
Response: 253128920
Conc: 47.13 ng/ml



#15 Endosulfan II


R.T.: 6.317 min
Delta R.T.: 0.000 min
Response: 54012970
Conc: 46.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 272689148
Conc: 52.21 ng/ml




#16 4,4'-DDD

R.T.: 6.167 min
Delta R.T.: 0.000 min
Response: 51761760
Conc: 48.42 ng/ml



#16 4,4'-DDD


R.T.: 6.850 min
Delta R.T.: 0.000 min
Response: 276142706
Conc: 52.91 ng/ml



#17 4,4'-DDT


R.T.: 6.408 min
Delta R.T.: 0.000 min
Response: 54172852
Conc: 46.77 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 7.147 min
Delta R.T.: 0.000 min
Response: 277063277
Conc: 51.53 ng/ml




#18 Endrin aldehyde

R.T.: 6.486 min
Delta R.T.: 0.000 min
Response: 43507603
Conc: 45.59 ng/ml



#18 Endrin aldehyde


R.T.: 7.064 min
Delta R.T.: 0.000 min
Response: 217284660
Conc: 51.38 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.697 min
Delta R.T.: 0.000 min
Response: 57213967
Conc: 46.34 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 7.287 min
Delta R.T.: 0.000 min
Response: 270898818
Conc: 51.75 ng/ml




#20 Methoxychlor

R.T.: 6.953 min
Delta R.T.: 0.000 min
Response: 33078322
Conc: 47.09 ng/ml



#20 Methoxychlor


R.T.: 7.606 min
Delta R.T.: 0.000 min
Response: 145125258
Conc: 51.96 ng/ml



#21 Endrin ketone


R.T.: 7.192 min
Delta R.T.: 0.000 min
Response: 70072258
Conc: 47.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 7.760 min
Delta R.T.: 0.000 min
Response: 314151393
Conc: 53.29 ng/ml




#22 Mirex

R.T.: 7.376 min
Delta R.T.: 0.000 min
Response: 56066086
Conc: 53.20 ng/ml



#22 Mirex


R.T.: 8.209 min
Delta R.T.: 0.000 min
Response: 219832563
Conc: 53.24 ng/ml



#23 Chlordane-1


R.T.: 4.393 min
Delta R.T.: 0.027 min
Response: 906482
Conc: 23.09 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 0.000 min
Exp R.T. : 5.009 min
Response: 0
Conc: N.D.




#24 Chlordane-2

R.T.: 0.000 min
Exp R.T. : 4.865 min
Response: 0
Conc: N.D.



#24 Chlordane-2


R.T.: 5.503 min
Delta R.T.: 0.024 min
Response: 397314780
Conc: 1614.09 ng/ml



#25 Chlordane-3


R.T.: 5.431 min
Delta R.T.: 0.000 min
Response: 60409541
Conc: 505.08 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 6.126 min
Delta R.T.: 0.000 min
Response: 338657824
Conc: 386.00 ng/ml




#26 Chlordane-4

R.T.: 5.490 min
Delta R.T.: 0.000 min
Response: 59647012
Conc: 598.02 ng/ml



#26 Chlordane-4


R.T.: 6.198 min
Delta R.T.: 0.000 min
Response: 333362578
Conc: 326.29 ng/ml



#27 Chlordane-5


R.T.: 6.317 min
Delta R.T.: -0.009 min
Response: 54012970
Conc: 1102.54 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 0.000 min
Exp R.T.: 7.009 min
Response: 0
Conc: N.D.



#28 Decachlorobiphenyl

R.T.: 8.239 min
Delta R.T.: 0.000 min
Response: 65127589
Conc: 48.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.083 min
Delta R.T.: 0.000 min
Response: 228740241
Conc: 52.82 ng/ml