

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082625\
 Data File : PD090029.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Aug 2025 12:05
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 27 04:59:04 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 19 13:16:54 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.549	2.878	133.1E6	969.9E6	45.353	43.983
28)	SA Decachlor...	9.070	8.065	194.7E6	1118.0E6	45.103	43.190
Target Compounds							
2)	A alpha-BHC	3.998	3.389	293.9E6	1557.4E6	48.964	45.890
3)	MA gamma-BHC...	4.329	3.726	278.8E6	1437.1E6	48.686	46.104
4)	MA Heptachlor	4.927	4.078	271.4E6	1389.1E6	48.386	44.534
5)	MB Aldrin	5.268	4.363	264.0E6	1406.6E6	48.752	46.185
6)	B beta-BHC	4.515	4.021	106.1E6	615.0E6	47.297	46.138
7)	B delta-BHC	4.763	4.257	271.4E6	1443.3E6	52.418	45.748
8)	B Heptachlo...	5.689	4.867	237.8E6	1282.7E6	48.465	46.315
9)	A Endosulfan I	6.072	5.241	224.9E6	1216.9E6	48.736	46.406
10)	B gamma-Chl...	5.944	5.120	240.8E6	1370.6E6	49.240	46.287
11)	B alpha-Chl...	6.024	5.184	238.8E6	1311.3E6	48.518	45.949
12)	B 4,4'-DDE	6.194	5.369	215.6E6	1326.7E6	49.124	46.029
13)	MA Dieldrin	6.345	5.507	242.5E6	1346.5E6	49.527	45.976
14)	MA Endrin	6.572	5.784	198.6E6	1164.2E6	47.920	43.715
15)	B Endosulfa...	6.784	6.074	205.0E6	1172.8E6	48.571	46.366
16)	A 4,4'-DDD	6.703	5.923	170.3E6	1104.2E6	49.243	45.924
17)	MA 4,4'-DDT	7.019	6.177	175.9E6	1100.6E6	46.176	43.903
18)	B Endrin al...	6.914	6.252	148.8E6	861.1E6	51.894	50.007
19)	B Endosulfa...	7.148	6.476	190.9E6	1130.6E6	48.706	46.375
20)	A Methoxychlor	7.492	6.748	88515400	528.1E6	44.134	40.948
21)	B Endrin ke...	7.629	6.985	202.5E6	1232.4E6	48.849	46.253
22)	Mirex	8.112	7.179	145.5E6	922.9E6	46.128	44.682



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082625\
Data File : PD090029.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Aug 2025 12:05
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 27 04:59:04 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
Quant Title : GC Extractables
QLast Update : Tue Aug 19 13:16:54 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.549 min
Delta R.T.: 0.000 min
Response: 133103029
Conc: 45.35 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.878 min
Delta R.T.: 0.000 min
Response: 969857759
Conc: 43.98 ng/ml




#2 alpha-BHC

R.T.: 3.998 min
Delta R.T.: 0.001 min
Response: 293890390
Conc: 48.96 ng/ml



#2 alpha-BHC


R.T.: 3.389 min
Delta R.T.: 0.000 min
Response: 1557437576
Conc: 45.89 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: 0.001 min
Response: 278817920
Conc: 48.69 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.726 min
Delta R.T.: 0.000 min
Response: 1437108707
Conc: 46.10 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.000 min
Response: 271406776
Conc: 48.39 ng/ml



#4 Heptachlor


R.T.: 4.078 min
Delta R.T.: 0.000 min
Response: 1389090212
Conc: 44.53 ng/ml



#5 Aldrin


R.T.: 5.268 min
Delta R.T.: 0.000 min
Response: 263970732
Conc: 48.75 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.363 min
Delta R.T.: 0.000 min
Response: 1406590837
Conc: 46.18 ng/ml




#6 beta-BHC

R.T.: 4.515 min
Delta R.T.: 0.001 min
Response: 106088441
Conc: 47.30 ng/ml



#6 beta-BHC


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 615033278
Conc: 46.14 ng/ml



#7 delta-BHC


R.T.: 4.763 min
Delta R.T.: 0.001 min
Response: 271406766
Conc: 52.42 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.257 min
Delta R.T.: 0.000 min
Response: 1443329924
Conc: 45.75 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.001 min
Response: 237808692
Conc: 48.47 ng/ml



#8 Heptachlor epoxide


R.T.: 4.867 min
Delta R.T.: 0.000 min
Response: 1282684004
Conc: 46.31 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.000 min
Response: 224910789
Conc: 48.74 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.241 min
Delta R.T.: 0.000 min
Response: 1216851814
Conc: 46.41 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: 0.001 min
Response: 240831947
Conc: 49.24 ng/ml



#10 gamma-Chlordane


R.T.: 5.120 min
Delta R.T.: 0.000 min
Response: 1370608458
Conc: 46.29 ng/ml



#11 alpha-Chlordane


R.T.: 6.024 min
Delta R.T.: 0.000 min
Response: 238825567
Conc: 48.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.184 min
Delta R.T.: 0.000 min
Response: 1311295693
Conc: 45.95 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: 0.001 min
Response: 215573431
Conc: 49.12 ng/ml



#12 4,4'-DDE


R.T.: 5.369 min
Delta R.T.: 0.000 min
Response: 1326672336
Conc: 46.03 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 242473960
Conc: 49.53 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 1346501181
Conc: 45.98 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: 0.000 min
Response: 198558489
Conc: 47.92 ng/ml



#14 Endrin


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 1164233023
Conc: 43.72 ng/ml



#15 Endosulfan II


R.T.: 6.784 min
Delta R.T.: 0.001 min
Response: 204954736
Conc: 48.57 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 1172801828
Conc: 46.37 ng/ml




#16 4,4'-DDD

R.T.: 6.703 min
Delta R.T.: 0.001 min
Response: 170337940
Conc: 49.24 ng/ml



#16 4,4'-DDD


R.T.: 5.923 min
Delta R.T.: 0.000 min
Response: 1104187804
Conc: 45.92 ng/ml



#17 4,4'-DDT


R.T.: 7.019 min
Delta R.T.: 0.001 min
Response: 175919604
Conc: 46.18 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 1100639477
Conc: 43.90 ng/ml




#18 Endrin aldehyde

R.T.: 6.914 min
Delta R.T.: 0.002 min
Response: 148787513
Conc: 51.89 ng/ml



#18 Endrin aldehyde


R.T.: 6.252 min
Delta R.T.: 0.000 min
Response: 861118523
Conc: 50.01 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.148 min
Delta R.T.: 0.002 min
Response: 190855626
Conc: 48.71 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.476 min
Delta R.T.: -0.001 min
Response: 1130610478
Conc: 46.38 ng/ml




#20 Methoxychlor

R.T.: 7.492 min
Delta R.T.: 0.001 min
Response: 88515400
Conc: 44.13 ng/ml



#20 Methoxychlor


R.T.: 6.748 min
Delta R.T.: -0.001 min
Response: 528057811
Conc: 40.95 ng/ml



#21 Endrin ketone


R.T.: 7.629 min
Delta R.T.: 0.002 min
Response: 202455790
Conc: 48.85 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.985 min
Delta R.T.: 0.000 min
Response: 1232400974
Conc: 46.25 ng/ml




#22 Mirex

R.T.: 8.112 min
Delta R.T.: 0.002 min
Response: 145510057
Conc: 46.13 ng/ml



#22 Mirex

R.T.: 7.179 min
Delta R.T.: 0.000 min
Response: 922948420
Conc: 44.68 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.070 min

Delta R.T.: 0.003 min

Response: 194663855

Conc: 45.10 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.065 min

Delta R.T.: 0.000 min

Response: 1118015850

Conc: 43.19 ng/ml