

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082825\
 Data File : PD090077.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 Aug 2025 19:06
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Aug 28 23:32:20 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
 Quant Title : GC Extractables
 QLast Update : Tue Aug 19 13:16:54 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.549	2.878	142.8E6	995.7E6	48.663	45.155
2)	SA Decachlor...	9.070	8.065	218.6E6	1195.0E6	50.648	46.164
Target Compounds							
2)	A alpha-BHC	3.999	3.390	319.3E6	1603.1E6	53.198	47.236
3)	MA gamma-BHC...	4.329	3.726	302.2E6	1481.4E6	52.762	47.524
4)	MA Heptachlor	4.927	4.079	289.1E6	1434.4E6	51.549	45.986
5)	MB Aldrin	5.269	4.364	291.2E6	1448.6E6	53.779	47.566
6)	B beta-BHC	4.516	4.022	114.3E6	629.5E6	50.955	47.227
7)	B delta-BHC	4.764	4.258	297.1E6	1500.3E6	57.380	47.553
8)	B Heptachlo...	5.689	4.868	260.4E6	1325.5E6	53.062	47.861
9)	A Endosulfan I	6.072	5.242	247.5E6	1243.8E6	53.625	47.435
10)	B gamma-Chl...	5.944	5.120	264.4E6	1411.2E6	54.064	47.659
11)	B alpha-Chl...	6.025	5.185	262.4E6	1347.8E6	53.313	47.227
12)	B 4,4'-DDE	6.194	5.370	235.9E6	1365.5E6	53.751	47.375
13)	MA Dieldrin	6.345	5.507	267.2E6	1407.1E6	54.582	48.045
14)	MA Endrin	6.572	5.784	220.0E6	1270.2E6	53.105	47.695
15)	B Endosulfa...	6.785	6.075	226.6E6	1216.0E6	53.696	48.075
16)	A 4,4'-DDD	6.704	5.924	192.1E6	1169.0E6	55.543	48.620
17)	MA 4,4'-DDT	7.019	6.177	189.9E6	1122.9E6	49.843	44.792
18)	B Endrin al...	6.914	6.253	161.2E6	885.0E6	56.235	51.393
19)	B Endosulfa...	7.148	6.477	213.1E6	1186.8E6	54.381	48.681
20)	A Methoxychlor	7.492	6.748	97005784	579.3E6	48.367	44.922
21)	B Endrin ke...	7.629	6.986	228.9E6	1310.6E6	55.220	49.190
22)	Mirex	8.111	7.179	164.9E6	976.1E6	52.268	47.253



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD082825\
Data File : PD090077.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 Aug 2025 19:06
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Aug 28 23:32:20 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD081825.M
Quant Title : GC Extractables
QLast Update : Tue Aug 19 13:16:54 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.549 min
Delta R.T.: 0.000 min
Response: 142817438
Conc: 48.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.878 min
Delta R.T.: 0.000 min
Response: 995692747
Conc: 45.16 ng/ml




#2 alpha-BHC

R.T.: 3.999 min
Delta R.T.: 0.002 min
Response: 319303545
Conc: 53.20 ng/ml



#2 alpha-BHC


R.T.: 3.390 min
Delta R.T.: 0.000 min
Response: 1603118173
Conc: 47.24 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.329 min
Delta R.T.: 0.001 min
Response: 302161991
Conc: 52.76 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.726 min
Delta R.T.: 0.000 min
Response: 1481351097
Conc: 47.52 ng/ml




#4 Heptachlor

R.T.: 4.927 min
Delta R.T.: 0.001 min
Response: 289147254
Conc: 51.55 ng/ml



#4 Heptachlor


R.T.: 4.079 min
Delta R.T.: 0.000 min
Response: 1434382508
Conc: 45.99 ng/ml



#5 Aldrin


R.T.: 5.269 min
Delta R.T.: 0.001 min
Response: 291186858
Conc: 53.78 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.364 min
Delta R.T.: 0.000 min
Response: 1448641342
Conc: 47.57 ng/ml




#6 beta-BHC

R.T.: 4.516 min
Delta R.T.: 0.002 min
Response: 114292770
Conc: 50.95 ng/ml



#6 beta-BHC


R.T.: 4.022 min
Delta R.T.: 0.000 min
Response: 629544090
Conc: 47.23 ng/ml



#7 delta-BHC


R.T.: 4.764 min
Delta R.T.: 0.002 min
Response: 297095735
Conc: 57.38 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.258 min
Delta R.T.: 0.000 min
Response: 1500283827
Conc: 47.55 ng/ml




#8 Heptachlor epoxide

R.T.: 5.689 min
Delta R.T.: 0.001 min
Response: 260365917
Conc: 53.06 ng/ml



#8 Heptachlor epoxide


R.T.: 4.868 min
Delta R.T.: 0.000 min
Response: 1325503001
Conc: 47.86 ng/ml



#9 Endosulfan I


R.T.: 6.072 min
Delta R.T.: 0.001 min
Response: 247473222
Conc: 53.63 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.242 min
Delta R.T.: 0.000 min
Response: 1243835089
Conc: 47.44 ng/ml




#10 gamma-Chlordane

R.T.: 5.944 min
Delta R.T.: 0.002 min
Response: 264424237
Conc: 54.06 ng/ml



#10 gamma-Chlordane


R.T.: 5.120 min
Delta R.T.: 0.000 min
Response: 1411230993
Conc: 47.66 ng/ml



#11 alpha-Chlordane


R.T.: 6.025 min
Delta R.T.: 0.001 min
Response: 262429579
Conc: 53.31 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.185 min
Delta R.T.: 0.000 min
Response: 1347777859
Conc: 47.23 ng/ml




#12 4,4'-DDE

R.T.: 6.194 min
Delta R.T.: 0.001 min
Response: 235875243
Conc: 53.75 ng/ml



#12 4,4'-DDE


R.T.: 5.370 min
Delta R.T.: 0.000 min
Response: 1365487887
Conc: 47.38 ng/ml



#13 Dieldrin


R.T.: 6.345 min
Delta R.T.: 0.000 min
Response: 267219711
Conc: 54.58 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.507 min
Delta R.T.: 0.000 min
Response: 1407097210
Conc: 48.04 ng/ml




#14 Endrin

R.T.: 6.572 min
Delta R.T.: 0.000 min
Response: 220045513
Conc: 53.11 ng/ml



#14 Endrin


R.T.: 5.784 min
Delta R.T.: 0.000 min
Response: 1270224582
Conc: 47.70 ng/ml



#15 Endosulfan II


R.T.: 6.785 min
Delta R.T.: 0.002 min
Response: 226582258
Conc: 53.70 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.075 min
Delta R.T.: 0.000 min
Response: 1216044445
Conc: 48.08 ng/ml




#16 4,4'-DDD

R.T.: 6.704 min
Delta R.T.: 0.002 min
Response: 192127783
Conc: 55.54 ng/ml



#16 4,4'-DDD


R.T.: 5.924 min
Delta R.T.: 0.000 min
Response: 1169007611
Conc: 48.62 ng/ml



#17 4,4'-DDT


R.T.: 7.019 min
Delta R.T.: 0.001 min
Response: 189889328
Conc: 49.84 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.177 min
Delta R.T.: 0.000 min
Response: 1122922042
Conc: 44.79 ng/ml




#18 Endrin aldehyde

R.T.: 6.914 min
Delta R.T.: 0.001 min
Response: 161235776
Conc: 56.24 ng/ml



#18 Endrin aldehyde


R.T.: 6.253 min
Delta R.T.: 0.000 min
Response: 884983456
Conc: 51.39 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 213090103
Conc: 54.38 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.477 min
Delta R.T.: 0.000 min
Response: 1186822180
Conc: 48.68 ng/ml




#20 Methoxychlor

R.T.: 7.492 min
Delta R.T.: 0.001 min
Response: 97005784
Conc: 48.37 ng/ml



#20 Methoxychlor


R.T.: 6.748 min
Delta R.T.: 0.000 min
Response: 579302998
Conc: 44.92 ng/ml



#21 Endrin ketone


R.T.: 7.629 min
Delta R.T.: 0.001 min
Response: 228862313
Conc: 55.22 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.986 min
Delta R.T.: 0.000 min
Response: 1310649509
Conc: 49.19 ng/ml




#22 Mirex

R.T.: 8.111 min
Delta R.T.: 0.002 min
Response: 164878094
Conc: 52.27 ng/ml



#22 Mirex

R.T.: 7.179 min
Delta R.T.: 0.000 min
Response: 976054189
Conc: 47.25 ng/ml



#28 Decachlorobiphenyl


R.T.: 9.070 min

Delta R.T.: 0.002 min

Response: 218592499

Conc: 50.65 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050



#28 Decachlorobiphenyl

R.T.: 8.065 min

Delta R.T.: 0.000 min

Response: 1194982818

Conc: 46.16 ng/ml