

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.544min -45.962 ng/ml

response -46486415

(1) Tetrachloro-m-xylene #2 (SA)

0.000min 0.000 ng/ml

response 0

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(1) Tetrachloro-m-xylene (SA)

3.543min 44.045 ng/ml m

response 44547278

(1) Tetrachloro-m-xylene #2 (SA)

2.900min 6.831 ng/ml m

response 24174154

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(3) gamma-BHC (Lindane) (MA)

0.000min 0.000 ng/ml

response 0

(3) gamma-BHC (Lindane) #2 (MA)

3.747min -34.307 ng/ml

response -166243225

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(3) gamma-BHC (Lindane) (MA)

4.261min 48995.287 ng/ml m

response 79267297146

(3) gamma-BHC (Lindane) #2 (MA)

3.746min 322.758 ng/ml m

response 1564021539

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(4) Heptachlor (MA)

4.919min 16.341 ng/ml

response 25142914

(4) Heptachlor #2 (MA)

4.105min 48.260 ng/ml

response 205446632

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024



Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(4) Heptachlor (MA)

4.917min 65.269 ng/ml m

response 100422792

(4) Heptachlor #2 (MA)

4.104min 64.586 ng/ml m

response 274947557

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(5) Aldrin (MB)

5.259min 54.143 ng/ml

response 86594709

(5) Aldrin #2 (MB)

4.388min 24.440 ng/ml

response 108544062

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(5) Aldrin (MB)

5.258min 49.407 ng/ml m

response 79019549

(5) Aldrin #2 (MB)

4.386min 33.367 ng/ml m

response 148191566

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(6) beta-BHC (B)

0.000min 0.000 ng/ml

response 0

(6) beta-BHC #2 (B)

4.041min 46.836 ng/ml

response 101538128

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(6) beta-BHC (B)

4.498min 186.078 ng/ml m

response 135161505

(6) beta-BHC #2 (B)

4.040min 65.746 ng/ml m

response 142533594

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(8) Heptachlor epoxide (B)

5.678min 39.991 ng/ml

response 59645831

(8) Heptachlor epoxide #2 (B)

4.896min 83.791 ng/ml

response 354879531

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(8) Heptachlor epoxide (B)

5.677min 36.414 ng/ml m

response 54309828

(8) Heptachlor epoxide #2 (B)

4.895min 75.800 ng/ml m

response 321038538

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)
6.061min -6.293 ng/ml
response -8657491

(9) Endosulfan I #2 (A)
5.275min 49.497 ng/ml
response 189736748

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(9) Endosulfan I (A)

6.059min 78.218 ng/ml m

response 107612339

(9) Endosulfan I #2 (A)

5.273min 60.528 ng/ml m

response 232020281

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(10) trans-Chlordane (B)

5.931min 58.132 ng/ml

response 81987289

(10) trans-Chlordane #2 (B)

5.151min 60.075 ng/ml

response 247096717

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(10) trans-Chlordane (B)

5.930min 54.703 ng/ml m

response 77152148

(10) trans-Chlordane #2 (B)

5.149min 52.700 ng/ml m

response 216762569

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(11) cis-Chlordane (B)

6.061min -5.855 ng/ml

response -8657491

(11) cis-Chlordane #2 (B)

5.217min 50.352 ng/ml

response 211256829

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(11) cis-Chlordane (B)

6.011min 59.365 ng/ml m

response 87774059

(11) cis-Chlordane #2 (B)

5.216min 53.812 ng/ml m

response 225775344

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)

6.182min 120.185 ng/ml
response 149924591

(12) 4,4'-DDE #2 (B)

5.401min 84.003 ng/ml
response 329510960

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(12) 4,4'-DDE (B)

6.182min 120.185 ng/ml
response 149924591

(12) 4,4'-DDE #2 (B)

5.400min 73.407 ng/ml m
response 287945949

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)

6.333min 118.769 ng/ml

response 175195687

(13) Dieldrin #2 (MA)

5.541min 85.196 ng/ml

response 366015244

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(13) Dieldrin (MA)
6.332min 127.476 ng/ml m
response 188039445

(13) Dieldrin #2 (MA)
5.540min 93.797 ng/ml m
response 402964807

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)

6.561min 114.264 ng/ml
response 128929690

(14) Endrin #2 (MA)

5.818min 135.324 ng/ml
response 501014994

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(14) Endrin (MA)

6.560min 106.407 ng/ml m
response 120064558

(14) Endrin #2 (MA)

5.817min 94.527 ng/ml m
response 349972126

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024



Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(15) Endosulfan II (B)

6.771min 73.330 ng/ml

response 96797914

(15) Endosulfan II #2 (B)

6.110min 98.597 ng/ml

response 365570595

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(15) Endosulfan II (B)
6.770min 91.066 ng/ml m
response 120209467

(15) Endosulfan II #2 (B)
6.109min 112.215 ng/ml m
response 416064496

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(17) 4,4'-DDT (MA)

7.006min 185.045 ng/ml

response 165638808

(17) 4,4'-DDT #2 (MA)

6.214min 87.587 ng/ml

response 280186188

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(17) 4,4'-DDT (MA)

7.004min 108.701 ng/ml m
response 97300796

(17) 4,4'-DDT #2 (MA)

6.213min 92.617 ng/ml m
response 296275570

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(18) Endrin aldehyde (B)

6.899min 81.490 ng/ml

response 73594176

(18) Endrin aldehyde #2 (B)

6.289min 77.330 ng/ml

response 220794614

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024


Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(18) Endrin aldehyde (B)
6.898min 105.803 ng/ml m
response 95551149

(18) Endrin aldehyde #2 (B)
6.289min 77.330 ng/ml
response 220794614

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(19) Endosulfan Sulfate (B)

7.133min 110.625 ng/ml

response 127441078

(19) Endosulfan Sulfate #2 (B)

6.514min 78.522 ng/ml

response 280443088

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(19) Endosulfan Sulfate (B)

7.131min 125.304 ng/ml m

response 144350807

(19) Endosulfan Sulfate #2 (B)

6.514min 78.522 ng/ml

response 280443088

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul

Mirza

09/12/2024



Supervised By :Ankita

Jodhani

09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(20) Methoxychlor (A)

7.480min 916.344 ng/ml

response 477336743

(20) Methoxychlor #2 (A)

6.786min 389.889 ng/ml

response 644979453

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(20) Methoxychlor (A)
7.477min 2688.507 ng/ml m
response 1400482284

(20) Methoxychlor #2 (A)
6.785min 437.150 ng/ml m
response 723162700

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(21) Endrin ketone (B)
7.612min 104.344 ng/ml
response 127575122

(21) Endrin ketone #2 (B)
7.025min 72.764 ng/ml
response 320393485

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(21) Endrin ketone (B)
7.611min 125.815 ng/ml m
response 153826055

(21) Endrin ketone #2 (B)
7.024min 78.928 ng/ml m
response 347532799

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.043min 12.706 ng/ml

response 16594295

(27) Decachlorobiphenyl #2 (SA)

8.107min 12.113 ng/ml

response 42118428

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091024\
Data File : PD084987.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Sep 2024 12:56
Operator : AR\AJ
Sample : P3877-09MSD
Misc :
ALS Vial : 5 Sample Multiplier: 1



Instrument :
ECD_D
ClientSampleId :
DCVY2MSD

Manual IntegrationsAPPROVED

Reviewed By :Abdul
Mirza
09/12/2024
Supervised By :Ankita
Jodhani
09/12/2024

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 11 01:12:21 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD082524CLP.M
Quant Title : GC Extractables
QLast Update : Tue Aug 27 02:47:48 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm



(27) Decachlorobiphenyl (SA)

9.042min 18.446 ng/ml m

response 24091430

(27) Decachlorobiphenyl #2 (SA)

8.106min 13.453 ng/ml m

response 46780302