

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091421\
 Data File : PD065706.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Sep 2021 17:34
 Operator : AR\AJ
 Sample : PSTDICC050
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDICC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Sep 15 02:40:40 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091421.M
 Quant Title : GC Extractables
 QLast Update : Wed Sep 15 02:38:46 2021
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
 Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.495	4.013	39525610	315.8E6	50.000	50.000
28)	SA Decachlor...	8.237	9.086	54670541	174.6E6	50.000	50.000
Target Compounds							
2)	A alpha-BHC	3.934	4.409	59010313	457.3E6	50.000	50.000
3)	MA gamma-BHC...	4.217	4.695	57665851	425.3E6	50.000	50.000
4)	MA Heptachlor	4.515	5.199	59607378	387.8E6	50.000	50.000
5)	MB Aldrin	4.762	5.504	56125936	352.5E6	50.000	50.000
6)	B beta-BHC	4.466	4.871	30872017	202.1E6	50.000	50.000
7)	B delta-BHC	4.670	5.088	60719842	400.2E6	50.000	50.000
8)	B Heptachlo...	5.205	5.894	56585392	269.6E6	50.000	50.000
9)	A Endosulfan I	5.543	6.251	55095828	297.1E6	50.000	50.000
10)	B gamma-Chl...	5.430	6.127	59069028	317.1E6	50.000	50.000
11)	B alpha-Chl...	5.489	6.199	58569452	310.5E6	50.000	50.000
12)	B 4,4'-DDE	5.651	6.357	55270403	307.5E6	50.000	50.000
13)	MA Dieldrin	5.786	6.509	60675644	318.2E6	50.000	50.000
14)	MA Endrin	6.044	6.729	56139103	276.2E6	50.000	50.000
15)	B Endosulfa...	6.316	6.942	55416722	266.8E6	50.000	50.000
16)	A 4,4'-DDD	6.166	6.852	49521309	257.9E6	50.000	50.000
17)	MA 4,4'-DDT	6.406	7.149	54503204	247.8E6	50.000	50.000
18)	B Endrin al...	6.485	7.067	49121797	227.2E6	50.000	50.000
19)	B Endosulfa...	6.696	7.289	60305979	255.7E6	50.000	50.000
20)	A Methoxychlor	6.952	7.609	34505990	128.9E6	50.000	50.000
21)	B Endrin ke...	7.191	7.763	70080396	264.1E6	50.000	50.000
22)	Mirex	7.376	8.211	56467816	177.1E6	50.000	50.000



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD091421\
Data File : PD065706.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Sep 2021 17:34
Operator : AR\AJ
Sample : PSTDICC050
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDICC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Sep 15 02:40:40 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD091421.M
Quant Title : GC Extractables
QLast Update : Wed Sep 15 02:38:46 2021
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR2 Signal #2 Phase: ZB-MR1
Signal #1 Info : 30M x 0.32mm x0.2 Signal #2 Info : 30M x 0.32mm x 0.50µm






#1 Tetrachloro-m-xylene


R.T.: 3.495 min
Delta R.T.: 0.000 min
Response: 39525610
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#1 Tetrachloro-m-xylene

R.T.: 4.013 min
Delta R.T.: 0.000 min
Response: 315786000
Conc: 50.00 ng/ml




#2 alpha-BHC

R.T.: 3.934 min
Delta R.T.: 0.000 min
Response: 59010313
Conc: 50.00 ng/ml



#2 alpha-BHC


R.T.: 4.409 min
Delta R.T.: 0.000 min
Response: 457298962
Conc: 50.00 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.217 min
Delta R.T.: 0.000 min
Response: 57665851
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#3 gamma-BHC (Lindane)

R.T.: 4.695 min
Delta R.T.: 0.000 min
Response: 425257165
Conc: 50.00 ng/ml




#4 Heptachlor

R.T.: 4.515 min
Delta R.T.: 0.000 min
Response: 59607378
Conc: 50.00 ng/ml



#4 Heptachlor


R.T.: 5.199 min
Delta R.T.: 0.000 min
Response: 387760360
Conc: 50.00 ng/ml



#5 Aldrin


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 56125936
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#5 Aldrin

R.T.: 5.504 min
Delta R.T.: 0.000 min
Response: 352462264
Conc: 50.00 ng/ml




#6 beta-BHC

R.T.: 4.466 min
Delta R.T.: 0.000 min
Response: 30872017
Conc: 50.00 ng/ml



#6 beta-BHC


R.T.: 4.871 min
Delta R.T.: 0.000 min
Response: 202109625
Conc: 50.00 ng/ml



#7 delta-BHC


R.T.: 4.670 min
Delta R.T.: 0.000 min
Response: 60719842
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#7 delta-BHC

R.T.: 5.088 min
Delta R.T.: 0.000 min
Response: 400199588
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.205 min
Delta R.T.: 0.000 min
Response: 56585392
Conc: 50.00 ng/ml



#8 Heptachlor epoxide


R.T.: 5.894 min
Delta R.T.: 0.000 min
Response: 269610407
Conc: 50.00 ng/ml



#9 Endosulfan I


R.T.: 5.543 min
Delta R.T.: 0.000 min
Response: 55095828
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#9 Endosulfan I

R.T.: 6.251 min
Delta R.T.: 0.000 min
Response: 297054533
Conc: 50.00 ng/ml




#10 gamma-Chlordane

R.T.: 5.430 min
Delta R.T.: 0.000 min
Response: 59069028
Conc: 50.00 ng/ml



#10 gamma-Chlordane


R.T.: 6.127 min
Delta R.T.: 0.000 min
Response: 317122346
Conc: 50.00 ng/ml



#11 alpha-Chlordane


R.T.: 5.489 min
Delta R.T.: 0.000 min
Response: 58569452
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#11 alpha-Chlordane

R.T.: 6.199 min
Delta R.T.: 0.000 min
Response: 310467902
Conc: 50.00 ng/ml




#12 4,4'-DDE

R.T.: 5.651 min
Delta R.T.: 0.000 min
Response: 55270403
Conc: 50.00 ng/ml



#12 4,4'-DDE


R.T.: 6.357 min
Delta R.T.: 0.000 min
Response: 307524755
Conc: 50.00 ng/ml



#13 Dieldrin


R.T.: 5.786 min
Delta R.T.: 0.000 min
Response: 60675644
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#13 Dieldrin

R.T.: 6.509 min
Delta R.T.: 0.000 min
Response: 318230291
Conc: 50.00 ng/ml




#14 Endrin

R.T.: 6.044 min
Delta R.T.: 0.000 min
Response: 56139103
Conc: 50.00 ng/ml



#14 Endrin


R.T.: 6.729 min
Delta R.T.: 0.000 min
Response: 276190647
Conc: 50.00 ng/ml



#15 Endosulfan II


R.T.: 6.316 min
Delta R.T.: 0.000 min
Response: 55416722
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#15 Endosulfan II

R.T.: 6.942 min
Delta R.T.: 0.000 min
Response: 266771981
Conc: 50.00 ng/ml




#16 4,4'-DDD

R.T.: 6.166 min
Delta R.T.: 0.000 min
Response: 49521309
Conc: 50.00 ng/ml



#16 4,4'-DDD


R.T.: 6.852 min
Delta R.T.: 0.000 min
Response: 257885197
Conc: 50.00 ng/ml



#17 4,4'-DDT


R.T.: 6.406 min
Delta R.T.: 0.000 min
Response: 54503204
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#17 4,4'-DDT

R.T.: 7.149 min
Delta R.T.: 0.000 min
Response: 247847699
Conc: 50.00 ng/ml




#18 Endrin aldehyde

R.T.: 6.485 min
Delta R.T.: 0.000 min
Response: 49121797
Conc: 50.00 ng/ml



#18 Endrin aldehyde


R.T.: 7.067 min
Delta R.T.: 0.000 min
Response: 227201326
Conc: 50.00 ng/ml



#19 Endosulfan Sulfate


R.T.: 6.696 min
Delta R.T.: 0.000 min
Response: 60305979
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDICC050




#19 Endosulfan Sulfate

R.T.: 7.289 min
Delta R.T.: 0.000 min
Response: 255674334
Conc: 50.00 ng/ml




#20 Methoxychlor

R.T.: 6.952 min
Delta R.T.: 0.000 min
Response: 34505990
Conc: 50.00 ng/ml



#20 Methoxychlor


R.T.: 7.609 min
Delta R.T.: 0.000 min
Response: 128861006
Conc: 50.00 ng/ml



#21 Endrin ketone


R.T.: 7.191 min
Delta R.T.: 0.000 min
Response: 70080396
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050




#21 Endrin ketone

R.T.: 7.763 min
Delta R.T.: 0.000 min
Response: 264143291
Conc: 50.00 ng/ml




#22 Mirex

R.T.: 7.376 min
Delta R.T.: 0.000 min
Response: 56467816
Conc: 50.00 ng/ml



#22 Mirex


R.T.: 8.211 min
Delta R.T.: 0.000 min
Response: 177149736
Conc: 50.00 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.237 min
Delta R.T.: 0.000 min
Response: 54670541
Conc: 50.00 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDIC050



#28 Decachlorobiphenyl

R.T.: 9.086 min
Delta R.T.: 0.000 min
Response: 174632495
Conc: 50.00 ng/ml